









BINZEL STYLE SERIES AIR COOLED MIG/MAG TORCHES

(All pricing excludes GST)

Consumable Parts o-

All wear and spare parts are manufactured to the same specification as the OEM and are fully interchangeable.



A "plug and play" option, they encourage the operator to hang the torch off the ground where it is easy to locate.

Medium Ergo Trigger Assembly

Rapid field servicing ensured by a simple "plug and play" system. Switches can be exchanged in 5 seconds without the use of tools.

Knuckle Joint and Cable Support

Small movements of the handle and neck are possible independent of the cable assembly. A moulded polymer cable support increases flexibility and electrode support.

Rear Cable Support o

Extra length cable support systems ensure smooth and consistent wire feed at any angle.

Spring Pins

Fitted with unbreakable spring loaded gun plug body pins.

Swan Necks

Manufactured to the same specification as the OEM.



Ergo Handle

A patented screwless design combines the ultimate in balance, positioning and ergonomics. Torch handles disassemble in 5 seconds for rapid fault analysis.

Top and bottom handle soft grips ensure all day welder comfort.

Hyperflex Cable Systems

Air cooled cable assemblies offer outstanding flexibility with the highest heat and abrasion resistance of any known cable.

The outer jacket is constructed from cross-linked polymers providing a tear proof outer with a burn threshold of 375°C.



Gun Plug Housing

Tough and damage resistant, housings and nuts are formed in robust glass-reinforced polymers encasing all conductive parts in accordance with EN60974-7.



BINZEL STYLE SERIES AIR COOLED MIG/MAG TORCHES

(All pricing excludes GST)

MT150 MIG Torches

• Air Cooled • 180A Rated (CO2) • 150A Rated (Mixed Gas) • 60% Duty Cycle • 0.6 – 1.0mm Wire

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-----------|---|--------------|
| MT150-30C | Binzel Style MT MIG/MAG Torch 3m Direct Connect | \$159.00 |
| MT150-3E | Binzel Style MT MIG/MAG Torch 3m | \$129.00 |
| MT150-4E | Binzel Style MT MIG/MAG Torch 4m | \$149.00 |
| MT150-5E | Binzel Style MT MIG/MAG Torch 5m | \$169.00 |





MT240 MIG Torches

• Air Cooled • 250A Rated (CO2) • 220A Rated (Mixed Gas) • 60% Duty Cycle • 0.8 – 1.2mm Wire

| CODE: | DESCRIPTION: | TRADE PRICE: |
|----------|----------------------------------|--------------|
| MT240-3E | Binzel Style MT MIG/MAG Torch 3m | \$199.00 |
| MT240-4E | Binzel Style MT MIG/MAG Torch 4m | \$249.00 |
| MT240-5E | Binzel Style MT MIG/MAG Torch 5m | \$279.00 |





MT250 MIG Torches

• Air Cooled • 230A Rated (CO2) • 200A Rated (Mixed Gas) • 60% Duty Cycle • 0.8 – 1.2mm Wire

| CODE: | DESCRIPTION: | TRADE PRICE: |
|----------|----------------------------------|--------------|
| MT250-3E | Binzel Style MT MIG/MAG Torch 3m | \$159.00 |
| MT250-4E | Binzel Style MT MIG/MAG Torch 4m | \$179.00 |
| MT250-5E | Binzel Style MT MIG/MAG Torch 5m | \$219.00 |





MT360 MIG Torches

• Air Cooled • 300A Rated (CO2) • 270A Rated (Mixed Gas) • 60% Duty Cycle • 0.8 – 1.2mm Wire

| CODE: | DESCRIPTION: | TRADE PRICE: |
|----------|----------------------------------|--------------|
| MT360-3E | Binzel Style MT MIG/MAG Torch 3m | \$259.00 |
| MT360-4E | Binzel Style MT MIG/MAG Torch 4m | \$279.00 |
| MT360-5E | Binzel Style MT MIG/MAG Torch 5m | \$319.00 |

For spare parts refer to pg 8





BINZEL STYLE SERIES WATER COOLED MIG/MAG TORCHES

(All pricing excludes GST)

Consumable Parts o-

All wear and spare parts are manufactured to the same specification as the OEM and are fully interchangeable.

Hanger Hook o

A "plug and play" option, they encourage the operator to hang the torch off the ground where it is easy to locate.

Medium Ergo Trigger Assembly o

Rapid field servicing ensured by a simple "plug and play" system. Switches can be exchanged in 5 seconds without the use of tools.

Knuckle Joint and Cable Support o-

Small movements of the handle and neck are possible independent of the cable assembly. A moulded polymer cable support increases flexibility and electrode support.

Water In/Out Supports of Fitted as standard to ensure delivery and uninterrupted flow rate of coolants.



Spring PinsFitted with unbreakable spring loaded gun plug body pins.

Swan Necks Manufactured to the same specification



Ergo Handle

Handle weight has been reduced wherever possible, which when combined with the correct ratio of cable support length and stiffness, provides the perfect balance between user comfort and excellent wire feed performance. Top and bottom handle soft grips ensure all day welder comfort.

Hydroflex Cable Systems

Water cooled cable systems use high temperature-resistant rubber cables and are colour coded for ease of identification. Unique cable end geometries ensure leak free terminations.

Rear Cable Support

Extra length cable support systems ensure smooth and consistent wire feed at any angle.

Gun Plug Housing

Tough and damage resistant, housings and nuts are formed in robust glass-reinforced polymers encasing all conductive parts in accordance with EN60974-7.

MT501 MIG Torches

- Water Cooled 500A Rated (CO2) 450A Rated (Mixed Gas) 100% Duty Cycle 1.2L/min Water Flow (min)
- 2.0 Bar Water Inlet Pressure (min) 1150W Cooling Requirements (min) 5.0 Bar Water Inlet Pressure (max)
- 50°C Water Inlet Temperature (max)

| CODE: | DESCRIPTION: | TRADE PRICE: |
|----------|----------------------------------|--------------|
| MT501-3E | Binzel Style MT MIG/MAG Torch 3m | \$389.00 |
| MT501-4E | Binzel Style MT MIG/MAG Torch 4m | \$429.00 |
| MT501-5E | Binzel Style MT MIG/MAG Torch 5m | \$479.00 |

For spare parts refer to pg 9



(All pricing excludes GST)

MT150 MIG Torch Range Parts

| #: | CODE: | DESCRIPTION: | TRADE PRICE: |
|-----|---------|------------------------------|--------------|
| 1. | MSS1557 | Shroud Spring | \$6.00 |
| 2. | MSN1554 | Swan Neck Assembly | \$12.60 |
| 11. | B2514 | Ergo Handle Kit C/W Lock Nut | POA |
| 12. | UG2516 | Medium / Large Ergo Trigger | POA |
| 21. | MOR1596 | Gun Plug 'O' Ring | \$5.90 |
| 22. | MLN1597 | Liner Nut | \$6.90 |






(All pricing excludes GST)

MT240 MIG Torch Range Parts

| #: | CODE: | DESCRIPTION: | TRADE PRICE: |
|-----|---------|-------------------------------------|--------------|
| 1. | MSN2454 | Swan Neck Assembly | \$68.00 |
| 4. | UG8015 | Handle Cable Support C/W Ball Joint | POA |
| 8. | B2514 | Ergo Handle Kit C/W Lock Nut | POA |
| 9. | UG2516 | Medium / Large Ergo Trigger | POA |
| 18. | MOR1596 | Gun Plug 'O' Ring | \$5.90 |
| 19. | MLN1597 | Liner Nut | \$6.90 |

All products conform to EN60974-7 and are RoHS, REACH and WEEE compliant






Wear parts - see pg 10 - 12

(All pricing excludes GST)

MT250 MIG Torch Range Parts

| #: | CODE: | DESCRIPTION: | TRADE PRICE: |
|-----|---------|-------------------------------------|--------------|
| 1. | MSS2557 | Shroud Spring | \$6.90 |
| 2. | MSN2554 | Swan Neck Assembly | \$49.50 |
| 5. | UG8015 | Handle Cable Support C/W Ball Joint | POA |
| 9. | B2514 | Ergo Handle Kit C/W Lock Nut | POA |
| 10. | UG2516 | Medium / Large Ergo Trigger | POA |
| 19. | MOR1596 | Gun Plug 'O' Ring | \$5.90 |
| 20. | MLN1597 | Liner Nut | \$6.90 |





(All pricing excludes GST)

MT360 MIG Torch Range Parts

| #: | CODE: | DESCRIPTION: | TRADE PRICE: |
|-----|---------|-------------------------------------|--------------|
| 1. | MSN3654 | Swan Neck Assembly | \$79.00 |
| 4. | UG8016 | Handle Cable Support C/W Ball Joint | POA |
| 8. | B2514 | Ergo Handle Kit C/W Lock Nut | POA |
| 9. | UG2516 | Medium / Large Ergo Trigger | POA |
| 18. | MOR1596 | Gun Plug 'O' Ring | \$5.90 |
| 19. | MLN1597 | Liner Nut | \$6.90 |

BINZEL STYLE SERIES TORCH PARTS

All products conform to EN60974-7 and are RoHS, REACH and WEEE compliant





Wear parts - see pg 10 - 12



(All pricing excludes GST)


MT501 MIG Torch Range Parts

| #: | CODE: | DESCRIPTION: | TRADE PRICE: |
|-----|---------|------------------------------|--------------|
| 2. | MSN501 | Swan Neck Assembly | \$119.00 |
| 13. | B2514 | Ergo Handle Kit C/W Lock Nut | POA |
| 14. | UG2516 | Medium / Large Ergo Trigger | POA |
| 32. | MLO1596 | Gun Plug 'O' Ring | \$5.90 |
| 33. | MLN1597 | Liner Nut | \$6.90 |

All products conform to EN60974-7 and are RoHS, REACH and WEEE compliant







Wear parts - see pg 10 - 12

BINZEL STYLE SERIES WEAR PARTS

(All pricing excludes GST)

Nozzles (2 Pack)

| CODE: | DESCRIPTION: | BORE: | WALL: | MATERIAL: | TRADE PRICE: |
|-----------|--------------------|-------|-------|-----------|--------------|
| MCN1571 | Cylindrical Nozzle | 16.0 | 1.0mm | Copper | \$9.90 |
| MCN1570 * | Conical Nozzle | 12.0 | 1.0mm | Copper | \$9.90 |
| MCN1572 | Tapered Nozzle | 10.5 | 1.0mm | Copper | \$9.90 |



| MCN2471 | Cylindrical Nozzle | 17.2 | 1.4mm | Copper | \$17.50 |
|-----------|--------------------|------|-------|--------|---------|
| MCN2470 * | Conical Nozzle | 12.6 | 1.4mm | Copper | \$17.50 |

^{*} Standard Nozzle comes with BINZEL STYLE MT240 MIG/MAG Torch Kit

| MCN2571 | Cylindrical Nozzle | 18.0 | 1.75mm | Copper | \$15.50 |
|-----------|--------------------|------|--------|--------|---------|
| MCN2570 * | Conical Nozzle | 15.0 | 1.75mm | Copper | \$15.50 |
| MCN2572 | Tapered Nozzle | 12.0 | 1.75mm | Copper | \$15.50 |


^{*} Standard Nozzle comes with BINZEL STYLE MT250 MIG/MAG Torch Kit

| MCN3671 | Cylindrical Nozzle | 19.0 | 2.25mm | Copper | \$21.50 |
|-----------|--------------------|------|--------|--------|---------|
| MCN3670 * | Conical Nozzle | 16.1 | 2.25mm | Copper | \$21.50 |


^{*} Standard Nozzle comes with BINZEL STYLE MT360 MIG/MAG Torch Kit

| UB5028 | Conical Nozzle | 16 | 2.5mm | Copper | \$29.50 |
|--------|----------------|----|-------|--------|---------|
|--------|----------------|----|-------|--------|---------|

912.15








Contact Tips (5 Pack)


| CODE: | DESCRIPTION: | MATERIAL: | WIRE SIZE: (mm /inch) | TRADE PRICE: |
|---------|--------------|-----------|-----------------------|--------------|
| MMT1506 | Contact Tip | Ecu | 0.6 / 0.023 | \$5.90 |
| MMT1508 | Contact Tip | Ecu | 0.8 / 0.030 | \$5.90 |
| MMT1509 | Contact Tip | Ecu | 0.9 / 0.035 | \$5.90 |
| MMT1510 | Contact Tip | Ecu | 1.0 / 0.040 | \$5.90 |
| MMT1512 | Contact Tip | Ecu | 1.2 / 0.045 | \$5.90 |

Standard Tips for BINZEL STYLE MT150 MIG Torch

| MMT2406 | Contact Tip | Ecu | 0.6-0 / 023 | \$7.75 |
|----------|-------------|-----|-------------|--------|
| MMT2408 | Contact Tip | Ecu | 0.8-0 / 030 | \$7.75 |
| MMT2409 | Contact Tip | Ecu | 0.9-0 / 035 | \$7.75 |
| MMT2410 | Contact Tip | Ecu | 1.0 / 0.040 | \$7.75 |
| MMT2412 | Contact Tip | Ecu | 1.2 / 0.045 | \$7.75 |
| MMT2414 | Contact Tip | Ecu | 1.4 / 0.055 | \$7.75 |
| MMT2416 | Contact Tip | Ecu | 1.6 / 0.063 | \$7.75 |
| MMT2410A | Contact Tip | Ecu | 1.0 / 0.040 | \$7.75 |
| MMT2412A | Contact Tip | Ecu | 1.2 / 0.045 | \$7.75 |
| MMT2416A | Contact Tip | Ecu | 1.6 / 0.063 | \$7.75 |









BINZEL STYLE SERIES WEAR PARTS

(All pricing excludes GST)

Contact Tips (5 Pack)

| CODE: | DESCRIPTION: | MATERIAL: | WIRE SIZE: (mm /inch) | TRADE PRICE: |
|----------|--------------|-----------|-----------------------|--------------|
| MMT3808 | Contact Tip | Ecu | 0.8 - 0.030 | \$9.90 |
| MMT3809 | Contact Tip | Ecu | 0.9 - 0.035 | \$9.90 |
| MMT3810 | Contact Tip | Ecu | 1.0 - 0.040 | \$9.90 |
| MMT3812 | Contact Tip | Ecu | 1.2 - 0.045 | \$9.90 |
| MMT3814 | Contact Tip | Ecu | 1.4 - 0.055 | \$9.90 |
| MMT3816 | Contact Tip | Ecu | 1.6 - 0.063 | \$9.90 |
| MMT3810A | Contact Tip | Ecu | 1.0 - 0.040 | \$9.90 |
| MMT3812A | Contact Tip | Ecu | 1.2 - 0.045 | \$9.90 |
| MMT3816A | Contact Tip | Ecu | 1.6 - 0.063 | \$9.90 |

Standard Tips for BINZEL STYLE MT501 MIG Torch.
Optional for MT360 Torch when using MTA3683 Tip Adaptor

Contact Tip Adaptors (2 Pack)

| CODE: | DESCRIPTION: | MATERIAL: | TRADE PRICE: |
|---------|-----------------------------|-----------|--------------|
| MTA1507 | (1) Tip Adaptor - Left Hand | Brass | \$9.90 |

Standard Contact Tip Adaptor comes with BINZEL STYLE MT150 MIG/MAG Torch Kit

| 1/17/2401 (2) Tip Adaptor Blass \$1.9 |) |
|---------------------------------------|---|
| | _ |

Standard Contact Tip Adaptor comes with BINZEL STYLE MT240 MIG/MAG Torch Kit

| MTA2581 | (3) Tip Adaptor | Brass | \$7.90 |
|---------|-----------------|-------|--------|
|---------|-----------------|-------|--------|

Standard Contact Tip Adaptor comes with BINZEL STYLE MT250 MIG/MAG Torch Kit

| MTA3681* | (4) Tip Adaptor - 28.5mm M6 | Brass | \$11.90 |
|----------|-----------------------------|-------|---------|
| MTA3683 | (4) Tip Adaptor - 28.5mm M8 | Brass | \$11.90 |

^{*} Standard Contact Tip Adaptor comes with BINZEL STYLE MT360 MIG/MAG Torch Kit


| UB5001 | (5) Tip Adaptor | Brass | \$13.90 |
|--------|-----------------|-------|---------|

Standard Contact Tip Adaptor comes with BINZEL STYLE MT510 MIG/MAG Torch Kit

Diffusers (2 Pack)

| CODE: | DESCRIPTION: | COLOUR: | MATERIAL: | TRADE PRICE: | | |
|-----------------------|--------------|---------|-----------|--------------|--|--|
| MD2458 | Diffuser | Black | DMC3 | \$6.90 | | |
| MD2458W | Diffuser | White | Ceramic | \$6.90 | | |
| Suits MT240 MIC | G Torch | | | | | |
| MD3658 | Diffuser | Black | DMC3 | \$6.90 | | |
| MD3658W | Diffuser | White | Ceramic | \$6.90 | | |
| Suits MT360 MIG Torch | | | | | | |
| UB5005B | Diffuser | Black | DMC3 | \$8.90 | | |
| UB005C | Diffuser | White | Ceramic | \$8.90 | | |

Suits MT501 MIG Torch





BINZEL STYLE SERIES WEAR PARTS

(All pricing excludes GST)


\$13.90


Liners

MSL2452

5.4m

| CODE: | LENGTH: | DESCRIPTION: | NIPPLE: | WIRE SIZE: (mm) | TRADE PRICE: |
|---------|---------|------------------|---------|-----------------|--------------|
| MSL1539 | 3.4m | Steel Liner x 3m | Moulded | 0.6 - 0.9 | \$9.90 |
| MSL1549 | 4.4m | Steel Liner x 4m | Moulded | 0.6 - 0.9 | \$11.90 |
| MSL1559 | 5.4m | Steel Liner x 5m | Moulded | 0.6 - 0.9 | \$13.90 |





Moulded

1.0 - 1.2

Steel Liner x 5m

| MTL2432T | 3.6m | Teflon Liner x 3m | Teflon Brass | 1.0 - 1.2 | \$32.50 |
|----------|------|-------------------|--------------|-----------|---------|
| MTL2442T | 4.6m | Teflon Liner x 4m | Teflon Brass | 1.0 - 1.2 | \$39.50 |
| MTL2452T | 5.6m | Teflon Liner x 5m | Teflon Brass | 1.0 - 1.2 | \$42.50 |

| MSL2436 | 3.4m | Steel Liner x 3m | Moulded | 1.6 | \$9.90 |
|---------|------|------------------|---------|-----|---------|
| MSL2446 | 4.4m | Steel Liner x 4m | Moulded | 1.6 | \$11.90 |
| MSL2456 | 5.4m | Steel Liner x 5m | Moulded | 1.6 | \$13.90 |

| MTL2436T | 3.6m | Teflon Liner x 3m | Teflon Brass | 1.0 - 1.2 | \$32.50 |
|----------|------|-------------------|--------------|-----------|---------|
| MTL2446T | 4.6m | Teflon Liner x 4m | Teflon Brass | 1.0 - 1.2 | \$39.50 |
| MTL2456T | 5.6m | Teflon Liner x 5m | Teflon Brass | 1.0 - 1.2 | \$42.50 |



BINZEL STYLE
Series Push/
Pull MIG/MAG
Torches













BINZEL STYLE SERIES PUSH/PULL MIG/MAG TORCHES

(All pricing excludes GST)

Consumable Parts o-

All wear and spare parts are manufactured to the same specification as the OEM and are fully interchangeable.



Handle Grip Large surface area soft grips help torch positioning and welder comfort.

Motor Option Available with 24V and 42V motor options.

Speed Control Optional potentiometer for wire speed regulation.

Knuckle Joint of and Cable Support

Small movements of the handle and neck are possible independent of the cable assembly. A moulded polymer cable support increases flexibility and electrode support.

Rear Cable Support
Extra length cable support
systems ensure smooth and
consistent wire feed at any angle.

Swan Necks

Manufactured to the same specification as the OEM.

Flip Top
Rapid access
available via a flip
to access panel.



Visibility
Quick and easy
reference of all
moving parts.

Cable Systems

Individual power cable, gas hose and industrial grade outer liner are protected by a durable canvas cover.

Pulse Mig Cable Systems
Larger copper cross section power
cables are an available option
for high end pulse MIG
applications.



Tough and damage resistant, housings and nuts are formed in robust glass-reinforced polymers encasing all conductive parts in accordance with EN60974-7, CE and CCC.



BINZEL STYLE SERIES PUSH/PULL MIG/MAG TORCHES

(All pricing excludes GST)

PP360 Torches

- Air Cooled 300A Rated (CO2) 270A Rated (Mixed Gas) 60% Duty Cycle
- 0.8 1.2mm Wire 24V and 42V Motor

| CODE: | DESCRIPTION: | TRADE PRICE: |
|--------------|--------------------------------|--------------|
| UPG360A-42MT | MIG/MAG Torch - 8m, Air Cooled | \$2495.00 |

For spare parts refer to pg 17



PP401 Torches


- Water Cooled 400A Rated (CO2) 350A Rated (Mixed Gas) 60% Duty Cycle 1.0 1.6mm Wire
- 24V and 42V Motor 1.2L/min Water Flow (min) 2.0 Bar Water Inlet Pressure (min)
- 1600W Water Cooling Requirements (min) 5.0 Bar Water Inlet Pressure (max) 50° C Water Inlet Temperature

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-----------|----------------------------------|--------------|
| UPG401-4L | MIG/MAG Torch - 8m, Water Cooled | \$2995.00 |

For spare parts refer to pg 18



TORCH PACKAGE CONFIGURATION



Ordering Information

Torch package part numbering is configured using the simple 5 stage system outlined below:

- 1. Select the correct model of torch
- 2. Select the motor voltage required
- 3. Select the torch neck type
- 4. Select the potentiometer value if required
- 5. Select the cable length required.

Example:

Part No.

UGP360A-24-A45-P1-8M

BZL Push Pull Mig 360A Air-Cooled Torch Package C/W 24V Motor, 45O Swan Neck, 1K Potentiometer x 8m

Step 1: Torch Model

| UGP360A | UGP360 Air-Cooled Package |
|-----------|---------------------------------|
| UGP401W | UGP401 Water-Cooled Package |
| Step 2: | Motor |
| | |
| Part No. | Description |
| Part No. | Description Motor 24V DC |
| 1 0.11101 | · |

Description

| Step 3: | Neck Type |
|----------|---|
| Part No. | Description |
| A45 | Air-Cooled Swan Neck Assembly 45 ⁰ |
| A180 | Air-Cooled Straight Neck Assembly |
| W45 | Water-Cooled Swan Neck Assembly 45 ⁰ |
| W180 | Water-Cooled Straight Neck Assembly |

| Step 4: Potentiomete |
|----------------------|
|----------------------|

| Part No. | Description |
|----------|-----------------------|
| P1 | Potentiometer Kit 1K |
| P5 | Potentiometer Kit 5K |
| P10 | Potentiometer Kit 10K |
| P25 | Potentiometer Kit 25K |

| Step 5: | Cable Length |
|----------|----------------|
| Part No. | Description |
| 8M | Cable Assembly |

16. MIG WELDING




BINZEL STYLE SERIES TORCH PARTS

(All pricing excludes GST)

PP360 Torch Range Parts

| #: | CODE: | DESCRIPTION: | TRADE PRICE: |
|-----|------------|----------------------------|--------------|
| 1. | UGP3603 | Swan Neck Assembly 45° | POA |
| 2. | UGP3603A | Straight Neck Assembly | POA |
| 3. | UGP3602 | Jump Liner | POA |
| 4. | UGP3602A | Jump Liner | POA |
| 6. | UGP36402 | Pressure Arm Assembly | POA |
| 7. | UGP36402B | Tension Knob | POA |
| 8. | UGP36402R | Pressure Roll | POA |
| 9. | | Motor Body | POA |
| 18. | UGP2514/KJ | Push Pull Handle | POA |
| 19. | UGP2514/C | Push Pull Handle Cover | POA |
| 20. | UGP0807-1 | Potentiometer Kit 1K | POA |
| | UGP0807-5 | Potentiometer Kit 5K | POA |
| | UGP0807-10 | Potentiometer Kit 10K | POA |
| | UGP0807-25 | Potentiometer Kit 25K | POA |
| 21. | UGP2516 | Trigger | POA |
| 23. | | Drive Roll For Wire 0.8 | POA |
| | | Drive Roll For Wire 0.9 | POA |
| | | Drive Roll For Wire 1.0 | POA |
| | * | Drive Roll For Wire 1.2 | POA |
| | | 16 Drive Roll For Wire 1.6 | POA |
| 24. | UGP8224-24 | Motor 24V DC | POA |
| | UGP8224-42 | Motor 42V DC | POA |





^{*} Torch Package Drive Roll Set-Up

(All pricing excludes GST)

PP401 Torch Range Parts


| #: | CODE: DE | SCRIPTION: | TRADE PRICE: |
|-----|---------------|------------------------------------|--------------|
| 1. | UGP4011 | Swan Neck Assembly 45 ⁰ | POA |
| 2. | UGP4011A | Straight Neck Assembly | POA |
| 3. | UGP4002 | Jump Liner C/W Nipple | POA |
| 4. | UGP4002A | Jump Liner C/W Nipple | POA |
| 5. | UGP36402 | Pressure Arm Assembly | POA |
| 6. | UGP36402B | Tension Knob | POA |
| 7. | UGP36402R | Pressure Roll | POA |
| 18. | UGP2514/KJ | Push Pull Handle | POA |
| 19. | UGP2514/C | Push Pull Handle Cover | POA |
| 20. | UGP0807-1 | Potentiometer Kit 1K | POA |
| | UGP0807-5 | Potentiometer Kit 5K | POA |
| | UGP0807-10 | Potentiometer Kit 10K | POA |
| | UGP0807-25 | Potentiometer Kit 25K | POA |
| 21. | UGP2516 | Trigger | POA |
| 23. | UGP8224W-08 | Drive Roll For Wire 0.8 | POA |
| | UGP8224W-09 | Drive Roll For Wire 0.9 | POA |
| | UGP8224W-10 | Drive Roll For Wire 1.0 | POA |
| | UGP8224W-12 * | Drive Roll For Wire 1.2 | POA |
| | UGP8224W-16 | Drive Roll For Wire 1.6 | POA |
| 24. | UGP8224-24 | Motor 24V DC | POA |
| | UGP8224-42 | Motor 42V DC | POA |

All products conform to EN60974-7 and are RoHS, REACH and WEEE compliant





^{*} Torch Package Drive Roll Set-Up



18. MIG WELDING



BINZEL STYLE SERIES WEAR PARTS

(All pricing excludes GST)


Nozzles (2 Pack)

| CODE: | DESCRIPTION: | BORE | : WALL: N | IATERIAL | : TRADE PRICE: |
|----------|--------------------|------|-----------|----------|----------------|
| MCN3671 | Cylindrical Nozzle | 19.0 | 2.25mm | Copper | \$21.50 |
| MCN3670* | Conical Nozzle | 16.1 | 2.25mm | Copper | \$21.50 |
| MCN3672 | Tapered Nozzle | 12.0 | 2.25mm | Copper | \$21.50 |




^{*} Standard Nozzle comes with Binzel Style PP360 MIG/MAG Torch Kit


| UB5027 | Cylindrical Nozzle | 19.0 | 2.5mm | Copper | POA |
|---------|--------------------|------|-------|--------|-----|
| UB5028* | Conical Nozzle | 16.0 | 2.5mm | Copper | POA |
| UB5029 | Tapered Nozzle | 14.0 | 2.5mm | Copper | POA |



Contact Tips (5 Pack)

| CODE: | DESCRIPTION: | MATERIAL: | WIRE SIZE: (mm /inch) | TRADE PRICE: |
|----------|--------------|-----------|-----------------------|--------------|
| MMT2406 | Contact Tip | Ecu | 0.6 - 0.023 | \$7.75 |
| MMT2408 | Contact Tip | Ecu | 0.8 - 0.030 | \$7.75 |
| MMT2409 | Contact Tip | Ecu | 0.9 - 0.035 | \$7.75 |
| MMT2410 | Contact Tip | Ecu | 1.0 - 0.040 | \$7.75 |
| MMT2412 | Contact Tip | Ecu | 1.2 - 0.045 | \$7.75 |
| MMT2414 | Contact Tip | Ecu | 1.4 - 0.055 | \$7.75 |
| MMT2416 | Contact Tip | Ecu | 1.6 - 0.063 | \$7.75 |
| MMT2410A | Contact Tip | Ecu | 1.0 - 0.040 | \$7.75 |
| MMT2412A | Contact Tip | Ecu | 1.2 - 0.045 | \$7.75 |
| MMT2416A | Contact Tip | Ecu | 1.6 - 0.063 | \$7.75 |
| MMT3808 | Contact Tip | Ecu | 0.8 - 0.030 | \$9.90 |
| MMT3809 | Contact Tip | Ecu | 0.9 - 0.035 | \$9.90 |
| MMT3810 | Contact Tip | Ecu | 1.0 - 0.040 | \$9.90 |
| MMT3812* | Contact Tip | Ecu | 1.2 - 0.045 | \$9.90 |
| MMT3814 | Contact Tip | Ecu | 1.4 - 0.055 | \$9.90 |
| MMT3816 | Contact Tip | Ecu | 1.6 - 0.063 | \$9.90 |
| MMT3810A | Contact Tip | Ecu | 1.0 - 0.040 | \$9.90 |
| MMT3812A | Contact Tip | Ecu | 1.2 - 0.045 | \$9.90 |
| MMT3816A | Contact Tip | Ecu | 1.6 - 0.063 | \$9.90 |





^{*} Standard Nozzle comes with Binzel Style PP401 MIG/MAG Torch Kit

^{*} Standard Contact Tip comes with Binzel Style PP360 and PP401 MIG/MAG Torch Kits

BINZEL STYLE SERIES WEAR PARTS

(All pricing excludes GST)

Contact Tip Adaptors (2 Pack)

| CODE: | DESCRIPTION: | MATERIAL: | TRADE PRICE: |
|----------|-------------------------|-----------|--------------|
| MTA3681 | Tip Adaptor - 28.5mm M6 | Brass | \$9.90 |
| MTA3683* | Tip Adaptor - 28.5mm M8 | Brass | \$11.90 |

^{*} Standard Contact Tip Adaptor comes with Binzel Style PP360 MIG/MAG Torch Kit

| UB5001* | Tip Adaptor | Brass | \$13.90 |
|---------|-------------|--------|---------|
| B5001C | Tip Adaptor | CuCrZr | \$13.90 |

^{*} Standard Contact Tip Adaptor comes with Binzel Style PP401 MIG/MAG Torch Kit



Diffusers (2 Pack)

| CODE: | DESCRIPTION: | COLOUR: | MATERIAL: | TRADE PRICE: |
|----------|----------------------------|---------|-----------|--------------|
| MD3658W* | Diffuser | White | Copper | \$6.90 |
| MD3658 | Diffuser, High Temperature | Black | Copper | \$6.90 |

^{*} Standard Diffuser comes with Binzel Style PP360 MIG/MAG Torch Kit

| UB5005C* | Diffuser | White | Ceramic | \$8.90 |
|----------|----------------------------|-------|---------|--------|
| UB5005H | Diffuser, High Temperature | Black | HPP | \$8.90 |

^{*} Standard Diffuser comes with Binzel Style PP401 MIG/MAG Torch Kit



Liners

| CODE: | LENGTH: | DESCRIPTION: | NIPPLE: | WIRE SIZE: (mm) | TRADE PRICE: |
|-------------|---------|------------------|---------|-----------------|--------------|
| UB5033-80B* | 8.5m | Steel Liner x 8m | Brass | 0.8 - 1.2 | POA |

^{*} Standard Liner comes with Binzel Style PP360 MIG/MAG Torch Kit



^{*} Standard Liner comes with Binzel Style PP401 MIG/MAG Torch Kit





TWECO Series
Air Cooled
MIG/MAG
Torches







TWECO SERIES AIR COOLED MIG/MAG TORCHES

(All pricing excludes GST)

Consumable Parts ∞

All wear and spare parts are manufactured to the same specification as the OEM and are fully interchangeable.

Hanger Hook ∘

A "plug and play" option, they encourage the operator to hang the torch off the ground where it is easy to locate.

Knuckle Joint and Cable Support o

Small movements of the handle and neck are possible independent of the cable assembly. A moulded polymer cable support increases flexibility and electrode support.

Terminations

A comprehensive range of USA and European style terminations ensures worldwide compatibility.



Euro Terminations Fitted with unbreakable spring loaded gun plug body pins.

Swan Necks


Manufactured to the same specification as the OEM.

Handles and Cable Supports

Designed to combine balance, positioning and ergonomics with practical torch performance, cable life and consistent wire feed.

Air Cooled Cable Systems

Hyperflex air cooled cable assemblies offer outstanding flexibility with the highest heat and abrasion resistance of any known cable. Cable end and crimp systems ensure maximum conductivity whilst the outer jacket is constructed from cross-linked polymers providing a tear proof outer with a burn threshold of 375°C.





Housings, Nuts and Supports

Tough and damage resistant, housings and nuts are formed in robust glass-reinforced polymers encasing all conductive parts in accordance with EN60974-7, CE and CCC.

TWECO SERIES AIR COOLED MIG/MAG TORCHES

(All pricing excludes GST)

MTW2 MIG Torches

• Air Cooled • 200A Rated (CO2) • 150A Rated (Mixed Gas) • 60% Duty Cycle • 0.6 – 1.0mm Wire

| CODE: | DESCRIPTION: | TRADE PRICE: |
|----------|---|--------------|
| MTW2-12T | Tweco UT MIG/MAG Torch 4m (Tweco connect) | \$299.00 |
| MTW2-12E | Tweco UT MIG/MAG Torch 4m (Euro connect) | \$299.00 |

For spare parts refer to pg 25



MT4 MIG Torches

• Air Cooled • 400A Rated (CO2) • 350A Rated (Mixed Gas) • 60% Duty Cycle • 0.8 – 2.0mm Wire

| MT4-12T | Tweco UT MIG/MAG Torch 4m (Tweco connect) | \$349.00 |
|---------|---|----------|
| MT4-12E | Tweco UT MIG/MAG Torch 4m (Euro connect) | \$349.00 |
| MT4-15T | Tweco UT MIG/MAG Torch 5m (Tweco connect) | \$399.00 |
| MT4-15E | Tweco UT MIG/MAG Torch 5m (Euro connect) | \$399.00 |

For spare parts refer to pg 26




TWECO SERIES TORCH PARTS

(All pricing excludes GST)

MTW1 MIG Torch Range Parts

| #: | CODE: | DESCRIPTION: | TRADE PRICE: |
|-----|----------|--------------------------|--------------|
| 1. | U61R | Retaining Nut | POA |
| 2. | U61-45 | Conductor Tube 45 D | POA |
| 3. | U61-60/R | Rubber Insulation Sleeve | POA |
| 21. | UB1524 | Gun Plug 'O' Ring | \$8.00 |
| 22. | UXL1826 | Liner Retaining Nut | \$6.90 |








TWECO SERIES TORCH PARTS

(All pricing excludes GST)

MTW2 MIG Torch Range Parts

| #: | CODE: | DESCRIPTION: | TRADE PRICE: |
|-----|-----------|---|--------------|
| 1. | M32 | Adjustable Nozzle Insulator | \$9.50 |
| 2. | M62A45 | TW No.2 Metal Jacket Neck Assembly | \$45.00 |
| 6. | U141-6S | Spring Cable Support Small & Ball Joint | POA |
| 8. | UP83 | Handle With Hook & Screw | POA |
| 9. | M92 | Grey Trigger Switch | \$17.50 |
| 20 | MLO1596 | Gun Plug 'O' Ring | \$8.00 |
| 21. | MLN1597TW | Liner Retaining Nut | \$6.90 |








TWECO SERIES TORCH PARTS

(All pricing excludes GST)

MTW4 MIG Torch Range Parts

| #: | CODE: | DESCRIPTION: | TRADE PRICE: |
|-----|-----------|--|--------------|
| 1. | M34A | Adjustable Nozzle Insulator | \$11.50 |
| 2. | M64A60 | TW No.4 Metal Jacket Neck Assembly - 60° | \$40.00 |
| | M64A45 | TW No.4 Metal Jacket Neck Assembly - 45° | \$40.00 |
| 8. | UP84A | Handle With Hook & Screw | POA |
| 9. | M94A | Grey Trigger Switch | \$11.50 |
| 20 | MLO1596 | Gun Plug 'O' Ring | \$8.00 |
| 21. | MLN1597TW | Liner Retaining Nut | \$6.90 |



Wear parts - see pgs 27 - 29



TWECO SERIES WEAR PARTS

(All pricing excludes GST)

Nozzles (2 Pack)

| CODE: | DESCRIPTION: | BORE: | WALL: N | /IATERIAL: | TRADE PRICE: |
|--------|-----------------------|-------|---------|------------|--------------|
| M21-50 | Self Insulated Nozzle | 12.7 | 1.6mm | Copper | \$16.50 |
| M21-62 | Self Insulated Nozzle | 15.9 | 1.6mm | Copper | \$16.50 |


| M22-50 | Adjustable Nozzle | 12.8 | 1.25mm | Copper | \$16.50 |
|--------|-------------------|------|--------|--------|---------|
| M22-62 | Adjustable Nozzle | 16.0 | 1.25mm | Copper | \$16.50 |


| M24CT-50S | Fixed Coarse Thread Nozzle | 12.8 | 3.75mm | Copper | \$23.00 |
|-----------|----------------------------|------|--------|--------|---------|
| M24CT-62S | Fixed Coarse Thread Nozzle | 16.0 | 3.75mm | Copper | \$23.00 |
| M24CT-75S | Fixed Coarse Thread Nozzle | 19.0 | 3.75mm | Copper | \$23.00 |

| M34CT | Coarse Thread Nozzle Insulator | \$38.50 |
|-------|--------------------------------|---------|
|-------|--------------------------------|---------|

| M23-50 | Self Insulated Nozzle | 12.7 | 1.60mm | Copper | \$25.50 |
|--------|-----------------------|------|--------|--------|---------|
| M23-62 | Self Insulated Nozzle | 15.9 | 1.60mm | Copper | \$25.50 |
| M23-75 | Self Insulated Nozzle | 19.0 | 1.60mm | Copper | \$25.50 |


| M24A-50 | Adjustable Nozzle | 12.8 | 1.25mm | Copper | \$17.00 |
|----------|-------------------|------|--------|--------|---------|
| M24A-62 | Adjustable Nozzle | 16.0 | 1.25mm | Copper | \$17.00 |
| M24A-75 | Adjustable Nozzle | 19.0 | 1.25mm | Copper | \$17.00 |
| M24AH-50 | Heavy Duty Nozzle | 12.8 | 2.25mm | Copper | \$25.50 |
| M24AH-62 | Heavy Duty Nozzle | 16.0 | 2.25mm | Copper | \$25.50 |
| M24AH-75 | Heavy Duty Nozzle | 19.0 | 2.25mm | Copper | \$25.50 |





Contact Tips (5 Pack)

| CODE: | DESCRIPTION: | MATERIAL: | WIRE SIZE: (mm /inch) | TRADE PRICE: |
|--------|--------------|-----------|-----------------------|--------------|
| M11-23 | Contact Tip | Ecu | 0.6 - 0.023 | \$7.75 |
| M11-30 | Contact Tip | Ecu | 0.8 - 0.030 | \$7.75 |
| M11-35 | Contact Tip | Ecu | 0.9 - 0.035 | \$7.75 |
| M11-40 | Contact Tip | Ecu | 1.0 - 0.040 | \$7.75 |
| M11-45 | Contact Tip | Ecu | 1.2 - 0.045 | \$7.75 |
| | | | | |
| M14-23 | Contact Tip | Ecu | 0.6 - 0.023 | \$7.75 |
| M14-30 | Contact Tip | Ecu | 0.8 - 0.030 | \$7.75 |
| M14-35 | Contact Tip | Ecu | 0.9 - 0.035 | \$7.75 |
| M14-40 | Contact Tip | Ecu | 1.0 - 0.040 | \$7.75 |
| M14-45 | Contact Tip | Ecu | 1.2 - 0.045 | \$7.75 |





TWECO SERIES WEAR PARTS

(All pricing excludes GST)

Contact Tips (5 Pack)

| CODE: | DESCRIPTION: | MATERIAL: | WIRE SIZE: (mm /inch) | TRADE PRICE: |
|----------|--------------|-----------|-----------------------|--------------|
| M14H-30 | Contact Tip | Ecu | 0.8 - 0.030 | \$7.75 |
| M14H-35 | Contact Tip | Ecu | 0.9 - 0.035 | \$7.75 |
| M14H-40 | Contact Tip | Ecu | 1.0 - 0.040 | \$7.75 |
| M14H-45 | Contact Tip | Ecu | 1.2 - 0.045 | \$7.75 |
| M14H-52 | Contact Tip | Ecu | 1.3 - 0.052 | \$7.75 |
| M14H-116 | Contact Tip | Ecu | 1.6 - 1/16" | \$7.75 |
| | | | | |
| M15H-30 | Contact Tip | Ecu | 0.8 - 0.030 | \$9.50 |
| M15H-35 | Contact Tip | Ecu | 0.9 - 0.035 | \$9.50 |
| M15H-40 | Contact Tip | Ecu | 1.0 - 0.040 | \$9.50 |
| M15H-45 | Contact Tip | Ecu | 1.2 - 0.045 | \$9.50 |
| M15H-52 | Contact Tip | Ecu | 1.3 - 0.052 | \$9.50 |
| M15H-116 | Contact Tip | Ecu | 1.6 - 1/16" | \$9.50 |
| M15H-564 | Contact Tip | Ecu | 2.0 - 5/64" | \$9.50 |






Diffusers

| CODE: | DESCRIPTION: | MATERIAL: | TRADE PRICE: |
|-------|--------------|-----------|--------------|
| M51 | Diffuser | Brass | \$11.50 |

| M52* | Diffuser | Brass | \$16.50 |
|------|----------|-------|---------|
| | | | |

| M52FN | Diffuser | Brass | \$19.50 |
|-------|----------|-------|---------|

| M54A | Diffuser | Brass | \$9.50 |
|------|----------|-------|--------|







TWECO SERIES WEAR PARTS

(All pricing excludes GST)

Liners

| CODE: | LENGTH: | DESCRIPTION: | NIPPLE: | WIRE SIZE: (mm) | TRADE PRICE: |
|-------------|---------|--------------------|---------|-----------------|--------------|
| M42-23-15 | 4.9m | Steel Liner x 15ft | Moulded | 0.6 | \$22.50 |
| M42-3035-15 | 4.9m | Steel Liner x 15ft | Moulded | 0.8-0.9 | \$22.50 |



| | M45-3545-15 | 4.9m | Steel Liner x 15ft | Moulded | 0.9-1.2 | \$19.50 |
|---|-------------|------|--------------------|---------|--|---------|
| _ | | | | | J.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | |
| | M45-116-15 | 4.9m | Steel Liner x 15ft | Moulded | 1.6 / 1/16" | \$19.50 |





TREGASKISS
Series
Air Cooled
MIG/MAG
Torches













TREGASKISS SERIES AIR COOLED MIG/MAG TORCHES

(All pricing excludes GST)

Consumable Parts ∞

All wear and spare parts are manufactured to the same specification as the OEM and are fully interchangeable.



Manufactured to the same specification as the OEM.

Hanger Hook o

A "plug and play" option, they encourage the operator to hang the torch off the ground where it is easy to locate.

Handles and Cable Supports

Designed to combine balance, positioning and ergonomics with practical torch performance, cable life and consistent wire feed.



Terminations

A comprehensive range of USA and European style terminations ensures worldwide compatibility.



Air Cooled Cable Systems

Hyperflex air cooled cable assemblies offer outstanding flexibility with the highest heat and abrasion resistance of any known cable. Cable end and crimp systems ensure maximum conductivity whilst the outer jacket is constructed from cross-linked polymers providing a tear proof outer with a burn threshold of 375°C.



Rear Cable Support

Extra length cable support systems ensure smooth and consistent wire feed





Euro Terminations Fitted with unbreakable

spring loaded gun plug body pins.

Housings, Nuts and Supports

Tough and damage resistant, housings and nuts are formed in robust glass-reinforced polymers encasing all conductive parts in accordance with EN60974-7, CE and CCC.

TREGASKISS SERIES AIR COOLED MIG/MAG TORCHES

(All pricing excludes GST)

MT301 MIG Torches

• Air Cooled • 300A Rated (CO2) • 200A Rated (Mixed Gas) • 60% Duty Cycle • 0.8 – 1.2mm Wire

| CODE: | DESCRIPTION: | TRADE PRICE: |
|---------|--------------------------------|--------------|
| MT3012E | Tregaskiss MT MIG/MAG Torch 4m | \$329.00 |
| MT3015E | Tregaskiss MT MIG/MAG Torch 5m | \$369.00 |

For spare parts refer to pg 33



MT401 MIG Torches

• Air Cooled • 400A Rated (CO2) • 350A Rated (Mixed Gas) • 60% Duty Cycle • 0.8 – 2.0mm Wire

| MT4012E | Tregaskiss MT MIG/MAG Torch 4m | \$369.00 |
|---------|--------------------------------|----------|
| MT4015E | Tregaskiss MT MIG/MAG Torch 5m | \$399.00 |

For spare parts refer to pg 34



TREGASKISS SERIES TORCH PARTS


(All pricing excludes GST)

MT301 MIG Torch Range Parts

| #: | CODE: | DESCRIPTION: | TRADE PRICE: |
|-----|----------|--------------------------------|--------------|
| 1. | MR402-5 | Shock Washer | \$22.00 |
| 2. | MR305-60 | Swan Neck Assembly | \$53.90 |
| 8. | UTR8018 | Cable Support | POA |
| 9. | UTR8015 | Handle Lock Nut | POA |
| 10. | R411-1 | Switch | \$21.00 |
| 11. | MTR310 | Switch Housing C/W Trigger | POA |
| 12. | U411-3 | No.10-32 UNF Screws C/W Washer | POA |

All products conform to EN60974-7 and are RoHS, REACH and WEEE compliant





Wear parts - see pgs 35 - 36

TREGASKISS SERIES TORCH PARTS


(All pricing excludes GST)

MT401 MIG Torch Range Parts

| #: | CODE: | DESCRIPTION: | TRADE PRICE: |
|-----|-----------|------------------------------|--------------|
| 1. | MR402-5 | Shock Washer | \$22.60 |
| 2. | MR305-60 | Swan Neck Assembly | \$53.90 |
| 5. | URA30017K | Handle And Lock Nut Assembly | POA |
| 9. | UTR8015 | Handle Lock Nut | POA |
| 10. | R411-1 | Switch | \$21.00 |
| 11. | MTR310 | Switch Housing C/W Trigger | POA |

All products conform to EN60974-7 and are RoHS, REACH and WEEE compliant





Wear parts - see pgs 35 - 36

TREGASKISS SERIES WEAR PARTS

(All pricing excludes GST)

Nozzles (2 Pack)

| CODE: | DESCRIPTION: | BORE: | WALL: M | IATERIAL: | TRADE PRICE: |
|-------------|----------------------------------|-------|-----------|-----------|--------------|
| MD401 4 50 | 1/8" Recess Tip 1/2" Bore Nozzle | 10.7 | 0.05,000 | Cannar | Φ00.00 |
| MR401-4-50 | 1/8 Recess rip 1/2 Bore Nozzie | 12.7 | 2.2511111 | Copper | \$36.00 |
| MR401-4-62 | 1/8" Recess Tip 5/8" Bore Nozzle | 16.0 | 2.25mm | Copper | \$36.00 |
| MR401-4-75* | 1/8" Recess Tip 3/4" Bore Nozzle | 19.0 | 2.25mm | Copper | \$36.00 |



^{*} Standard Nozzle comes with Tregaskiss MT301 MIG/MAG Torch Kit

| MR401-5-50 | 1/4" Recess Tip 1/2" Bore Nozzle | 12.7 | 2.4mm | Copper | \$38.00 |
|-------------|----------------------------------|------|-------|--------|---------|
| MR401-5-62* | 1/4" Recess Tip 5/8" Bore Nozzle | 16.0 | 2.4mm | Copper | \$38.00 |
| MR401-5-75 | 1/4" Recess Tip 3/4" Bore Nozzle | 19.0 | 2.4mm | Copper | \$38.00 |




^{*} Standard Nozzle comes with Tregaskiss MT401 MIG/MAG Torch Kit

| MR401-6-50 | 1/8" Recess Tip 1/2" Bore Nozzle | 12.7 | 2.4mm | Copper | \$38.00 |
|------------|----------------------------------|------|-------|--------|---------|
| MR401-6-62 | 1/8" Recess Tip 5/8" Bore Nozzle | 16.0 | 2.4mm | Copper | \$38.00 |
| MR401-6-75 | 1/8" Recess Tip 3/4" Bore Nozzle | 19.0 | 2.4mm | Copper | \$38.00 |




Contact Tips (5 Pack)

| CODE: | DESCRIPTION: | MATERIAL: | WIRE SIZE: (mm /inch) | TRADE PRICE: |
|-----------|--------------|-----------|-----------------------|--------------|
| MR403-10 | Contact Tip | Ecu | 1.0 - 0.040 | \$8.50 |
| MR403-23 | Contact Tip | Ecu | 0.6 - 0.023 | \$8.50 |
| MR403-30 | Contact Tip | Ecu | 0.8 - 0.030 | \$8.50 |
| MR403-35* | Contact Tip | Ecu | 0.9 - 0.035 | \$8.50 |
| MR403-45 | Contact Tip | Ecu | 1.2 - 0.045 | \$8.50 |
| MR403-52 | Contact Tip | Ecu | 1.3 - 0.052 | \$8.50 |
| MR403-116 | Contact Tip | Ecu | 1.6 - 1/16" | \$8.50 |




^{*} Standard Contact Tip comes with Tregaskiss MT301 MIG/MAG Torch Kit

| MR403-1-10 | Contact Tip | Ecu | 1.0 - 0.040 | \$12.50 |
|-------------|-------------|-----|-------------|---------|
| MR403-1-30 | Contact Tip | Ecu | 0.8 - 0.030 | \$12.50 |
| MR403-1-35 | Contact Tip | Ecu | 0.9 - 0.035 | \$12.50 |
| MR403-1-45* | Contact Tip | Ecu | 1.2 - 0.045 | \$12.50 |
| MR403-1-52 | Contact Tip | Ecu | 1.3 - 0.052 | \$12.50 |
| MR403-1-116 | Contact Tip | Ecu | 1.6 - 1/16" | \$12.50 |



Diffusers (2 Pack)

| CODE: | DESCRIPTION: | MATERIAL: | TRADE PRICE: |
|---------|---------------------------|-----------|--------------|
| MR404 | Gas Diffuser for Std Tip | Copper | \$15.30 |
| MR404-1 | Gas Diffuser for H.D. Tip | Copper | \$19.80 |



 $^{^{\}star}$ Standard Contact Tip comes with Tregaskiss MT401 MIG/MAG Torch Kit


TREGASKISS SERIES WEAR PARTS

(All pricing excludes GST)

Heads

| CODE: | DESCRIPTION: | MATERIAL: | TRADE PRICE: |
|---------|-------------------------|-----------|--------------|
| MR402-3 | Retaining Head Assembly | Brass | \$18.00 |

Standard Head comes with Tregaskiss MT301 MIG/MAG Torch Kit



| MR404-3 Retaining Head Assembly | Brass | \$31.00 |
|---------------------------------|-------|---------|
|---------------------------------|-------|---------|

Standard Head comes with Tregaskiss MT401 MIG/MAG Torch Kit

Liners

| CODE: | LENGTH: | DESCRIPTION: | NIPPLE: | WIRE SIZE: (mm/inch) | TRADE PRICE: |
|--------------|---------|--------------------|---------|-----------------------|--------------|
| MR415-23-15B | 4.9m | Steel Liner x 15ft | Brass | 0.6 / 0.023 | \$24.50 |
| | | | | | |
| | | | | | |
| | | | | | |
| MR415-30-15B | 4.9m | Steel Liner x 15ft | Brass | 0.8 / 0.030 | \$24.50 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| MR415-35-15B | 4.9m | Steel Liner x 15ft | Brass | 0.9-1.0 / 0.035-0.040 | \$24.50 |
| | | | | | |
| | | | | | |
| | | | | | |
| | = | | | | |
| | = | | | | |









Ph: 0800 387 678 | | sales@euroquip.co.nz | | www.strata.co.nz



BERNARD SERIES AIR COOLED MIG/MAG TORCHES

(All pricing excludes GST)

Consumable Parts o-

All wear and spare parts are manufactured to the same specification as the OEM and are fully interchangeable.

Hanger Hook o

A "plug and play" option, they encourage the operator to hang the torch off the ground where it is easy to locate.

Knuckle Joint and Cable Support o

Small movements of the handle and neck are possible independent of the cable assembly. A moulded polymer cable support increases flexibility and electrode support.

Terminations

A comprehensive range of USA and European style terminations ensures worldwide compatibility.



6



Euro TerminationsFitted with unbreakable spring loaded gun plug body pins.

Swan Necks

Manufactured to the same specification as the OEM.

Handles and Cable Supports

Designed to combine balance, positioning and ergonomics with practical torch performance, cable life and consistent wire feed.

Air Cooled Cable Systems

Hyperflex air cooled cable assemblies offer outstanding flexibility with the highest heat and abrasion resistance of any known cable. Cable end and crimp systems ensure maximum conductivity whilst the outer jacket is constructed from cross-linked polymers providing a tear proof outer with a burn threshold of 375°C.



Extra length cable support systems ensure smooth and consistent wire feed at any angle.



Tough and damage resistant, housings and nuts are formed in robust glass-reinforced polymers encasing all conductive parts in accordance with EN60974-7, CE and CCC.

Ph: 0800 387 678 | sales@euroquip.co.nz | www.strata.co.nz

BERNARD SERIES AIR COOLED MIG/MAG TORCHES

(All pricing excludes GST)

MT4E3 MIG Torches

• Air Cooled • 300A Rated (CO2) • 200A Rated (Mixed Gas) • 60% Duty Cycle • 0.8 – 1.2mm Wire

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-----------|-----------------------------|--------------|
| MT4E312AE | Bernard MT MIG/MAG Torch 4m | \$349.00 |
| MT4E315AE | Bernard MT MIG/MAG Torch 5m | \$399.00 |

For spare parts refer to pg 40



MT4E4 MIG Torches

• Air Cooled • 400A Rated (CO2) • 320A Rated (Mixed Gas) • 60% Duty Cycle • 0.8 – 1.6mm Wire

| MT4E412AE | Bernard MT MIG/MAG Torch 4m | \$399.00 |
|-----------|-----------------------------|----------|
| MT4E412AE | Bernard MT MIG/MAG Torch 5m | \$429.00 |

For spare parts refer to pg 41




BERNARD SERIES TORCH PARTS

(All pricing excludes GST)

MT4E3 MIG Torch Range Parts

| #: | CODE: | DESCRIPTION: | TRADE PRICE: |
|-----|-----------|-----------------------------------|--------------|
| 1. | M4335 | Head Assembly | \$17.50 |
| 3. | M4786 | Swan Neck Assembly | \$44.30 |
| 11. | UBE8016 | Spring Cable Support & Ball Joint | POA |
| 12. | UN1780006 | Handle Kit C/W Screws & Nut | POA |
| 13. | M5662 | Trigger Switch | \$11.50 |








BERNARD SERIES TORCH PARTS

(All pricing excludes GST)

MT4E4 MIG Torch Range Parts

| #: | CODE: | DESCRIPTION: | TRADE PRICE: |
|-----|-----------|-----------------------------------|--------------|
| 1. | M4435 | Head Assembly | \$33.00 |
| 2. | M4423-R | Rubber Cap | \$9.50 |
| 3. | M4790 | Swan Neck Assembly | \$49.10 |
| 11. | UBE8018 | Spring Cable Support & Ball Joint | POA |
| 12. | UN1780006 | Handle Kit C/W Screws & Nut | POA |
| 13. | M5662 | Trigger Switch | \$11.50 |





BERNARD SERIES WEAR PARTS

(All pricing excludes GST)

Nozzles (2 Pack)

| CODE: | DESCRIPTION: | BORE: | WALL: N | MATERIAL | : TRADE PRICE: |
|--------|----------------|-------|---------|----------|----------------|
| M4391* | Conical Nozzle | 16.0 | 2.85mm | Brass | \$29.50 |
| M4392 | Tapered Nozzle | 12.7 | 2.85mm | Brass | \$29.50 |




^{*} Standard Nozzle comes with Bernard MT4E3 MIG/MAG Torch Kit

| M4491* | Conical Nozzle | 19.0 | 2.95mm | Brass | \$34.50 |
|--------|----------------|------|--------|-------|---------|
| M4492 | Tapered Nozzle | 14.0 | 2.95mm | Brass | \$34.50 |

^{881¢}

Contact Tips (5 Pack)

| CODE: | DESCRIPTION: | MATERIAL: | WIRE SIZE: (mm /inch) | TRADE PRICE: |
|-------|--------------|-----------|-----------------------|--------------|
| M1588 | Contact Tip | Ecu | 0.8 - 0.030 | \$16.50 |
| M1589 | Contact Tip | Ecu | 0.9 - 0.035 | \$16.50 |
| M1590 | Contact Tip | Ecu | 1.2 - 0.045 | \$16.50 |
| M1591 | Contact Tip | Ecu | 1.6 - 1/16" | \$16.50 |
| M1596 | Contact Tip | Ecu | 1.0 - 0.040 | \$16.50 |
| M7488 | Contact Tip | Ecu | 0.8 - 0.030 | \$9.50 |
| M7489 | Contact Tip | Ecu | 0.9 - 0.035 | \$9.50 |
| M7490 | Contact Tip | Ecu | 1.2 - 0.045 | \$9.50 |
| M7491 | Contact Tip | Ecu | 1.6 - 1/16" | \$9.50 |
| M7496 | Contact Tip | Ecu | 1.0 - 0.040 | \$9.50 |
| M7498 | Contact Tip | Ecu | 1.3 - 0.052 | \$9.50 |



Liners

| CODE: | LENGTH: | DESCRIPTION: | NIPPLE: | WIRE SIZE: (mm/inch) | TRADE PRICE: |
|---------------|--------------|--------------------|---------|---|--------------|
| MR415-23-15B | 4.9m | Steel Liner x 15ft | Brass | 0.6 / 0.023 | \$19.90 |
| Suits BND300 | 4 4 | | | | |
| | | | | | |
| MR415-30-15B | 4.9m | Steel Liner x 15ft | Brass | 0.8 / 0.030 | \$19.90 |
| Suits BND300 | | | | | |
| | | | | | |
| MR415-35-15B | 4.9m | Steel Liner x 15ft | Brass | 0.9-1.0 / 0.035-0.040 | \$27.00 |
| Suits BND400 | 4.4 | | | | |
| | - Annabateur | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | |
| MR415-116-15B | 4.9m | Steel Liner x 15ft | Brass | 1.2-1.6 / 0.045-1/16" | \$27.00 |
| Suits BND400 | | | | | |
| | | | | ammmm | |

•

^{*} Standard Nozzle comes with Bernard MT4E4 MIG/MAG Torch Kit

MIG WELDING WIRE

(All pricing excludes GST)

Mild Steel MIG Wire - ER70S-6

• Copper coated MIG wire for general purpose welding of mild steel using CO² or argon-based shielding gases.

| MWMS06 | Mini Spool (0.8kg) - 0.6mm MIG wire | 100mm | \$16.00 |
|--------|-------------------------------------|-------|---------|
| MWMS08 | Mini Spool (0.8kg) - 0.8mm MIG wire | 100mm | \$16.50 |



| MW5KG06 | 5kg Spool - 0.6mm MIG wire | 200mm | \$35.00 |
|---------|----------------------------|-------|---------|
| MW5KG08 | 5kg Spool - 0.8mm MIG wire | 200mm | \$37.50 |
| MW5KG09 | 5kg Spool - 0.9mm MIG wire | 200mm | \$37.50 |



| MW15KG08 | 15kg Spool - 0.8mm MIG wire | 300mm | \$70.00 |
|----------|-----------------------------|-------|---------|
| MW15KG09 | 15kg Spool - 0.9mm MIG wire | 300mm | \$70.00 |
| MW15KG10 | 15kg Spool - 1.0mm MIG wire | 300mm | \$69.00 |
| MW15KG12 | 15kg Spool - 1.2mm MIG wire | 300mm | \$70.00 |



Gasless Flux-Cored MIG Wire - 712-GS

- All purpose self shielding gasless MIG wire for mild steel welding.
- Suited to welding galvanised and zinc coated steels.

| CODE: | DESCRIPTION: | DIAMETER: | TRADE PRICE: |
|----------|---------------------------------------|-----------|--------------|
| MWMS08FC | Mini Spool (0.45kg) - 0.8mm Fluxcored | 100mm | \$33.00 |
| MWMS09FC | Mini Spool (0.45kg) - 0.9mm Fluxcored | 100mm | \$33.50 |



| MWMS08FC-1KG | 1kg Spool - 0.8mm Fliuxcored | 100mm | \$39.00 |
|--------------|------------------------------|-------|---------|
| MWMS09FC-1KG | 1kg Spool - 0.9mm Fluxcored | 100mm | \$45.50 |



| MW5KG08FC | 4.5kg Spool - 0.8mm Fluxcored | 200mm | \$135.00 |
|------------|-------------------------------|-------|----------|
| MW5KG09FC | 4.5kg Spool - 0.9mm Fluxcored | 200mm | \$130.00 |
| MW5KG012FC | 4.5kg Spool - 1.2mm Fluxcored | 200mm | \$135.00 |



MIG WELDING WIRE

(All pricing excludes GST)

Stainless Steel MIG Wire - 316 Grade

- For use on 316 parent material, as well as 304, 304L and other 300 and 400 series stainless steel
- Molybdenum content increases resistance to corrosion pitting.

| CODE: | DESCRIPTION: | DIAMETER: | TRADE PRICE: |
|----------|---------------------------------|-----------|--------------|
| MWMS06SS | 1kg Mini Spool - 0.6mm S/S wire | 100mm | POA |
| MWMS08SS | 1kg Mini Spool - 0.8mm S/S wire | 100mm | \$119.00 |
| MWMS09SS | 1kg Mini Spool - 0.9mm S/S wire | 100mm | \$119.00 |



| MW5KG06SS | 4.5kg Spool - 0.6mm S/S wire | 200mm | POA |
|-----------|------------------------------|-------|----------|
| MW5KG08SS | 4.5kg Spool - 0.8mm S/S wire | 200mm | \$399.00 |
| MW5KG09SS | 4.5kg Spool - 0.9mm S/S wire | 200mm | POA |



Aluminium MIG Wire - 5356 Grade

- High strength alloy, containing 5% magnesium, requires higher heat
- Ideal for transport, marine and anodising.

| CODE: | DESCRIPTION: | DIAMETER: | TRADE PRICE: |
|----------|------------------------------------|-----------|--------------|
| MWMS08AL | 0.5kg Mini Spool - 0.8mm Alum Wire | 100mm | \$16.00 |
| MWMS09AL | 0.5kg Mini Spool - 0.9mm Alum Wire | 100mm | \$18.00 |
| MWMS10AL | 0.5kg Mini Spool - 1.0mm Alum Wire | 100mm | \$22.50 |
| MWMS12AL | 0.5kg Mini Spool - 1.2mm Alum Wire | 100mm | \$16.00 |



| MW2KG08AL | 2.2kg Spool - 0.8mm Alum Wire | 300mm | \$79.00 |
|-----------|------------------------------------|-------|---------|
| MW2KG10AL | 2.2kg Spool - 1.0mm Alum Wire | 300mm | \$69.00 |
| MW2KG12AL | 2.2kg Mini Spool - 1.2mm Alum Wire | 300mm | \$59.00 |



| MW6KG08AL | 6kg Spool - 0.8mm Alum Wire | 300mm | POA |
|-----------|----------------------------------|-------|----------|
| MW6KG09AL | 6kg Spool - 0.9mm Alum Wire | 300mm | POA |
| MW6KG10AL | 6kg Spool - 1.0mm Alum Wire | 300mm | POA |
| MW6KG12AL | 6kg Mini Spool - 1.2mm Alum Wire | 300mm | \$175.00 |
| MW6KG16AL | 6kg Mini Spool - 1.6mm Alum Wire | 300mm | POA |





MIG WELDING WIRE

(All pricing excludes GST)

Silicon Bronze MIG Wire

- 4% Silicon for welding copper, brass, copper/silicon and steel
- Ideal for joining with good corrosion and crack resistance, especially on galvanised surfaces.

| CODE: | DESCRIPTION: | DIAMETER: | TRADE PRICE: |
|----------|------------------------|-----------|--------------|
| MWMS06SB | 1lb Mini Spool - 0.6mm | 100mm | \$69.00 |
| MWMS08SB | 2lb Mini Spool - 0.8mm | 100mm | \$95.00 |
| MWMS09SB | 2lb Mini Spool - 0.9mm | 100mm | POA |



| MW11LB06SB | 11lb Spool - 0.6mm | 200mm | POA |
|------------|--------------------|-------|-----|
| MW11LB08SB | 11lb Spool - 0.8mm | 200mm | POA |




MIG REGULATORS

MIG Regulators

| ·VII C | regulators | |
|--------|------------|--|
| | | |

| CODE: | DESCRIPTION: | TRADE PRICE: |
|----------|--|--------------|
| GR100SOD | CO ² Soda Stream Regulator (single gauge) | \$59.00 |





| GR101CO2 | CO ² Twin Gauge Regulator | \$99.00 |
|----------|--------------------------------------|---------|



| GR101AR Argon Twin Gauge Regulator \$9 | 9.00 |
|--|------|
|--|------|







MIG REGULATORS

(All pricing excludes GST)

MIG Regulators

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------------|---------------------------------|--------------|
| GR101AR-2FL | Argon Twin Flow Meter Regulator | \$199.00 |



| GR109 Flow Meter \$29.00 |
|--------------------------|
|--------------------------|



| GR119 | Pre-heated CO ² Regulator - 220V, 150W | \$199.00 |
|-------|---|----------|
|-------|---|----------|



| WTGR120 | Pre-heated CO ² Regulator - 36V version | \$150.00 |
|---------|--|----------|
|---------|--|----------|



| GR101DSP | Disposable Bottle Regulator (for Argon/Argoshield Bottles) | \$49.00 |
|----------|--|---------|



Adaptors

 $\bullet \quad \text{For modifying CO2 regulator to Argon Cylinder} \\$

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|---------------|--------------|
| GADAR | Argon Adaptor | \$32.95 |



 $\bullet\,\,$ For modifying Argon regulator to CO 2 Cylinder.

| GADCO2 | CO2 Adaptor | \$32.95 |
|--------|-------------|---------|
| | | |





MIG CONSUMABLES & ACCESSORIES

(All pricing excludes GST)

Gas Cylinders

| CODE: | DESCRIPTION: | TRADE PRICE: |
|--------------|--|--------------|
| SSC250G-5 | Refillable Mini Sodastream CO ² Cylinder - 250g | \$41.50 |
| GASPA-01D | Mini Disposable Argon Cylinder - 1L | \$51.00 |
| GASARG-01D | Mini Disposable Argoshield Cylinder - 1L | \$50.00 |
| GASCO2-10L | Refillable CO ² Cylinder - D size - 10L | \$399.00 |
| GASAR-10L | Argoshield Cylinder - D size - 10L | \$499.00 |
| GASARCO2-10L | Argon Cylinder - D size - 10L | \$499.00 |



Gas MIG Welding Kit

 Includes S/S CO2 Refillable Cylinder, Minispool 0.8mm MIG wire (ER705-6), Regulator and Gas Hose.

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-----------|-----------------|--------------|
| SSWELDKIT | MIG Welding Kit | \$195.00 |



MIG Welding Pliers

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|------------------------------------|--------------|
| AWPL2 | MIG Welding Pliers - Multifunction | \$12.95 |



MIG Welding Trolley

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|--------------------|--------------|
| WT115 | MIG Welder Trolley | \$129.00 |









Ph: 0800 387 678 | sales@euroquip.co.nz | www.strata.co.nz



SUREGRIP™ SERIES ERGO TIG TORCHES





SUREGRIP™ SERIES ERGO AIR COOLED TIG TORCHES

(All pricing excludes GST)

WP9 TIG Torches

• Air Cooled • 125A Rated (DC) • 90A Rated (AC) • 35% Duty Cycle • 1.0 - 2.4mm Electrodes

| CODE: DESCRIPTION: | | TRADE PRICE: |
|--------------------|----------------------|--------------|
| TWP9V-12-2 | WP9 Valve - 2pc, 4m | \$115.00 |
| TER9-12-2SSW | WP9 Switch - 1pc, 4m | \$185.00 |
| TWP9V-25-2 | WP9 Valve - 2pc, 8m | \$175.00 |
| TER9-25-2SSW | WP9 Switch - 1pc, 8m | \$235.00 |



For spare parts refer to pg 56

WP17 TIG Torches

• Air Cooled • 150A Rated (DC) • 105A Rated (AC) • 35% Duty Cycle • 1.0 - 3.2mm Electrodes

| CODE: | DESCRIPTION: | TRADE PRICE: |
|---------------|-----------------------|--------------|
| TWP17V-12-2D | WP17 Valve - 2pc, 4m | \$115.00 |
| TER17-12-SSW | WP17 Switch - 1pc, 4m | \$190.00 |
| TWP17V-25-2 | WP17 Valve - 2pc, 8m | \$175.00 |
| TER17-25-2SSW | WP17 Switch - 1pc, 8m | \$270.00 |



For spare parts refer to pg 57

WP26 TIG Torches

• Air Cooled • 180A Rated (DC) • 125A Rated (AC) • 35% Duty Cycle • 1.0 - 4.0mm Electrodes

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------------------|------------------------|--------------|
| TWP26V-12-2 | WP26 Valve - 2pc, 4m | \$175.00 |
| TWP26V-25-2 | WP26 Valve - 2pc, 8m | \$195.00 |
| TER26-12-SSW | WP26 Switch - 1pc, 4m | \$195.00 |
| TER26-25-SSW | WP26 Switch - 2pc, 4m | \$295.00 |
| TER26-25-2VA | WP26 Variable Amp - 8m | \$395.00 |
| TER26-25-2VA-EQ* | WP17 Switch - 2pc, 8m | \$395.00 |
| TER26-25-2VA-DT** | WP17 Switch - 2pc, 8m | \$395.00 |

^{*} Suits BW PROTIG 200ACDC ** Suits XTP200ACDC, XTP3150ACDC

For spare parts refer to pg 58



SUREGRIP™ SERIES ERGO WATER COOLED TIG TORCHES

(All pricing excludes GST)

WP18 TIG Torches

- Water Cooled 380A Rated (DC) 270A Rated (AC) 100% Duty Cycle 1.0 4.0mm Electrodes 1.0L/min cooling min. flow rate 50° Max. Water Inlet Temp 2.0 5.0 Bar Water Inlet Pressure
- 700W Min. Cooling Power

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------------------|--------------------------------|--------------|
| TER18-25SSP | WP18 Switch - 8m | \$395.00 |
| TER18-25-2VA-EQ* | WP18 Switch, Variable Amp - 8m | \$395.00 |
| TER18-25-SSP-DT** | WP18 Switch, Variable Amp - 8m | \$395.00 |

^{*} Suits XTP2000, XTP3150 Analogue ** Suits XTP3150, XTP4000 Digital

For spare parts refer to pg 60



WP20 TIG Torches

- Water Cooled 225A Rated (DC) 160A Rated (AC) 100% Duty Cycle 1.0 3.2mm Electrodes 1.0L/min cooling min. flow rate 50^o Max. Water Inlet Temp 2.0 5.0 Bar Water Inlet Pressure
- 900W Min. Cooling Power


| CODE: | DESCRIPTION: | TRADE PRICE: | |
|---------------|------------------|--------------|--|
| TER20-12-2SSW | WP20 Switch - 4m | POA | |
| TER20-25-2SSW | WP20 Switch - 8m | \$275.00 | |

For spare parts refer to pg 59



SUREGRIP™ SERIES ERGO TIG TORCH BODY RANGE

"Suregrip™" Ergo Tig Torch Heads are 100% Weldcraft OEM interchangeable. Air and water cooled torch bodies are offered with a choice of standard and flexible options. Flexible options have the ability to be gently manipulated into different positions.



Air Cooled Torch Body Options

SUREGRIP™ WP9 Series

- Air Cooled 125A Rated (DC) 90A Rated (AC) 35% Duty Cycle
- 1.0 2.4mm Electrodes 70° Angle 44mm Length

| CODE: | DESCRIPTION: | TRADE PRICE: |
|--------|--|--------------|
| TBWP9 | Suregrip™ Ergo TIG Torch Body - WP9, Rigid | \$29.50 |
| TBWP9F | Suregrip™ Ergo TIG Torch Body - WP9, Flexi | \$29.50 |
| TBWP9V | Suregrip™ Ergo TIG Torch Body - WP9, Valve | \$29.50 |






SUREGRIP™ WP17 Series

- Air Cooled 150A Rated (DC) 105A Rated (AC) 35% Duty Cycle
- 1.0 3.2mm Electrodes 70° Angle 63mm Length


| CODE: | DESCRIPTION: | TRADE PRICE: |
|---------|---|--------------|
| TBWP17 | Suregrip™ Ergo TIG Torch Body - WP17, Rigid | \$29.50 |
| TBWP17F | Suregrip™ Ergo TIG Torch Body - WP17, Flexi | \$39.50 |
| TBWP17V | Suregrip™ Ergo TIG Torch Body - WP17, Valve | \$39.50 |



SUREGRIP™ WP26 Series

- Air Cooled 180A Rated (DC) 125A Rated (AC) 35% Duty Cycle
- 1.0 4.0mm Electrodes 70° Angle 77mm Length

| CODE: | DESCRIPTION: | TRADE PRICE: |
|---------|---|--------------|
| TBWP26 | Suregrip™ Ergo TIG Torch Body - WP26, Rigid | \$29.50 |
| TBWP26F | Suregrip™ Ergo TIG Torch Body - WP26, Flexi | \$39.50 |
| TBWP26V | Suregrip™ Ergo TIG Torch Body - WP26, Valve | \$39.50 |



SUREGRIP™ SERIES ERGO TIG TORCH BODY RANGE

(All pricing excludes GST)

Water Cooled Torch Body Options

WP20 Series

- Water Cooled 225A Rated (DC) 160A Rated (AC) 100% Duty Cycle
- 1.0 3.2mm Electrodes 70° Angle 44mm Length

| CODE: | DESCRIPTION: | TRADE PRICE: |
|---------|--|--------------|
| TBWP20 | Suregrip™ Ergo TIG Torch Body - SG20 Rigid | \$29.50 |
| TBWP20F | Suregrip™ Ergo TIG Torch Body - SG20 Flexi | \$39.50 |






WP18 Series

- Water Cooled 380A Rated (DC) 270A Rated (AC) 100% Duty Cycle
- 1.0 4.0mm Electrodes 60° Angle 70mm Length

| CODE: | DESCRIPTION: | TRADE PRICE: |
|---------|--|--------------|
| TBWP18 | Suregrip™ Ergo TIG Torch Body - WP18 Rigid | \$42.50 |
| TBWP18F | Suregrip™ Ergo TIG Torch Body - WP18 Flexi | \$52.50 |





SUREGRIP™ SERIES POWER ADAPTORS


(All pricing excludes GST)

Power Adaptors - UK Series


| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------------|---|--------------|
| TPA1625-3/8 | Power Adaptor 3/8" BSP - 16 - 25mm Series | \$42.50 |
| TPA3595-3/8 | Power Adaptor 3/8" BSP - 35 - 50mm Series | \$42.50 |



16 - 25mm Series



35 - 50mm Series





SUREGRIP™ SERIES HANDLES & SWITCHES

(All pricing excludes GST)





pen Canopy Remove Switch







Switch Replacement Canopy Replacement Close Ca


Handles & Switches

Two sizes of ergonomic handle are utilised for the range.

Torch packages are supplied with a 5 core self shielded "plug & play" switch wire assembly and a momentary switch as standard.

- Torch packages can be ordered with or without switches.
- All switch options interchange across the range.
- "Plug & Play" switches can be replaced in 5 seconds without the use of tools.
- All replacement switch kits include switch modules and housings.

| #: | CODE: | DESCRIPTION: TRA | DE PRICE: |
|----|-------------|--|-----------|
| 1 | UERBS | Blank Kit | POA |
| 2 | TER1MS | Momentary Kit | \$32.50 |
| | UER1LS | Lever Momentary Kit | POA |
| 4 | UER1MT | Maintained Switch Kit | POA |
| 5 | TER2MS | 2 Button Momentary kit | \$50.00 |
| 6 | TER4MS | 4 Button Momentary Kit | \$90.00 |
| 7 | TER1MS-1 | Button Momentary Kit+1K Vertical Potentiometer | \$90.00 |
| | TER1MS-5 | Button Momentary Kit+5K Vertical Potentiometer | \$90.00 |
| | TER1MS-10 | Button Momentary Kit+10K Vertical Potentiometer | \$90.00 |
| | TER1MS-25 | Button Momentary Kit+25K Vertical Potentiometer | \$90.00 |
| 8 | UER1MT-1 | Button Maintained Kit+1K Potentiometer | POA |
| | UER1MT-5 | Button Maintained Kit+5K Potentiometer | POA |
| | UER1MT-10 | Button Maintained Kit+10K Potentiometer | POA |
| | UER1MT-25 | Button Maintained Kit+25K Potentiometer | POA |
| 9 | UER1MS-1H | Button Momentary Kit+1K Horizontal Potentiometer | POA |
| | UER1MS-5H | Button Momentary Kit+5K Horizontal Potentiometer | POA |
| | UER1MS-10H | Button Momentary Kit+10K Horizontal Potentiometer | \$90.00 |
| | UER1MS-25H | Button Momentary Kit+25K Horizontal Potentiometer | POA |
| 10 | UER1MT-1H | Button Maintained Kit+1K Horizontal Potentiometer | POA |
| | UER1MT-5H | Button Maintained Kit+5K Horizontal Potentiometer | POA |
| | UER1MT-10H | Button Maintained Kit+10K Horizontal Potentiometer | POA |
| | UER1MT-25H | Button Maintained Kit+25K Horizontal Potentiometer | POA |
| 11 | UER1MTS-1H | Rotate on/off 1K Potentiometer Switch Kit | POA |
| | UER1MTS-5H | Rotate on/off 5K Potentiometer Switch Kit | POA |
| | UER1MTS-10H | Rotate on/off 10K Potentiometer Switch Kit | POA |
| | UER1MTS-25H | Rotate on/off 25K Potentiometer Switch Kit | POA |






SUREGRIP™ SERIES WP9 TORCH PARTS

(All pricing excludes GST)

WP9 TIG Torch Range Parts

| #: | CODE: | DESCRIPTION: | TRADE PRICE: |
|-----|----------|-----------------------------|--------------|
| 2. | TBC41V24 | Back Cap Long | \$14.00 |
| 3. | TBC41V35 | Back Cap Medium | \$10.00 |
| 4. | TBC41V33 | Back Cap Short | \$8.00 |
| 5. | TER1MS | Momentary Kit | \$32.50 |
| 6. | ERSWL8 | Trigger Lead 25ft | \$36.00 |
| 8. | TERH100 | Small Ergo Tig Handle | \$29.50 |
| 9. | UERKJ100 | Small Knuckle Joint | POA |
| 11. | UERJK100 | Jointing Repair Kit | POA |
| 15. | 57Y01 | Power Cable x 12.5ft Rubber | \$115.10 |
| | 57Y03 | Power Cable x 25ft Rubber | \$216.10 |








SUREGRIP™ SERIES WP17 TORCH PARTS

(All pricing excludes GST)

WP17 TIG Torch Range Parts

| #: | CODE: | DESCRIPTION: | TRADE PRICE: |
|-----|-------------|-----------------------------------|--------------|
| 3. | TCB57Y02 | Back Cap Long | \$9.00 |
| 4. | TCB57Y04 | Back Cap Short | \$7.00 |
| 5. | TER1MS | Momentary Kit | \$32.50 |
| 6. | ERSWL8 | Trigger Lead 25ft | \$36.00 |
| 8. | TERH100 | Small Ergo Tig Handle | \$29.50 |
| 9. | UERKJ100 | Small Knuckle Joint | POA |
| 10. | UERLC100-08 | Leather Cover × 0.8mt | POA |
| 11. | UERJK100 | Jointing Repair Kit | POA |
| 13. | UERCO100-40 | Sheath x 12.5ft Inc Leather Cover | POA |
| | UERCO100-80 | Sheath x 25ft Inc Leather Cover | POA |
| 15. | 57Y01R | Power Cable x 12.5ft Rubber | \$115.10 |
| | 57Y03R | Power Cable x 25ft Rubber | \$216.10 |








SUREGRIP™ SERIES WP26 TORCH PARTS

(All pricing excludes GST)

WP26 TIG Torch Range Parts

| #: | CODE: | DESCRIPTION: | TRADE PRICE: |
|-----|-------------|-----------------------------------|--------------|
| 3. | TCB57Y02 | Back Cap Long | \$9.00 |
| 4. | TCB57Y04 | Back Cap Short | \$7.00 |
| 5. | TER1MS | Momentary Kit | \$32.50 |
| 6. | UERSWL8 | Trigger Lead 25ft | \$36.00 |
| 8. | TERH200 | Large Ergo Tig Handle | \$33.50 |
| 9. | UERKJ200 | Large Knuckle Joint | POA |
| 11. | UERJK200 | Jointing Repair Kit | POA |
| 13. | UERCO200-40 | Sheath x 12.5ft Inc Leather Cover | POA |
| | UERCO200-80 | Sheath x 25ft Inc Leather Cover | POA |
| 15. | 46V28 | Power Cable x 12.5ft Rubber | POA |
| | 46V30 | Power Cable x 25ft Rubber | \$262.80 |








SUREGRIP™ SERIES WP20 TORCH PARTS

(All pricing excludes GST)

WP20 TIG Torch Range Parts

| #: | CODE: | DESCRIPTION: | TRADE PRICE: |
|-----|-------------|-----------------------------------|--------------|
| 3. | TCB41V24 | Back Cap Long | \$14.00 |
| 4. | TCB41V35 | Back Cap Medium | \$10.00 |
| 5. | TCB41V33 | Back Cap Short | \$8.00 |
| 7. | TER1MS | Momentary Kit | \$32.50 |
| 8. | UERSWL8 | Trigger Lead 25ft | \$6.00 |
| 10. | TERH100 | Small Ergo Tig Handle | \$29.50 |
| 11. | UERKJ100 | Small Knuckle Joint | POA |
| 13. | UERJK100 | Jointing Repair Kit | POA |
| 15. | UERCO100-40 | Sheath x 12.5ft Inc Leather Cover | POA |
| | UERCO100-80 | Sheath x 25ft Inc Leather Cover | POA |
| 17. | 45V03 | Power Cable x 12.5ft PU | \$66.50 |
| | 45V04 | Power Cable x 25ft PU | \$71.80 |








SUREGRIP™ SERIES WP18 TORCH PARTS

(All pricing excludes GST)

WP18 TIG Torch Range Parts

| #: | CODE: | DESCRIPTION: | TRADE PRICE: |
|-----|-------------|-----------------------------------|--------------|
| 1. | TER18 | Torch Body Standard | \$9.00 |
| 3. | TCB57Y02 | Back Cap Long | \$7.00 |
| 4. | TCB57Y04 | Back Cap Short | \$32.50 |
| 6. | TER1MS | Momentary Kit | \$33.50 |
| 9. | UERH200 | Large Ergo Tig Handle | POA |
| 10. | UERKJ200 | Large Knuckle Joint | POA |
| 12. | UERJK200 | Jointing Repair Kit | POA |
| 14. | UERCO200-40 | Sheath x 12.5ft Inc Leather Cover | POA |
| | UERCO200-80 | Sheath x 25ft Inc Leather Cover | POA |
| 16. | U41V29R | Power Cable x 25ft Rubber | \$85.50 |
| 17. | U45V08OB | Water Feed Hose x 25ft Rubber | POA |








SUREGRIP™ SERIES WEAR PARTS

(All pricing excludes GST)


Standard Collets (2 Pack)

| CODE: | DESCRIPTION: | MM / INCH: | TRADE PRICE: |
|---------|-----------------|---------------|--------------|
| TC10N23 | Standard Collet | 1.6mm - 1/16" | \$4.50 |
| TC10N24 | Standard Collet | 2.4mm - 3/32" | \$4.50 |
| TC10N25 | Standard Collet | 3.2mm - 1/8" | \$4.50 |



Fits WP17, WP18 and WP26 Series.


| TC13N20 | Standard Collet | 0.5mm - 0.02" | \$4.50 |
|---------|-----------------|---------------|--------|
| TC13N21 | Standard Collet | 1.0mm - 0.04" | \$4.50 |
| TC13N22 | Standard Collet | 1.6mm - 1/16" | \$4.50 |
| TC13N23 | Standard Collet | 2.4mm - 3/32" | \$4.50 |
| TC13N24 | Standard Collet | 3.2mm - 1/8" | \$4.50 |



Fits WP9 and WP20 Series.

Stubby Series Collets (2 Pack)


| CODE: DESCRIPTION: | | MM / INCH: | TRADE PRICE: |
|--------------------|----------------------|---------------|--------------|
| TC10N23S | Stubby Series Collet | 1.6mm - 1/16" | \$6.50 |
| TC10N24S | Stubby Series Collet | 2.4mm - 3/32" | \$6.50 |
| TC10N25S | Stubby Series Collet | 3.2mm - 1/8" | \$6.50 |



Fits WP17, WP18 and WP26 Series. Use with TCB17CB20 Collet Body.

Stubby Gas Lens Series Collets (2 Pack)


| CODE: | DESCRIPTION: | MM / INCH: | TRADE PRICE: |
|------------|----------------------|---------------|--------------|
| USTB13N22 | Stubby Series Collet | 1.6mm - 1/16" | \$6.50 |
| USTB13N22M | Stubby Series Collet | 2.4mm - 3/32" | \$6.50 |
| USTB13N23 | Stubby Series Collet | 3.2mm - 1/8" | \$6.50 |



Fits WP17, WP18 and WP26 Series.

Standard Collet Body (2 Pack)

| CODE: | DESCRIPTION: | MM / INCH: | TRADE PRICE: |
|-----------|----------------------|---------------|--------------|
| TCB10N28 | Standard Collet Body | 3.2mm - 1/8" | \$9.00 |
| TCB10N29 | Standard Collet Body | 0.5mm - 0.02" | \$9.00 |
| TCB10N30 | Standard Collet Body | 1.0mm - 0.04" | \$9.00 |
| TCB10N31 | Standard Collet Body | 1.6mm - 1/16" | \$9.00 |
| TCB10N31M | Standard Collet Body | 2.0mm - 5/64" | \$9.00 |
| TCB10N32 | Standard Collet Body | 2.4mm - 3/32" | \$9.00 |
| U406488 | Standard Collet Body | 4.0mm - 5/32" | \$9.00 |




Fits WP17, WP18 and WP26 Series.

SUREGRIP™ SERIES WEAR PARTS

(All pricing excludes GST)

Standard Collet Body (2 Pack)

| CODE: | DESCRIPTION: | DIAMETER: | TRADE PRICE: |
|-----------|----------------------|---------------|--------------|
| TCB13N25 | Standard Collet Body | 0.5mm - 0.02" | \$6.00 |
| TCB13N26 | Standard Collet Body | 1.0mm - 0.04" | \$6.00 |
| TCB13N27 | Standard Collet Body | 1.6mm - 1/16" | \$6.00 |
| TCB13N27M | Standard Collet Body | 2.0mm - 5/64" | \$6.00 |
| TCB13N28 | Standard Collet Body | 2.4mm - 3/32" | \$6.00 |
| TCB13N29 | Standard Collet Body | 3.2mm - 1/8" | \$6.00 |



Fits WP9 and WP20 Series.

Stubby Collet Body (2 Pack)


| (| CODE: | DESCRIPTION: | D | NAMETER: | TRADE PRICE: |
|---|----------|--------------------|---|----------|--------------|
| ٦ | CB17CB20 | Stubby Collet Body | 3 | 3.5mm | \$9.00 |

Fits WP17, WP18 and WP26 Series.


3/8-24 UNF

Gas Lens Body (2 Pack)


| CODE: | DESCRIPTION: | DIAMETER: | TRADE PRICE: |
|----------|---------------|---------------|--------------|
| TGL45V24 | Gas Lens Body | 1.0mm - 0.04" | \$24.50 |
| TGL45V25 | Gas Lens Body | 1.6mm - 1/16" | \$24.50 |
| TGL45V26 | Gas Lens Body | 2.4mm - 3/32" | \$24.50 |
| TGL45V27 | Gas Lens Body | 3.2mm - 1/8" | \$24.50 |
| TGL45V28 | Gas Lens Body | 4.0mm - 5/32" | \$24.50 |
| TGL45V29 | Gas Lens Body | 0.5mm - 0.02" | \$24.50 |



| TGL45V41 | Gas Lens Body | 0.5mm - 0.02" | \$24.50 |
|----------|---------------|---------------|---------|
| TGL45V42 | Gas Lens Body | 1.0mm - 0.04" | \$24.50 |
| TGL45V43 | Gas Lens Body | 1.6mm - 1/16" | \$24.50 |
| TGL45V44 | Gas Lens Body | 2.4mm - 3/32" | \$24.50 |
| TGL45V45 | Gas Lens Body | 3.2mm - 1/8" | \$24.50 |









Stubby Gas Lens Body (2 Pack)


| CODE: | DESCRIPTION: | DIAMETER: | TRADE PRICE: |
|-----------|----------------------|---------------|--------------|
| USTB45V43 | Stubby Gas Lens Body | 1.6mm - 1/16" | \$24.50 |
| USTB45V64 | Stubby Gas Lens Body | 2.4mm - 3/32" | \$24.50 |
| USTB45V63 | Stubby Gas Lens Body | 3.2mm - 1/8" | \$24.50 |





Large Diameter Gas Lens Body (2 Pack)

| CODE: | DESCRIPTION: | DIAMETER: | TRADE PRICE: |
|-----------|-------------------------|---------------|--------------|
| TGL45V116 | Lge Diam. Gas Lens Body | 1.6mm - 1/16" | \$41.50 |
| TGL45V64 | Lge Diam. Gas Lens Body | 2.4mm - 3/32" | \$41.50 |
| TGL45V63 | Lge Diam. Gas Lens Body | 4.0mm - 5/32" | \$41.50 |





•



SUREGRIP™ SERIES WEAR PARTS

(All pricing excludes GST)

Standard Ceramic Cups (2 Pack)

| CODE: | DESCRIPTION: | SIZE: | BORE: | TRADE PRICE: |
|----------|----------------------|-------|---------------|--------------|
| TCC10N44 | Standard Ceramic Cup | 12 | 19mm - 3/4" | \$6.50 |
| TCC10N45 | Standard Ceramic Cup | 10 | 16mm - 5/8" | \$6.50 |
| TCC10N46 | Standard Ceramic Cup | 8 | 12.5mm - 1/2" | \$6.50 |
| TCC10N47 | Standard Ceramic Cup | 7 | 11mm - 7/6" | \$6.50 |
| TCC10N48 | Standard Ceramic Cup | 6 | 10mm - 3/8" | \$6.50 |
| TCC10N49 | Standard Ceramic Cup | 5 | 8mm - 5/16" | \$6.50 |
| TCC10N50 | Standard Ceramic Cup | 4 | 6mm - 1/4" | \$6.50 |



Fits WP17, WP18 and WP26 Series.

| TCC13N08 | Standard Ceramic Cup | 4 | 6mm - 1/4" | \$6.50 |
|----------|----------------------|----|---------------|--------|
| TCC13N09 | Standard Ceramic Cup | 5 | 8mm - 5/16" | \$6.50 |
| TCC13N10 | Standard Ceramic Cup | 6 | 10mm - 3/8" | \$6.50 |
| TCC13N11 | Standard Ceramic Cup | 7 | 11mm - 7/16" | \$6.50 |
| TCC13N12 | Standard Ceramic Cup | 8 | 12.5mm - 1/2" | \$6.50 |
| TCC13N13 | Standard Ceramic Cup | 10 | 16mm - 5/8" | \$6.50 |



Fits WP9 and WP20 Series.

Standard Long Ceramic Cups (2 Pack)

| CODE: | DESCRIPTION: | SIZE: | BORE: | TRADE PRICE: |
|-----------|-----------------------|-------|--------------|--------------|
| TCC10N47L | Std. Long Ceramic Cup | 7 | 11mm - 7/16" | \$8.50 |
| TCC10N48L | Std. Long Ceramic Cup | 6 | 10mm - 3/8" | \$8.50 |
| TCC10N49L | Std. Long Ceramic Cup | 5 | 8mm - 5/16" | \$8.50 |



Fits WP17, WP18 and WP26 Series.

Stubby Gas Lens Ceramic Cups (2 Pack)

| CODE: | DESCRIPTION: | SIZE: | BORE: | TRADE PRICE: |
|-----------|--------------|-------|---------------|--------------|
| TCC53N58 | Gas Lens Cup | 4 | 6mm - 1/4" | \$8.50 |
| TCC53N59 | Gas Lens Cup | 5 | 8mm - 5/16" | \$8.50 |
| TCC53N60 | Gas Lens Cup | 6 | 10mm - 3/8" | \$8.50 |
| TCC53N61 | Gas Lens Cup | 7 | 11mm - 7/16" | \$8.50 |
| TCC53N61S | Gas Lens Cup | 8 | 12.5mm - 1/2" | \$8.50 |



Fits WP9 and WP20 Series.



SUREGRIP™ SERIES WEAR PARTS

(All pricing excludes GST)

Gas Lens Ceramic Cups (2 Pack)

| CODE: | DESCRIPTION: | SIZE: | BORE: | TRADE PRICE: |
|----------|--------------|-------|---------------|--------------|
| TCC54N14 | Gas Lens Cup | 8 | 12.5mm - 1/2" | \$12.50 |
| TCC54N15 | Gas Lens Cup | 7 | 11mm - 7/16" | \$12.50 |
| TCC54N16 | Gas Lens Cup | 6 | 10mm - 3/8" | \$12.50 |
| TCC54N17 | Gas Lens Cup | 5 | 8mm - 5/16" | \$12.50 |
| TCC54N18 | Gas Lens Cup | 4 | 6mm - 1/4" | \$12.50 |
| TCC54N19 | Gas Lens Cup | 11 | 17mm - 11/16" | \$12.50 |



Fits WP17, WP18 and WP26 Series.

Long Gas Lens Ceramic Cups (2 Pack)

| CODE: | DESCRIPTION: | SIZE: | BORE: | TRADE PRICE: |
|----------|-------------------|-------|--------------|--------------|
| TC54N15L | Long Gas Lens Cup | 7 | 11mm - 7/16" | \$16.50 |
| TC54N16L | Long Gas Lens Cup | 6 | 10mm - 3/8" | \$16.50 |
| TC54N17L | Long Gas Lens Cup | 5 | 8mm - 5/16" | \$16.50 |



Fits WP17, WP18 and WP26 Series.

SUREGRIP™ SERIES WEAR PARTS CONFIGURATION

(All pricing excludes GST)

SUREGRIP™ WP9/20 Series

Standard Series

_

THS598882 Gasket TC13N Range Standard Collet TCB13N Range Standard Collet Body

Body

TCC13N Range Standard Ceramic Cup

Stubby Gas Lens Series


THS598882

Gasket

TC13N Range TGl45V Range
Standard Gas Lens

il45V Range

TCC53N Range Gas Lens Ceramic Cup



TIG WELDING RODS & ELECTRODES

(All pricing excludes GST)

Tungsten Electrodes

• 2% Thoriated for use on stainless steel and mild steel

| CODE: | DESCRIPTION: | SIZE: | TRADE PRICE: |
|----------|-------------------------------------|-------|--------------|
| TT16-150 | Thoriated Tungsten Electrodes - 3pk | 1.6mm | \$6.95 |
| TT24-150 | Thoriated Tungsten Electrodes - 3pk | 2.4mm | \$13.95 |
| TT32-150 | Thoriated Tungsten Electrodes - 3pk | 3.2mm | \$23.95 |

• 0.8% Zirconiated for use on aluminium

| TZ16-150 | Zirconiated Tungsten Electrodes - 3pk | 1.6mm | \$6.95 |
|----------|---------------------------------------|-------|---------|
| TZ24-150 | Zirconiated Tungsten Electrodes - 3pk | 2.4mm | \$13.95 |
| TZ32-150 | Zirconiated Tungsten Electrodes - 3pk | 3.2mm | \$23.95 |



Mild Steel TIG Rods ER70S-6 Grade

• For use on mild steel

| CODE: | DESCRIPTION: | SIZE: | TRADE PRICE: |
|--------------|-----------------------|-------|--------------|
| TR16MS-70S-6 | Mild Steel Rods - 1kg | 1.6mm | \$16.60 |
| TR24MS-70S-6 | Mild Steel Rods - 1kg | 2.4mm | \$13.50 |
| TR32MS-70S-6 | Mild Steel Rods - 1kg | 3.2mm | \$11.50 |



Aluminium TIG Rods 5356 Grade

- For use on aluminium 5% magnesium High strength
- Anodising, marine grade

| CODE: | DESCRIPTION: | SIZE: | TRADE PRICE: |
|-------------|------------------------|-------|--------------|
| TR16AL-5356 | Aluminium Rods - 0.5kg | 1.6mm | \$23.50 |
| TR24AL-5356 | Aluminium Rods - 0.5kg | 2.4mm | \$22.50 |
| TR32AL-5356 | Aluminium Rods - 0.5kg | 3.2mm | \$21.50 |



Stainless Steel TIG Rods 316 Grade

- For use on stainless steel
- Veratile and dissimilar, work hardening

| CODE: | DESCRIPTION: | SIZE: | TRADE PRICE: |
|------------|----------------------------|-------|--------------|
| TR16SS-316 | Stainless Steel Rods - 1kg | 1.6mm | \$29.50 |
| TR24SS-316 | Stainless Steel Rods - 1kg | 2.4mm | \$27.50 |
| TR32SS-316 | Stainless Steel Rods - 1kg | 3.2mm | \$27.50 |





TIG REGULATORS & ACCESSORIES

(All pricing excludes GST)

Twin Gauge Regulators

| CODE: | DESCRIPTION: | TRADE PRICE: |
|---------|----------------------------|--------------|
| GR101AR | Argon Twin Gauge Regulator | \$99.00 |



Regulator with Flow Gauge

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-----------|--------------------------------|--------------|
| GR101ARFL | Argon Regulator c/w flow meter | \$149.00 |



| GR101AR-2FL | Twin Flow Meter Regulator | \$199.00 |
|-------------|---------------------------|----------|
|-------------|---------------------------|----------|



| GR109 | Flow Meter | \$29.00 |
|-------|------------|---------|



Adaptors

• For modifying CO2 regulator to argon bottle

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|---------------|--------------|
| GADAR | Argon Adaptor | \$32.95 |



• For modifying argon regulator to CO2 bottle

| GADCO2 | CO2 Adaptor | \$32.95 |
|--------|-------------|---------|
|--------|-------------|---------|



TIG REGULATORS & ACCESSORIES

(All pricing excludes GST)

Disposable Gas Bottle Regulator

• Fits disposable argon / argoshield bottles

| CODE: | DESCRIPTION: | TRADE PRICE: |
|----------|-----------------------------|--------------|
| GR101DSP | Disposable Bottle Regulator | \$49.00 |



Disposable Argon Gas Bottle

- Disposable mini argon gas bottle Ideal for DIY MIG/TIG welding
- Approx. (up to) 30 mins welding time Save \$\$ on cylinder rentals

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-----------|-------------------|--------------|
| GASPA-01D | Argon Bottle - 1L | \$51.00 |



10L Argon Gas Bottle

• Refillable argon gas bottle • Ideal for trade MIG/TIG welding

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-----------|-----------------------------|--------------|
| GASPA-10L | 'D' size Argon Bottle - 10L | \$499.00 |



Optional TIG Welding Kit

Includes: • 12ft WP17 V TIG Torch • Disposable argon cylinder

• Argon regulator • TIG torch consumables

| CODE: | DESCRIPTION: | TRADE PRICE: |
|----------|--------------------------|--------------|
| SSTIGKIT | Optional TIG Welding Kit | \$279.00 |



Cable Covers

- Protects cables from heat and spatter Quick and easy to fit
- Durable premium blue leather

| CODE: | DESCRIPTION: | TRADE PRICE: |
|----------|---------------------|--------------|
| PCC10125 | 1m x 125mm (32mm Ø) | \$11.50 |
| PCC10200 | 1m x 200mm (50mm Ø) | \$17.50 |





ARC Electrodes & Accessories





Ph: 0800 387 678 I sales@euroquip.co.nz I www.strata.co.nz

ARC WELDING

NICKEL & COPPER ALLOYS

(All pricing excludes GST)

SUPRANEL 625

Basic coated MMA electrode for welding highly corrosion-resistant Cr-Mo-Nickel base alloys, such as 625, 825 and similar alloys. Also suitable for molybdenum alloyed corrosion-resistant steels, e.g. 7%Mo, such as X1NiCrMoCuN25-20-7 and cryogenic toughness nickel steels.

Very resistant to stress corrosion cracking and pitting corrosion. Cryogenic toughness down to -196°C. In sulphur-free atmospheres, non-scaling <1200°C and in sulphurous atmospheres the weld metal can be used for operating temperatures <500°C. Even at higher temperatures there is only limited carbon diffusion in the weld metal thus avoiding crack-prone carbides at the weld interface of dissimilar joints. The coefficient of thermal expansion is between austenitic and ferritic steels, therefore SUPRANEL 625 is also suited for joining ferritic to austenitic steels, dissimilar joints, at operating temperatures or postweld heat treatment >300°C.



| CODE: | DESCRIPTION: | TRADE PRICE: |
|---------------|--|--------------|
| ETCPH-HITEN25 | Supranel 625 2.5mm Electrodes (300mm), 0.55kg, 32pc/pk | \$191.50 |
| ETCPH-HITEN32 | Supranel 625 3.2mm Electrodes (350mm), 0.83kg, 24pc/pk | \$231.00 |
| ETCPH-HITEN40 | Supranel 625 4.0mm Electrodes (350mm), 1kg, 20pc/pk | \$241.00 |

HIGH STRENGTH STEEL

(All pricing excludes GST)

TENAX 118-M

TENAX 118-M ia an all-position, low hydrogen MMA electrode for welding high strength steels in the tensile strength range, 760-870 N/mm² e.g. T1, HY80, etc. The shortest possible arc and a low travel speed should be used as a low heat input is recommended. The low hydrogen weld metal minimises the risk of cold cracking. Efficiency 120%.



| CODE: | DESCRIPTION: | TRADE PRICE: |
|------------|--|--------------|
| ETCPH11832 | Tenax 118-M 3.2mm Electrodes (350mm), 2kg, 55pc/pk | \$64.50 |
| ETCPH11840 | Tenax 118-M 4.0mm Electrodes (350mm), 2kg, 40pc/pk | \$67.50 |

70. ARC WELDING



STAINLESS & HEAT RESISTANT STEELS

(All pricing excludes GST)

SUPRANOX 316L

Supranox 316L is a semi-basic MMA electrode suitable for welding austenitic steels Cr-Ni steels or cast steels containing 16 - 20% Cr, 10 -14% Ni and 2 - 3% Mo, i.e. AISI 316 and 316L, having an extra low carbon content. This electrode can also be used for welding stainless steels of the same type whether stabilised or not for servicing temperatures up to +400°C.

It is particularly suitable for offshore, chemical industry, hydro power plants and general construction application. It offers excellent operability and is particularly suitable for downhand butt and fillet welding applications, the 2.5mm and 3.2mm diameter electrodes can be used for positional welding.

This electrode exhibits a stable spray arc transfer resulting in excellent weld bead shape and appearance with a slight concave profile in horizontal vertical fillet welds. There is very little spatter and in combination with the self-releasing slag, post welding time is maintained to a minimum. Under wet corrosive conditions suitable for operating temperatures up to 400°C, resistant to scaling up to 800°C. Easy arc striking and restriking. Suitable for use with either AC (minimum OCV 50V) or DC positive. Efficiency 100%.



| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------------|--|--------------|
| ETCPH316L25 | Supranox 316L, 2.5mm Electrodes (300mm), 3.5kg, 190pc/pk | \$114.90 |
| ETCPH316L32 | Supranox 316L, 3.2mm Electrodes (350mm), 4.3kg, 120pc/pk | \$131.50 |

DW RSP

Semi-basic MMA electrode depositing austenitic-ferritic weld metal which is highly resistant to cracking. Particularly suitable for the welding of dissimilar steels (i.e. stainless steel to mild steel) where heat treatments are applicable.

For hardfacing DW RSP may be used as a buffer layer. Excellent weldability with a spatter free arc, self-releasing slag combined with a very smooth bead appearance. Efficiency 100%. Packed in Gaspack system.



| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------------|---|--------------|
| ETCPH-RSP25 | DW RSP 2.5mm Electrodes (300mm), 3.6kg and 190pc/pk | \$237.00 |
| ETCPH-RSP32 | DW RSP 3.2mm Electrodes (350mm), 4.3kg and 120pc/pk | \$272.00 |
| ETCPH-RSP40 | DW RSP 4.0mm Electrodes (350mm), 4.2kg and 80pc/pk | \$278.00 |



ARC WELDING

C-Mn & LOW ALLOY STEELS

(All pricing excludes GST)

FERROMATIC 180

A thick rutile coated high-efficiency MMA electrode with a recovery of ~180% and long run-out length. Used for cost effective filling of thicker weld sections and welding long fillet welds. Easy striking & restriking, low spatter, mostly self-releasing slag. The weld bead is very smooth and clean with well blended toes, without undercut into the base plate.



| CODE: | DESCRIPTION: | TRADE PRICE: |
|-----------|---|--------------|
| ETCPH2340 | Ferromatic 180 4.0mm Electrodes (450mm), 5kg, 51pc/pk | \$54.50 |
| ETCPH2350 | Ferromatic 180 5.0mm Electrodes (450mm), 5kg, 33pc/pk | \$53.00 |

FERROMATIC 160

A thick rutile coated high-efficiency MMA electrode with a recovery of ${\sim}160\%$ for welding butt & fillet joints. Used for cost effective filling of thicker weld sections and welding long fillet welds. Easy striking & restriking, low spatter and mostly self-releasing slag. The weld bead is very smooth and clean with well blended toes, without undercut into the base plate. For applications requiring higher levels of sub zero ISO-V toughness, basic coated FEBAMATIC 160S is recommended.



| CODE: | DESCRIPTION: | TRADE PRICE: |
|-----------|---|--------------|
| ETCPH2425 | Ferromatic 160 2.5mm Electrodes (350mm), 4kg,115pc/pk | \$41.00 |
| ETCPH2432 | Ferromatic 160 3.2mm Electrodes (450mm), 5kg, 76pc/pk | \$51.50 |
| ETCPH2440 | Ferromatic 160 4.0mm Electrodes (450mm), 5kg, 51pc/pk | \$49.50 |
| ETCPH2450 | Ferromatic 160 5.0mm Electrodes (450mm), 6kg, 39pc/pk | \$52.00 |

FLEXAL 60

Cellulosic coated MMA electrode for welding large-diameter pipe lines in the vertical-down position. Used for root and hot passes as well as filling and capping. When root pass welding, negative polarity is recommended. FLEXAL60 is also used for root passes on higher-strength pipe steels, up to X 80. Note: Power source must be suitable for cellulosic-coated MMA electrodes.

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-----------|---|--------------|
| ETCPH3132 | Flexal 60 3.2mm Electrodes (350mm), 9kg, 355pc/pk | \$102.50 |
| ETCPH3140 | Flexal 60 4.0mm Electrodes (350mm), 9kg, 237pc/pk | \$97.00 |

OVERCORD R92

OVERCORD R92 is a rutile coated rutile MMA electrode for welding in all positions. Excellent fusion and good bead aspect. Used with all types of welding equipment even with low OCV. Efficiency 100%.



| CODE: | DESCRIPTION: | TRADE PRICE: |
|-----------|--|--------------|
| ETCPH4825 | Overcord R92 2.5mm Electrodes (350mm), 4kg, 240pc/pk | \$47.00 |
| ETCPH4832 | Overcord R92 3.2mm Electrodes (350mm), 5kg,170pc/pk | \$43.50 |
| ETCPH4840 | Overcord R92 4.0mm Electrodes (350mm), 5kg, 115pc/pk | \$51.00 |

Ph: 0800 387 678 I sales@euroquip.co.nz I www.strata.co.nz

ARC WELDING



C-Mn & LOW ALLOY STEELS

(All pricing excludes GST)

OVERCORD

Medium-thick rutile-cellulosic coated MMA electrode for structural steelwork, workshop and maintenance applications, welding can be carried out with the same current setting in all positions. Excellent all positional operating characteristics, especially vertically-down and the arc characteristic ensures reliable penetration. Welding in the vertical-down position produces flat, slightly concave weld beads. Good gap bridging and easy striking and restriking. Used on primer painted and slightly rusted parts, as there is a high tolerance to impurities. The strong and stable arc makes OVERCORD suitable for welding galvanised steel components. Used on mains transformers. If a softer arc is required OVERCORD Z is recommended.



| CODE: | DESCRIPTION: | TRADE PRICE: |
|-----------|--|--------------|
| ETCPH6825 | Overcord 2.5mm Electrodes (350mm), 4kg, 275pc/pk | \$59.00 |
| ETCPH6832 | Overcord 3.2mm Electrodes (350mm), 4kg, 160pc/pk | \$40.00 |
| ETCPH6840 | Overcord 4.0mm Electrodes (350mm), 5kg, 105pc/pk | \$38.00 |
| ETCPH6850 | Overcord 5.0mm Electrodes (350mm), 5kg, 70pc/pk | \$42.00 |

SPEZIAL

SPEZIAL is a basic, double coated multi-purpose MMA electrode. The composition of the double coating confers exceptionally good welding characteristics and a highly stable and directional arc. Very good gap bridging and ideally suited for root passes and positional welding. The glassy slag is easily removed from the finely-rippled weld seams. The excellent welding characteristics and ISO-V toughness to -30°C have made SPEZIAL a renowned and reliable electrode for welding structural steel work, production and assembly jobs in industry and for pipeline construction for decades. Welds are of X-ray quality. Optimum AC weldability requires an OCV>65V.



| CODE: | DESCRIPTION: | TRADE PRICE: |
|-----------|--|--------------|
| ETCPH3725 | Spezial 2.5mm Electrodes (350mm), 4kg, 200pc/pk | \$56.00 |
| ETCPH3732 | Spezial 3.2mm Electrodes (350mm), 4kg, 125pc/pk | \$42.50 |
| ETCPH3740 | Spezial 4.0mm Electrodes (450mm), 5kg, 80pc/ pak | \$51.50 |

SUPERCITO

SUPERCITO is a heavy basic coated MMA electrode, designed for highly restrained work with static and dynamic loadings. Used instructural engineering, boilers, tanks and vehicle construction and also bridge building and ship building. Recommended for service temperatures down to -50°C. Good CTOD at -10°C.



| CODE: | DESCRIPTION: | TRADE PRICE: |
|-----------|---|--------------|
| ETCPH7725 | Supercito 2.5mm Electrodes (350mm), 4kg, 185pc/pk | \$36.00 |
| ETCPH7732 | Supercito 3.2mm Electrodes (450mm), 6kg, 120pc/pk | \$45.00 |
| ETCPH7740 | Supercito 4.0mm Electrodes (450mm), 6kg, 85pc/pk | \$45.00 |
| ETCPH7750 | Supercito 5.0mm Electrodes (450mm), 6kg, 55pc/pk | \$41.50 |

Ph: 0800 387 678 | sales@euroquip.co.nz | www.strata.co.nz

C-Mn & LOW ALLOY STEELS

(All pricing excludes GST)

SUPERCORD

SUPERCORD is a medium-coated rutile MMA eletrode with a fast freezing slag. Universal all-positional electrode which is very easy to weld, for all light construction work, including pipework. Suitable for vertical down welding of thin plates. Operates on low open circuit voltage, recommended for tack welding. Good slag detachability and excellent bead appearance. Efficiency 100%.



| CODE: | DESCRIPTION: | TRADE PRICE: |
|-----------|---|--------------|
| ETCPH2825 | Supercord 2.5mm Electrodes (350mm), 4kg, 220pc/pk | \$42.50 |
| ETCPH2832 | Supercord 3.2mm Electrodes (350mm), 5kg, 140pc/pk | \$35.50 |
| ETCPH2840 | Supercord 4.0mm Electrodes (350mm), 5kg, 95pc/pk | \$35.50 |
| ETCPH2850 | Supercord 5.0mm Electrodes (350mm), 5kg, 70pc/pk | \$36.50 |

SUPERCORD 45

SUPERCORD 45 is a medium-coated rutile MMA electrode, suitable for all positional welding, except vertically down. The arc is stable even on low open circuit voltage. Applications include tack welding and weldingon dirty primed plate. Efficiency 100%.



| CODE: | DESCRIPTION: | TRADE PRICE: |
|-----------|--|--------------|
| ETCPH4516 | Supercord 45 1.6mm Electrodes (250mm), 1.3kg, 220pc/pk | \$25.00 |
| ETCPH4520 | Supercord 45 2.0mm Electrodes (300mm), 4kg, 360pc/pk | \$36.00 |

TENAX 56S

TENAX 56S is a basic coated low hydrogen MMA electrode with a very thin coating to improve joint access when root pass welding. The principal applications are related to the all positional welding of steels to BS 4360-50D or equivalent. Designed for pipe welding in position. The main applications are in the following industries, offshore oil and gas, petrochemical and power engineering. Efficiency 100%.



| CODE: | DESCRIPTION: | TRADE PRICE: |
|------------|---|--------------|
| ETCPH56S25 | Tenax 56S 2.5mm Electrodes (350mm), 4kg, 215pc/pk | \$69.00 |
| ETCPH56S32 | Tenax 56S 3.2mm Electrodes (350mm), 4kg, 140pc/pk | \$58.50 |
| ETCPH56S40 | Tenax 56S 4.0mm Electrodes (450mm), 6kg, 95pc/pk | \$75.00 |
| ETCPH56S50 | Tenax 56S 5.0mm Electrodes (450mm), 6kg, 65pc/pk | \$84.50 |

VERTICORD 80

VERTICORD 80 is a basic coated MMA electrode with very low hydrogen content for welding vertically down during pipeline construction. Improved efficiency compared to vertical welding with basic MMA electrodes. Suitable for welding steel type X70 with high ISO-V weld metal toughness at -40°C. Welds are of x-ray quality.



| CODE: | DESCRIPTION: | TRADE PRICE: |
|-----------|--|--------------|
| ETCPH2732 | Verticord 80 3.2mm Electrodes (350mm), 7kg, 200pc/pk | \$175.00 |
| ETCPH2740 | Verticord 80 4.0mm Electrodes (350mm), 8.7kg, 175pc/pk | \$165.00 |
| ETCPH2745 | Verticord 80 4.5mm Electrodes (350mm), 9kg, 150pc/pk | \$187.00 |

Ph: 0800 387 678 | sales@euroquip.co.nz | www.strata.co.nz

ARC WELDING



HARD FACING

(All pricing excludes GST)

SUPRADUR 400 - Hard Facing

SUPRADUR 400 is a thin rutile coated MMA electrode for hardfacing applications, which is very easy to use. Weld metal hardness of ~240 - 290HV10 in the as-welded condition, it can reach 400HV after water-quenching.

Deposit a maximum of 3 layers. Used for surfacing against sliding impact, e.g. slideways, shock, e.g. cams and rolling impact, e.g. rotors. Typical applications are civil works and agricultural equipment such as crane parts, rails, slideways, rope pulleys, track-supporting rollers of crawler-type vehicles, wheel flanges and stud links.

| CODE: | DESCRIPTION: | Just | TRADE PRICE: |
|------------|--|------|--------------|
| ETCPH40032 | Supradur 400 3.2mm Electrodes (450mm), 6kg, 165pc/pk | | \$105.50 |
| ETCPH40040 | Supradur 400 4.0mm Electrodes (450mm), 7kg, 120pc/pk | | \$86.00 |
| ETCPH40050 | Supradur 400 5.0mm Electrodes (450mm), 7kg, 85pc/pk | | \$97.50 |

SUPRADUR 600 - Hard Facing

SUPRADUR 600 is a semi-thick basic coating rutile MMA electrode which is esy to use. Weld metal hardness of \sim 5500 - 650HV which can be ground. Very good resistance to medium impact. Used for hardfacing carbon steels and low alloy steels.

Preheating to 400oC is always necessary, particularly for large work pieces and deposit a maximum of 3 layers. A tough buffer layer using UNIVERS or SUPRADUR 400 is only required in the case of very senstive base metal. Applications include civil works and mining equipment, shovel teeth, buckets and crawler shoes.

| CODE: | DESCRIPTION: | TRADE PRICE: |
|------------|--|--------------|
| ETCPH60032 | Suprador 600 3.2mm Electrodes (450mm), 5kg, 140pc/pk | \$76.00 |
| ETCPH60040 | Supradur 600 4.0mm Electrodes (450mm), 6kg, 95pc/pk | \$72.00 |
| ETCPH60050 | Supradur 600 5.0mm Electrodes (450mm), 6kg, 60pc/pk | \$85.00 |

SUPRADUR V1000 - Hard Facing

SUPRADUR V1000 is a thick rutile coated high-efficiency MMA electrode, 160% recovery, the weld microstructure is a hypereutectic stainless chromium hard alloy. Used for hard facing against abrasion by mineral particles not resistant to impact and shock, the deposit is only machinable by grinding. Smooth, regular weld beads are deposited with only minimum penetration. The hardness cracks which typically appear in this weld metal are not detrimental to resistance against mineral abrasion.

When welding sensitive base materials a buffer layer deposited with SUPERCHROMAX N is required. Typical applications include hard facing subject to mineral abrasion, e.g. by sand, gravel, coal, soil, day and related minerals used ceramics, cement and concrete building materials and mining.

| CODE: | DESCRIPTION: | TRADE PRICE: |
|------------|---|--------------|
| ETCPH70032 | Supradur V1000 3.2mm Electrodes (450mm), 6kg, 75pc/pk | \$75.50 |
| ETCPH70040 | Supradur V1000 4.0mm Electrodes (450mm), 5kg, 45pc/pk | \$61.00 |

HandiPak Electrodes - General Purpose 6013

| CODE: | DESCRIPTION: | TRADE PRICE: |
|----------|--------------------------|--------------|
| HPH45-16 | Electrode 1.6mm, 20pc/pk | \$17.00 |
| HPH45-25 | Electrode 2.5mm, 20pc/pk | \$17.00 |
| HPH45-32 | Electrode 3.2mm, 20pc/pk | \$17.00 |



ARC WELDING ACCESSORIES

(All pricing excludes GST)

ARC Welding Lead Set

Includes:

• Earth clamp and 3m cable, 16mm² • Electrode and 4m cable, 16mm²

| CODE: | DESCRIPTION: | TRADE PRICE: |
|---------|--|--------------|
| ALS1625 | Lead Set 16 - 25mm ³ - 200A (Sml Dinse Connector) | \$129.00 |
| AEL1625 | Electrode Holder & Lead (Sml Dinse Connector) | \$49.50 |
| AAL1625 | Earth Clamp & Lead (Sml Dinse Connector) | \$49.50 |
| ALS3550 | Lead Set 35 - 50mm ³ - 400A (Lge Dinse Connector) | \$129.00 |
| AEL3550 | Electrode Holder & Lead (Lge Dinse Connector) | \$59.50 |
| AAL3550 | Earth Clamp & Lead (Lge Dinse Connector) | \$59.50 |



Gouging Torches

• K4000 Gouging Torch • 1000A

| CODE: | DESCRIPTION: | TRADE PRICE: |
|----------|---------------------|--------------|
| GTK4000 | 1000A Gouging Torch | \$299.00 |
| K4000-1 | Insulators (Pair) | \$28.50 |
| K4000-7 | Valve Guide | \$17.00 |
| K4000-8 | Valve & O-Rings | \$13.00 |
| K4000-12 | Copper Tip & Screw | \$13.00 |



Gouging Carbons

• Gouging carbons for K4000 torch

| CODE: | DESCRIPTION: | TRADE PRICE: |
|--------|-----------------------|--------------|
| GO48DC | 4.8mm Gouging Carbons | \$19.70 |
| GO63DC | 6.3mm Gouging Carbons | \$28.60 |
| GO80DC | 8.0mm Gouging Carbons | \$38.70 |
| GO95DC | 9.5mm Gouging Carbons | \$54.70 |



Earth Clamps

| CODE: | DESCRIPTION: | TRADE PRICE: |
|--------|------------------|--------------|
| A200EC | 200A Earth Clamp | \$12.00 |



| ES500EC 400A Earth Clamp \$19.50 |) |
|----------------------------------|---|
|----------------------------------|---|



| AG500EC 500A Earth Clamp - G Style \$49.00 | |
|--|--|
|--|--|



ARC WELDING

ARC WELDING ACCESSORIES

(All pricing excludes GST)

Electrode Holders

| CODE: | DESCRIPTION: | TRADE PRICE: |
|--------|----------------------------------|--------------|
| A200EH | 200A Croc. Electrode Holder | \$20.50 |
| S400EH | 400A Screw Type Electrode Holder | \$22.50 |
| S600EH | 600A Screw Type Electrode Holder | \$39.50 |



Chipping Hammer

• Heavy duty chipping hammer for the trade

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|-------------------------------|--------------|
| SPCH | Spring Handle Chipping Hammer | \$9.00 |

Welding Magnets

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|-------------------|--------------|
| WMG03 | 3" Welding Magnet | \$9.00 |
| WMG05 | 5" Welding Magnet | \$14.00 |



Welding Cable (per metre)

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|---------------------------------|--------------|
| WC16 | 16mm ³ Welding Cable | \$9.50 |
| WC25 | 25mm ³ Welding Cable | \$14.00 |
| WC35 | 35mm ³ Welding Cable | \$20.00 |
| WC50 | 50mm ³ Welding Cable | \$28.00 |
| WC75 | 70mm ³ Welding Cable | \$39.00 |



Cable Plugs / Sockets

| CODE: | DESCRIPTION: | TRADE PRICE: |
|--------|-------------------------------------|--------------|
| CP1625 | 16 - 25mm ³ Cable Plug | \$5.10 |
| CS1625 | 16 - 25mm ³ Cable Socket | \$5.10 |
| PS1625 | 16 - 25mm ³ Panel Socket | \$7.50 |
| CP3550 | 35 - 50mm ³ Cable Plug | \$8.80 |
| CS3550 | 35 - 50mm ³ Cable Socket | \$8.80 |
| PS3550 | 35 - 50mm ³ Panel Socket | \$12.50 |



ARC WELDING

ARC WELDING ACCESSORIES

(All pricing excludes GST)

Cable Joiners

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|-------------------|--------------|
| CC300 | 250A Cable Joiner | \$17.50 |
| CC500 | 500A Cable Joiner | \$25.00 |



Cable Lugs

• M10 Crimp lugs for welding cable

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|----------------|--------------|
| CL16 | 16mm Cable Lug | \$2.60 |
| CL25 | 25mm Cable Lug | \$2.80 |
| CL35 | 35mm Cable Lug | \$3.30 |
| CL50 | 50mm Cable Lug | \$4.10 |
| CL70 | 70mm Cable Lug | \$6.50 |



Welding Blankets

• Provides protection against welding sparks and spatter

| CODE: | DESCRIPTION: | TRADE PRICE: |
|---------|---------------------------------|--------------|
| PWB2020 | 2m x 2m Leather Welding Blanket | \$229.00 |



Cable Covers

- Protects cables from heat and spatter Quick and easy to fit
- Durable premium blue leather

| CODE: | DESCRIPTION: | TRADE PRICE: |
|----------|---------------------|--------------|
| PCC10125 | 1m x 125mm (32mm Ø) | \$11.50 |
| PCC10200 | 1m x 200mm (50mm Ø) | \$17.50 |



ARC Welding DVDs

- DVD 1 Introduction to Shielded Metal ARC Welding, covering the basic fundamentals with detailed explanations and close-up demonstrations. (44 mins)
- DVD 2 Detailed explanations and close-up demonstrations covering the welding skills necessary for joining metal in all positions. (45 mins)

| CODE: | DESCRIPTION: | TRADE PRICE: |
|---------|-------------------|--------------|
| DVDARC1 | ARC Welding DVD 1 | \$35.00 |
| DVDARC2 | ARC Welding DVD 2 | \$35.00 |





PLASMA Series Cutting Torches

Ph: 0800 387 678 | sales@euroquip.co.nz | www.strata.co.nz



PLASMA TORCH BODIES

(All pricing excludes GST)

50A Plasma Torches - compatible with CEBORA

Air Cooled • 50A Rated • 60% Duty Cycle • 10 - 15mm Cutting Thickness • Air Cooled • 4.5 - 5.0 bar, 65 - 75psi Gas Pressure • 120L/min, 250scfh Gas Flow • Electrode to Tip Pilot • HF Ignition • 90 sec Post Flow

| CODE: | DESCRIPTION: | TRADE PRICE: |
|------------------|------------------------------------|-----------------------------------|
| CBR50-60-CC1 | Cebora Type P50 Plasma Torch - 6m. | \$495.00 |
| Fits Strata SC50 | | For spare parts refer to pg 86 |

70A Plasma Torches - compatible with CEBORA

Air Cooled • 70A Rated • 60% Duty Cycle • 15 - 20mm Cutting Thickness • Air Cooled • 4.5 - 5.0 bar, 65 - 75psi Gas Pressure • 130L/min, 250scfh Gas Flow • Electrode to Tip Pilot • HF Ignition • 90 sec Post Flow

| CODE: | DESCRIPTION: | TRADE PRICE: |
|---------------|-------------------------------------|--------------|
| CBR70-60-CC1* | Cebora Type P70 Plasma Torch - 6m | \$595.00 |
| C1564 | Cebora Type P70 - 6m Direct Connect | \$695.00 |
| C1573 | Cebora Type P70 - 6m Euro Connect | \$695.00 |
| C1573-20 | Cebora Type P70 - 12m Euro Connect | \$895.00 |

* Fits Strata SC70



For spare parts refer to pg 87

90A Plasma Torches - compatible with CEBORA

Air Cooled • 90A Rated • 60% Duty Cycle • 24 - 30mm Cutting Thickness • Air Cooled • 4.5 - 5.0 bar, 65 - 75psi Gas Pressure • 160L/min, 340scfh Gas Flow • Electrode to Tip Pilot • HF Ignition • 90 sec Post Flow

| CODE: | DESCRIPTION: | TRADE PRICE: |
|--------------|-----------------------------------|--------------|
| CBR90-60-CC1 | Cebora Type P90 Plasma Torch - 6m | POA |



For spare parts refer to pg 88

150A Plasma Torches - compatible with CEBORA

Air Cooled • 150A Rated • 60% Duty Cycle • 35 - 40mm Cutting Thickness • Air Cooled • 4.5 - 5.0 bar, 65 - 75psi Gas Pressure • 220L/min, 470scfh Gas Flow • Electrode to Tip Pilot • HF Ignition • 90 sec Post Flow

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-----------------|-------------------------------------|--------------|
| CBR150R-60-CC2* | Cebora Type P150 Plasma Torch - 6m. | \$795.00 |
| C1576 | Cebora Type P150 - 6m Euro Connect | \$895.00 |
| C1578 | Cebora Type P150 - 12m Euro Connect | \$1095.00 |

^{*} Fits Strata SC120, SC160



For spare parts refer to pg 89



PLASMA TORCH BODIES

(All pricing excludes GST)

TRAFIMET S45

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|-----------------------|--------------|
| 09632 | S45 Plasma Torch - 4m | \$425.00 |



For spare parts refer to pgs 100 - 101

WT-PT31

| CODE: DESCRIPTION: | | TRADE PRICE: |
|--------------------|------------------------|--------------|
| WT-PT31 | PT31 Plasma Torch - 4m | \$149.00 |

Fits Weldtech XSC4011



For spare parts refer to pg 82

WT-PT80

| CODE: DESCRIPTION: | | TRADE PRICE: |
|--------------------|----------------------------------|--------------|
| WT-PT80 | PT80 Panasonic Plasma Torch - 4m | \$299.00 |

Fits Old Series Weldtech SC70



For spare parts refer to pg 82

Circle Cutting Kits

| CODE: | DESCRIPTION: | TRADE PRICE: |
|----------|---------------------------------|--------------|
| 51850* | Circle / Cutting Attachment Kit | \$189.00 |
| 51849** | Circle / Cutting Attachment Kit | \$189.00 |
| 51851*** | Circle / Cutting Attachment Kit | \$189.00 |

^{*} Fits P50 Torch *** Fits P70 Torch *** Fits P150 Torch





WELDTECH SERIES TORCH PARTS

(All pricing excludes GST)

WT-P80 - Compatible Consumables

| ITEM#: | CODE: | DESCRIPTION: | PACK QTY: | TRADE PRICE: |
|--------|----------|---------------|-----------|--------------|
| 2 | WTP80-EL | Electrode | 5 | \$49.50 |
| 3 | WTP80-TP | 1.0mm 40A Tip | 5 | \$49.50 |
| 4 | WTP80-SC | Shield Cap | 1 | \$35.00 |



WT-PT31 - Compatible Consumables

| ITEM#: | CODE: | DESCRIPTION: | PACK QTY: | TRADE PRICE: |
|--------|---------|------------------|-----------|--------------|
| 1 | WT45065 | O-Ring | 2 | \$12.00 |
| 2 | WT18205 | Electrode - Std. | 5 | \$21.50 |
| | WT19683 | Electrode - Long | 5 | \$24.50 |
| 3 | WT18785 | Swirl Baffle | 2 | \$9.50 |
| 4 | WT18866 | Nozzle - Std. | 5 | \$21.50 |
| | WT19682 | Nozzle - Long | 5 | \$24.50 |
| 5 | WT18204 | Shield Cap | 2 | \$13.50 |







Ph: 0800 387 678 I sales@euroquip.co.nz I www.strata.co.nz



CEBORA SERIES PLASMA TORCHES

(All pricing excludes GST)



JTTING STRAIN

PLASMA CUTTING

CEBORA SERIES POCKET 25 / CAR 30 TORCH PARTS

(All pricing excludes GST)

CEBORA POCKET 25


- Compatible Consumables

| ITEM#: | CODE: | DESCRIPTION: PA | | TRADE PRICE: |
|--------|------------|------------------------------|---|--------------|
| 2 | C1520 | Electrode HF - Threaded | 5 | \$25.00 |
| 3 | C1510 | Swirl Ring | 1 | \$20.00 |
| 4 | C1309 | Cutting Tip - Flat | 5 | \$25.00 |
| 5 | C1305 | Cutting Tip - Conical | 5 | \$25.00 |
| 6 | C5.710.120 | Nozzle Retaining Cap | 1 | \$16.90 |
| 7 | C1519 | Long Electrode HF - Threaded | 5 | \$35.00 |
| 8 | C1366 | Long Cutting Tip - Flat | 5 | \$29.50 |
| 6 | C1306 | Long Cutting Tip - Conical | 5 | \$30.00 |

All products conform to EN60974-7 and are RoHS, REACH and WEEE compliant









CEBORA SERIES CBR50 TORCH PARTS


(All pricing excludes GST)

Suits STRATA SC50 / WELDTECH XSC40C Plasma Cutters

| ITEM#: | CODE: | DESCRIPTION: | TRADE PRICE: |
|--------|---------------|------------------------------|--------------|
| 1 | CBR1352 | CBR50 - 70° Torch Head Kit | POA |
| 2 | SG5014 | Plasma Handle Kit | POA |
| 4 | SC2516 | Plasma Safety Trigger | POA |
| 5 | SC5019-60-CF6 | Cable Assembly Complete x 6m | POA |

All products conform to EN60974-7 and are RoHS, REACH and WEEE compliant







CEBORA SERIES CBR70 TORCH PARTS

(All pricing excludes GST)


Suits STRATA SC70 Plasma Cutter

| ITEM#: | CODE: | DESCRIPTION: | TRADE PRICE: |
|--------|---------------|------------------------------|--------------|
| 1 | CBR1351 | CBR70 - 70° Torch Head Kit | POA |
| 2 | SG5014 | Plasma Handle Kit | POA |
| 4 | SC2516 | Plasma Safety Trigger | POA |
| 5 | SC5019-60-CF6 | Cable Assembly Complete x 6m | POA |

All products conform to EN60974-7 and are RoHS, REACH and WEEE compliant









CEBORA SERIES CBR90 TORCH PARTS

(All pricing excludes GST)


Suits STRATA SC90 Plasma Cutter

| ITEM#: | CODE: | DESCRIPTION: | TRADE PRICE: |
|--------|---------------|------------------------------|--------------|
| 1 | CBR1358 | CBR90 - 70° Torch Head Kit | POA |
| 4 | SC2516 | Plasma Safety Trigger | POA |
| 5 | SC5019-60-CF6 | Cable Assembly Complete x 6m | POA |

All products conform to EN60974-7 and are RoHS, REACH and WEEE compliant









CEBORA SERIES CBR150 TORCH PARTS

(All pricing excludes GST)


Suits STRATA SC120 / SC160 Plasma Cutters

| ITEM#: | CODE: | DESCRIPTION: | TRADE PRICE: |
|--------|---------------|------------------------------|--------------|
| 1 | CBR1353 | CBR150 - 70° Torch Head Kit | POA |
| 2 | SG8014 | Plasma Handle Kit | POA |
| 4 | SC2516 | Plasma Safety Trigger | POA |
| 5 | SC5019-60-CF6 | Cable Assembly Complete x 6m | POA |

All products conform to EN60974-7 and are RoHS, REACH and WEEE compliant







For wear parts refer to pgs 91 - 95

Ph: 0800 387 678 | | sales@euroquip.co.nz | | www.strata.co.nz




CEBORA SERIES CP40 TORCH PARTS

(All pricing excludes GST)

CP40 - Compatible Consumables

| ITEM#: | CODE: | DESCRIPTION: | PACK QTY: | TRADE PRICE: |
|--------|-------|------------------------|-----------|--------------|
| 1 | C1359 | Torch Head (CP40) | 1 | \$275.00 |
| 2 | C1290 | Cutting Nozzle - 0.7mm | 5 | \$32.50 |
| 3 | C1516 | Electrode | 5 | \$29.50 |
| 4 | C1507 | Swirl Ring | 1 | \$39.00 |
| 5 | C1906 | Nozzle Holder | 1 | \$39.50 |








CEBORA SERIES WEAR PARTS

(All pricing excludes GST)

Cooling Tubes

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------------|--------------|--------------|
| | | |
| 3065204 | Cooling Tube | \$13.90 |
| Fits CBR70 | | |
| | | |
| 3065204-90 | Cooling Tube | \$13.90 |
| Fits CBR90 | | |
| | | |
| C1378 | Cooling Tube | \$7.50 |
| Fits CBR150 | | |



Electrodes (5 Pack)

| CODE: | DESCRIPTION: | TRADE PRICE: | | | | |
|-----------------------------------|----------------------------|--------------|--|--|--|--|
| | | | | | | |
| C1520 * | Electrode, Internal Thread | \$25.00 | | | | |
| C1521 ** | Electrode Hafnium | \$25.00 | | | | |
| * Fits PKT25 ** Fits CBR50, PKT25 | | | | | | |

| C1518 Electrode Hafnium Extended \$35.00 | | | |
|--|-------|----------------------------|---------|
| | C1518 | Electrode Hafnium Extended | \$35.00 |

Fits CBR50

| C1402 | Electrode, External Thread | \$25.00 |
|------------|----------------------------|---------|
| Fite CBR70 | | |

Fits CBR70

| C1403 | Electrode Extended, External Thread | \$35.00 |
|-------|-------------------------------------|---------|
| | | |


Fits CBR70, CBR90

| C1376 Electrode \$35.00 |
|-------------------------|
|-------------------------|

Fits CBR150


| C1517 Electrode Extended \$66.00 | | \$66.00 |
|----------------------------------|--|---------|
|----------------------------------|--|---------|

Fits CBR150



Swirl Rings

| CODE: | DESCRIPTION: | TRADE PRICE: |
|---------------------------------|--------------|--------------|
| | | |
| C1510 | Swirl Ring | \$20.00 |
| Fits CBR50, CBR70, CBR90, PKT25 | | |
| | | |
| C1377 | Swirl Ring | \$25.00 |
| Fits CBR150 | | |



Ph: 0800 387 678 I sales@euroquip.co.nz I www.strata.co.nz



CEBORA SERIES WEAR PARTS

(All pricing excludes GST)

Cutting Tips (5 Pack)

| CODE: DESC | CRIPTION: | BORE: | AMPS: | TRADE PRICE: |
|----------------|----------------------------|--------|--------|--------------|
| C1309 | Cutting Tip | 0.9mm | 35A | \$25.00 |
| C1304 | Cutting Tip | 1.0mm | 50A | \$25.00 |
| C1308 | Cutting Tip | 1.2mm | 70A | \$25.00 |
| C1396 | Cutting Tip Long Life | 1.0mm | 50A | \$25.00 |
| its CBR50, CB | | | | |
| C1305 | Cutting Tip Conical | 1.0mm | 50A | \$25.00 |
| -its CBR50, CB | | | | |
| C1395 | Cutting Tip Ext. Long Life | 1.0mm | 50A | \$27.50 |
| C1395L | Cutting Tip Ext. Long Life | 1.2mm | 70A | \$27.50 |
| Fits CBR50, CB | <u> </u> | | | · · |
| C1306 | Cutting Tip Ext. Contact | 1.0mm | 50A | \$30.00 |
| Fits CBR50, CB | R70 | | | |
| C1366 | Cutting Tip Extended | 0.9mm | 35A | \$29.50 |
| Fits CBR50, CB | R70 | 1 | | |
| C1847 | Cutting Tip Long Life | 1.2mm | 20-50A | \$41.50 |
| Fits CBR90 | <u> </u> | | | |
| C1848 | Cutting Tip Long Life | 1.2mm | 50-70A | \$41.50 |
| C1849 | Cutting Tip Long Life | 1.3mm | 70-90A | \$41.50 |
| Fits CBR90 | | | | |
| C1371 | Cutting Tip Long Life | 1.1mm | 60A | \$32.50 |
| C1372 | Cutting Tip Long Life | 1.35mm | 90A | \$32.50 |
| C1373 | Cutting Tip Long Life | 1.6mm | 120A | \$32.50 |
| C1374 | Cutting Tip Long Life | 1.8mm | 150A | \$32.50 |
| Fits CBR150 | | | | |
| C1375 | Gouging Tip | 3.0mm | 150A | \$32.50 |
| Fits CBR150 | | , | | |
| C1371C-13 | Cutting Tip Contact | 1.1mm | 60A | POA |
| C1371C-16 | Cutting Tip Contact | 1.35mm | 90A | POA |
| C1371C-18 | Cutting Tip Contact | 1.6mm | 120A | POA |
| C1001 | Cutting Tip Extended | 1.8mm | 150A | \$55.50 |
| C1002 | Cutting Tip Extended | 3.0mm | 150A | \$55.50 |
| C1003 | Cutting Tip Extended | 1.8mm | 150A | \$55.50 |

Fits CBR150



CEBORA SERIES WEAR PARTS


(All pricing excludes GST)

Retaining Caps

| CODE: | DESCRIPTION: | TRADE PRICE: |
|------------|----------------------------|--------------|
| C5.710.120 | Retaining Cap - Fits PKT25 | \$16.90 |
| C5.710.121 | Retaining Cap - Fits CBR50 | \$16.90 |

| 11 | | |
|-------|------|-------|
| φ27.0 | | φ24.0 |
| 1 | | |
| - | 35.5 | - |

| C5.710.171 | Retaining Cap - Fits CBR70 | \$16.90 |
|------------|----------------------------|---------|
|------------|----------------------------|---------|



| C1907 | Retaining Cap - Fits CBR90 | \$39.50 |
|-------|----------------------------|---------|



| C1389 | Retaining Cap - Fits CBR150 | \$46.00 |
|-------|-----------------------------|---------|



Shield Cap Bodies

| CODE: | DESCRIPTION: | TRADE PRICE: |
|--------|---------------------------|--------------|
| 1389-C | Shield Cap Body | POA |
| 1389-L | Shield Cap Body Max. Life | POA |



Shield Caps

| Ornola Oa | PC | |
|---------------|-----------------|--------------|
| CODE: | DESCRIPTION: | TRADE PRICE: |
| | | |
| 1394S-50 | Shield Cap Hand | POA |
| | | |
| | | |
| 1394S | Shield Cap Hand | POA |
| | | |
| | | |
| | | |
| 5.710.171.90S | Shield Cap Hand | POA |
| | | |
| | | |
| | | |
| UCV0008 | Shield Cap Hand | POA |





CEBORA SERIES WEAR PARTS

(All pricing excludes GST)

Spacers for Contact Cutting

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|-----------------------------|--------------|
| 1394C | Spacer Contact Cutting Hand | POA |
| | | |
| C1407 | Spacer Contact Cutting Hand | \$32.70 |
| | | |

| | | | . 0 | |
|-------|------------------------|-----|------|-----|
| 1408C | Spacer Contact Cutting | POA | φ25. | |
| | | | | 260 |

| 1408C1 | Spacer Contact Cutting | POA |
|--------|------------------------|-----|
|--------|------------------------|-----|

| UCV0009 | Spacer Contact Cutting | POA |
|---------|------------------------|-----|



Spacers for Gouging

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|----------------|--------------|
| | | |
| 1406 | Spacer Gouging | POA |

| 1408G | Spacer Gouging | POA |
|-------|----------------|-----|
|-------|----------------|-----|



| Ī | 1000 | 5 |
|-------|---------|-----|
| | 4000 | |
| ф36.2 | 100 | |
| 4 | 1000 | 5 |
| | 1986 | 5/ |
| + | *Grance | 100 |

Stand Off Guides (2 Pack)

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-----------|---------------|--------------|
| C1394 | Spacer Spring | \$11.90 |
| Fits P150 | | |
| | | |
| C1397 | Spacer Spring | \$12.20 |
| Fits P70 | | |





CEBORA SERIES WEAR PARTS

(All pricing excludes GST)

Stand Off Guides


| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|-----------------------|--------------|
| C1405 | Spacer Double Pointed | \$12.20 |


| C1408 | Spacer Double Pointed | \$36.50 |
|-------|-----------------------|---------|
|-------|-----------------------|---------|

| 1408CE | Spacer Ext. Tips High Amp | POA |
|--------|---------------------------|-----|

| C1386 | Spacer Spring | \$12.50 |
|-----------|---------------|---------|
| Fits P150 | | |

| CV0014 | Spacer Crown | POA |
|--------|--------------|-----|





Cutting Buggies

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-----------|---------------|--------------|
| | | |
| 51806 * | Cutting Buggy | \$59.00 |
| 51801 ** | Cutting Buggy | \$59.00 |
| 51807 *** | Cutting Buggy | \$59.00 |

^{*} Fits P50 ** Fits P70 *** Fits P150

Locking Nuts

| CODE: | DESCRIPTION: | TRADE PRICE: | |
|--------|------------------------------|--------------|--|
| | | | |
| 1389CN | Spring Holder Protection Nut | POA | |
| | | | |
| | | | |
| | | | |
| 1408LN | Locking Nut | POA | |







TRAFIMET (TRF) Series Plasma Torches







TRAFIMET SERIES PLASMA TORCHES

(All pricing excludes GST)





TRAFIMET SERIES TRF S45 TORCH PARTS

(All pricing excludes GST)


TRF S45 Torch Parts

| ITEM#: | CODE: | DESCRIPTION: | QUANTITY: | TRADE PRICE: |
|--------|---------|--------------------|-----------|--------------|
| 1 | P802420 | Std. Electrode S45 | 5 | \$27.50 |
| 2 | P802428 | Long Electrode S45 | 5 | \$32.50 |
| 3 | P802422 | Swirl Ring | 1 | \$22.50 |
| 4 | P802423 | Std. Cutting Tip | 5 | \$27.50 |
| 5 | P802429 | Long Cutting Tip | 5 | \$32.50 |
| 6 | P802425 | Retaining Cap | 1 | \$32.50 |

All products conform to EN60974-7 and are RoHS, REACH and WEEE compliant












TRAFIMET SERIES TRFA 101 TORCH PARTS

(All pricing excludes GST)

TRFA101 Torch Parts

| ITEM#: | CODE: | DESCRIPTION: | TRADE PRICE: |
|--------|----------------|------------------------------|--------------|
| 1 | TRF0145 | TRF101 70° Torch Head Kit | POA |
| 2 | SG8014 | Plasma Handle Kit | POA |
| 3 | SCSP1 | Screw Pack | POA |
| 4 | SC2516 | Plasma Safety Trigger | POA |
| 6 | SC10119-40-CF7 | Cable Assembly Complete x 4m | POA |
| 7 | SC10119-60-CF7 | Cable Assembly Complete x 6m | POA |






TRAFIMET SERIES WEAR PARTS

(All pricing excludes GST)


Electrodes (5 Pack)

| CODE: | DESCRIPTION: | TRADE PRICE: |
|--------------|--------------------|--------------|
| | | |
| P802420 | Electrode | \$27.50 |
| Fits TRFS45 | | |
| P802428 | Electrode | \$32.50 |
| Fits TRFS45 | | · |
| PR101 | Electrode | \$38.50 |
| Fits TRFA101 | 1 | |
| PR116 | Electrode Extended | \$48.50 |
| Fits TRFA101 | 1 | , |




Swirl Rings

| CODE: | DESCRIPTION: | TRADE PRICE: |
|--------------|--------------|--------------|
| | | |
| P802422 | Swirl Ring | \$22.50 |
| Fits TRFS45 | | |
| | | |
| PE101 | Swirl Ring | \$30.50 |
| Fits TRFA101 | | |



Cutting Tips (5 Pack)

| CODE: | DESCRIPTION: | BORE: | AMPS: | TRADE PRICE: |
|----------------|----------------------|-------|-------|---------------|
| | | | | |
| P802423 | Cutting Tip | 0.8mm | 30A | \$27.50 |
| Fits TRFS45 | | | | |
| D000400 | 0 7. 5 | | 404 | 400.50 |
| P802429 | Cutting Tip Extended | 0.9mm | 40A | \$32.50 |
| Fits TRFS45 | | | | |
| | | | | |
| PD0101-11* | Cutting Tip | 1.1mm | 60A | \$31.50 |
| PD0101-14* | Cutting Tip Ext. | 1.4mm | 90A | \$31.50 |
| PD0101-17* | Cutting Tip | 1.7mm | 140A | \$31.50 |
| PD0101-19 | Cutting Tip | 1.9mm | 150A | \$31.50 |
| * Fits TRFA101 | | | | |
| PD0101-30 | Gouging Tip | 3.0mm | 150A | \$31.50 |



TRAFIMET SERIES WEAR PARTS

(All pricing excludes GST)

Cutting Tips

| CODE: | DESCRIPTION: | | | TRADE PRICE: |
|-----------------|----------------------|-------|------|--------------|
| PD111-12 | Cutting Tip Extended | 1.2mm | 70A | POA |
| Fits TRFA101 | | | | |
| PD117-14 | Cutting Tip Extended | 1.4mm | 90A | POA |
| 1 0 1 1 1 1 1 1 | | 1 | 00/1 | 10/1 |



| PD117-14 | Cutting Tip Extended | 1.4mm | 90A | POA |
|----------|----------------------|-------|------|-----|
| PD117-17 | Cutting Tip Extended | 1.7mm | 140A | POA |
| PD117-19 | Cutting Tip Extended | 1.9mm | 150A | POA |



Fits TRFA101

| PD109-14 | Cutting Tip | 1.4mm | 90A | \$31.50 |
|----------|-------------|-------|------|---------|
| PD109-16 | Cutting Tip | 1.6mm | 120A | \$31.50 |
| PD109-18 | Cutting Tip | 1.8mm | 150A | \$31.50 |
| PD109-30 | Cutting Tip | 3.0mm | 150A | \$31.50 |



Retaining Caps

| CODE: | DESCRIPTION: | TRADE PRICE: |
|--------------|-------------------------|--------------|
| | | |
| P802425 | Retaining Cap | \$35.50 |
| Fits TRFS45 | | |
| | | |
| PC109 | Retaining Cap Long Life | \$46.00 |
| Fits TRFA101 | | |





Ph: 0800 387 678 I sales@euroquip.co.nz I www.strata.co.nz










THERMAL DYNAMICS SERIES PCH25 TORCH PARTS

(All pricing excludes GST)

PCH/25 - Compatible Consumables

| ITEM#: | CODE: | DESCRIPTION: | PACK QTY: | TRADE PRICE: |
|--------|---------|-----------------------------------|-----------|--------------|
| 1 | 9-5807X | Basic Head Assembly - 70° (PCH35) | 1 | \$395.00 |
| 2 | 9-6006X | Electrode - Air | 5 | \$53.40 |
| 3 | 9-6007X | Gas Distributor | 1 | \$32.50 |
| 4 | 9-4476X | Cutting Tip 20A - Air | 5 | \$39.90 |
| 5 | 9-6003X | Standard Shield Cup | 1 | \$25.80 |





THERMAL DYNAMICS SERIES PCH/M35/36 TORCH PARTS

(All pricing excludes GST)

PCH/M35/36 - Compatible Consumables

| ITEM#: | CODE: | DESCRIPTION: | PACK QTY: | TRADE PRICE: |
|--------|---------|-------------------------------------|-----------|--------------|
| 1 | 9-5807X | Basic Head Assembly - 70° (PCH35) | 1 | \$395.00 |
| 2 | 9-6006X | Electrode - Air | 5 | \$53.40 |
| | 9-6506X | Electrode - Long Life | 5 | \$39.00 |
| 3 | 9-6007X | Gas Distributor | 1 | \$32.50 |
| | 9-6507X | Gas Distributor - Long Life | 1 | \$32.50 |
| 4 | 9-6000X | Cutting Tip 35A - Air | 5 | POA |
| | 9-6001X | Cutting Tip - Drag Cut, Air | 5 | POA |
| | 9-6500X | Cutting Tip - Long Life, Stand Off | 5 | POA |
| | 9-6501X | Cutting Tip 35A - Long Life, Drag | 5 | POA |
| | 9-6002X | Gouging Tip | 5 | POA |
| 5 | 9-6003X | Shield Cup | 1 | \$25.80 |
| | 9-6004X | Crown Shield Cup (not illustrated) | 1 | POA |
| | 9-6503X | Copper Shield Cup (not Illustrated) | 1 | POA |





THERMAL DYNAMICS SERIES PCH51 TORCH PARTS

(All pricing excludes GST)

PCH/51 - Compatible Consumables

| ITEM#: | CODE: | DESCRIPTION: | PACK QTY: | TRADE PRICE: |
|--------|---------|--|-----------|--------------|
| 1 | 9-5635X | Torch Head - 70° (PCH51) | 1 | \$425.00 |
| 2 | 8-2159X | Shield Cup - Phenolic | 1 | POA |
| | 8-5630X | Shield Cup - Ceramic (not illustrated) | 1 | \$28.10 |
| | 8-2152X | High Strength Cup (not Illustrated) | 1 | POA |
| | 8-2151X | High Strength Cup - Long (not Illustrated) | 1 | POA |
| 3 | 8-5526X | Crown Ceramic Cup | 1 | POA |
| 4 | 9-5718X | Cutting Tip - 10-40A, Air | 5 | \$31.30 |
| | 9-5631X | Cutting Tip - 10-60A, Air | 5 | \$44.50 |
| | 9-5724X | Gouging Tip | 5 | POA |
| 5 | 9-5633X | Electrode - Air | 5 | \$28.10 |
| | 9-5720X | Electrode - Air, Knurl | 5 | \$50.60 |
| 6 | 8-5525X | O-Ring for Torch Head | 2 | POA |





THERMAL DYNAMICS SERIES PCH52 TORCH PARTS

(All pricing excludes GST)

PCH/52 - Compatible Consumables

| ITEM#: | CODE: | DESCRIPTION: | PACK QTY: | TRADE PRICE: |
|--------|---------|-----------------------|-----------|--------------|
| 1 | 9-5624X | Torch Head (PCH52) | 1 | POA |
| 2 | 8-5525X | O-Ring for Torch Head | 2 | POA |
| 3 | 9-5619X | Electrode - Plated | 5 | \$44.90 |
| 4 | 9-5702X | Cutting Tip031 | 5 | POA |
| | 9-5618X | Cutting Tip043 | 5 | POA |
| | 9-5707X | Cutting Tip047 | 5 | POA |
| | 9-5708X | Cutting Tip059 | 5 | \$36.50 |
| | 9-5709X | Cutting Tip078 | 5 | POA |
| | 9-5710X | Cutting Tip093 | 5 | POA |
| | 9-5713X | Cutting Tip113 | 5 | POA |
| 5 | 8-5617X | Shield Cup - Ceramic | 1 | POA |
| 7 | 8-5694X | Ceramic Crown Cup | 1 | POA |
| 8 | 9-5780X | Copper Crown Cup | 1 | POA |

All products conform to EN60974-7 and are RoHS, REACH and WEEE compliant








GAS CUTTING & WELDING



Gas Equipment Range











GAS CUTTING & WELDING

GAS CUTTING CONSUMABLES & ACCESSORIES

(All pricing excludes GST)

Gas Cutting & Welding Kit

- Oxy-acetylene kit Cigweld style Cuts up to 6" (150mm)
- Welds up to 3/8" (9mm) steel.

Kit includes:

1 x cutting attachment1 x tip cleaning set1 x pair oxy goggles1 x torch handle1 x 5m hose set3 x cutting nozzles1 x mixer1 x flint lighter5 x welding tips1 x multi-purpose spanner2 x regulators1 x cylinder key

| CODE: | DESCRIPTION: | TRADE PRICE: |
|------------|---|--------------|
| GCW24P | Oxy / Acetylene Kit | \$495.00 |
| GCW24P-LPG | Oxy / LPG Kit (incl. 2 x cutting nozzles) | \$530.00 |



Twin Gauge Regulators

| CODE: | DESCRIPTION: | TRADE PRICE: |
|----------|--------------------------------|--------------|
| GR1010X | Oxygen Twin Gauge Regulator | \$99.00 |
| GR101LPG | LPG Twin Gauge Regulator | \$99.00 |
| GR101AC | Acetylene Twin Gauge Regulator | \$99.00 |



Flow Tester

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|-----------------|--------------|
| 8962 | Gas Flow Tester | \$25.00 |



Flashback Arrestors

| CODE: | DESCRIPTION: | TRADE PRICE: |
|--------|-------------------------------|--------------|
| GFA100 | Flashback Arrestor - Acet/LPG | \$49.50 |
| GFA101 | Flashback Arrestor - Oxygen | \$49.50 |



Tip Cleaner

| CODE: | DESCRIPTION: | TRADE PRICE: |
|---------|--------------|--------------|
| GTC8951 | Tip Cleaner | \$7.00 |



Triple Flint Lighter

| CODE: | DESCRIPTION: | TRADE PRICE: |
|----------|----------------------|--------------|
| GTFL8911 | Triple Flint Lighter | \$9.00 |



Ph: 0800 387 678 | | sales@euroquip.co.nz | | www.strata.co.nz

STRAIA STRAIA

GAS CUTTING & WELDING

GAS CUTTING CONSUMABLES & ACCESSORIES

(All pricing excludes GST)

Triple Flint Renewals (10 Pack)

| CODE: | DESCRIPTION: | TRADE PRICE: |
|----------|-----------------------|--------------|
| GTFR8913 | Triple Flint Renewals | \$9.00 |





Mild Steel Gas Welding Rods (1 kg)

| CODE: | DESCRIPTION: | TRADE PRICE: |
|--------|----------------------------|--------------|
| MSGR16 | Mild Steel Gas Rod - 1.6mm | \$17.00 |
| MSGR24 | Mild Steel Gas Rod - 2.4mm | \$15.00 |
| MSGR32 | Mild Steel Gas Rod - 3.2mm | \$14.00 |



Low Fuming Bronze Welding Rods (1 kg)

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|--------------------|--------------|
| LFB16 | Bronze Rod - 1.6mm | \$53.00 |
| LFB24 | Bronze Rod - 2.4mm | \$49.00 |
| LFB32 | Bronze Rod - 3.2mm | \$59.00 |



Combination Spanner

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|---------------------|--------------|
| G8941 | Combination Spanner | \$16.20 |



Cylinder Key

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|--------------|--------------|
| G8942 | Cylinder Key | \$5.50 |



Circle Cutting Attachment

| CODE: | DESCRIPTION: | TRADE PRICE: |
|---------|---------------------------|--------------|
| GCIRCOM | Circle Cutting Attachment | \$49.00 |



Gas Welding Goggles

• Fitted with Shade 5 replaceable lenses.

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|-----------------------------|--------------|
| GG204 | Gas Welding Goggles - Plain | \$9.90 |



| GG205 | Gas Welding Goggles - Flip Front | \$15.90 |
|-------|----------------------------------|---------|
| | | |

Ph: 0800 387 678 | sales@euroquip.co.nz | www.strata.co.nz



GAS CUTTING & WELDING

GAS TORCH ATTACHMENTS

(All pricing excludes GST)

Torch Handle

| CODE: | DESCRIPTION: | TRADE PRICE: |
|--------|--------------|--------------|
| GTH100 | Torch Handle | \$99.00 |

Compatible with Comet 3



Cutting Attachment

| CODE: | DESCRIPTION: | TRADE PRICE: |
|--------|--------------------|--------------|
| GCA101 | Cutting Attachment | \$129.00 |

Compatible with Comet 3



Welding Tip Mixer

| CODE: | DESCRIPTION: | TRADE PRICE: |
|--------|--------------|--------------|
| GMI101 | Torch Mixer | \$29.50 |

Compatible with Comet 3



LPG Cutting Nozzles - Type 44

• Cigweld style • 2 Seat

| CODE: | DESCRIPTION: | SIZE: | TRADE PRICE: |
|----------|-----------------|------------|--------------|
| GCN6-44 | #6 Cutting Tip | 1 - 5mm | \$18.50 |
| GCN8-44 | #8 Cutting Tip | 5 - 10mm | \$18.50 |
| GCN12-44 | #12 Cutting Tip | 20 - 50mm | \$18.50 |
| GCN15-44 | #15 Cutting Tip | 50 - 80mm | \$18.50 |
| GCN20-44 | #20 Cutting Tip | 80 - 100mm | \$18.50 |



Acetylene Cutting Nozzles - Type 41

• Cigweld style • 2 Seat

| CODE: | DESCRIPTION: | SIZE: | TRADE PRICE: |
|----------|-----------------|------------|--------------|
| GCN6-41 | #6 Cutting Tip | 1 - 5mm | \$18.50 |
| GCN8-41 | #8 Cutting Tip | 5 - 10mm | \$18.50 |
| GCN10-41 | #10 Cutting Tip | 10 - 20mm | \$18.50 |
| GCN12-41 | #12 Cutting Tip | 20 - 50mm | \$18.50 |
| GCN15-41 | #15 Cutting Tip | 50 - 80mm | \$18.50 |
| GCN20-41 | #20 Cutting Tip | 80 - 100mm | \$18.50 |





GAS CUTTING & WELDING

GAS TORCH ATTACHMENTS

(All pricing excludes GST)

Gas Welding Tips

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|-----------------|--------------|
| GWT06 | #6 Welding Tip | \$16.00 |
| GWT08 | #8 Welding Tip | \$16.00 |
| GWT10 | #10 Welding Tip | \$16.00 |
| GWT12 | #12 Welding Tip | \$16.00 |
| GWT15 | #15 Welding Tip | \$16.00 |
| GWT20 | #20 Welding Tip | \$16.00 |




Heating Tip

| CODE: | DESCRIPTION: | TRADE PRICE: |
|--------|--------------|--------------|
| GHT100 | Heating Tip | \$41.50 |

Creeper Cutter

- Semi-automatic, Twin Torch Creeper Includes 1.8m rail Single Phase
- 220V 50Hz 30W Input Power 150 800mm/min Cutting Speed
- 1500rpm Motor 5-30mm Cutting Thickness

| CODE: | DESCRIPTION: | TRADE PRICE: |
|--------|--------------------|--------------|
| GC-30M | Gas Creeper Cutter | \$1495.00 |



Rails

• Spare Guide Rails for Creeper Cutter

| CODE: | DESCRIPTION: | TRADE PRICE: |
|----------|---------------------|--------------|
| GCCR1800 | Creeper Cutter Rail | \$250.00 |



Twin Gas Hose Assemblies

| CODE: | DESCRIPTION: | LENGTH: | TRADE PRICE: |
|-------|--------------------|---------|--------------|
| GHA05 | Twin Hose Assembly | 5m | \$80.00 |
| GHA10 | Twin Hose Assembly | 10m | \$115.00 |
| GHA15 | Twin Hose Assembly | 15m | \$139.00 |
| GHA20 | Twin Hose Assembly | 20m | \$165.00 |



Ph: 0800 387 678 | | sales@euroquip.co.nz | | www.strata.co.nz



Need Assistance?
Call 0800 387 678





Ph: 0800 387 678 | sales@euroquip.co.nz | www.strata.co.nz

WELDING HELMETS & ACCESSORIES

(All pricing excludes GST)

Flip Front Welding Helmet

• Adjustable head piece • 108mm x 50mm Lens • Shade #10

| CODE: | DESCRIPTION: | TRADE PRICE: |
|---------|------------------------------------|--------------|
| AFF1000 | Flip Front Helmet (MIG/ARC/PLASMA) | \$19.20 |



Automatic Welding Helmets

- Variable Shade, 9 13 Suitable for automotive and DIY use
- Complete with batteries ready to go

| CODE: | DESCRIPTION: | TRADE PRICE: |
|--------|--------------------------------------|--------------|
| DW1500 | Auto Welding Helmet (MIG/ARC/PLASMA) | \$99.00 |



| DW2500 | Auto Welding Helmet (MIG/ARC/PLASMA) | \$129.00 |
|--------|--------------------------------------|----------|



| DW3000 | Auto Welding Helmet (MIG/TIG/ARC/PLASMA) | \$149.00 |
|--------|--|----------|
|--------|--|----------|



| DW4000 | Auto Welding Helmet (MIG/TIG/ARC/PLASMA) | \$239.00 |
|--------|--|----------|
|--------|--|----------|



| DW7000 | Auto Welding Helmet (MIG/TIG/ARC/PLASMA) | \$970.00 |
|--------|--|----------|
| | | |

With battery respirator





WELDING HELMETS & ACCESSORIES

(All pricing excludes GST)

Automatic Welding Lenses

- Fits AFF1000 Welding Helmet 108mm x 50mm Shade #10
- Twin Sensor Solar Powered

| CODE: | DESCRIPTION: | PK QTY: | TRADE PRICE: |
|----------|-------------------|---------|--------------|
| DW1200AL | Auto Welding Lens | 1 | \$79.00 |



Replacement Shade Lenses

- Glass Shade Lenses to Fit Standard Flip Front Helmets and AFF1000 Welding Helmet
- 108 x 50mm Shades #8 13 Available 3 Lenses per Pack

| CODE: | DESCRIPTION: | PK QTY: | TRADE PRICE: |
|-------|----------------|---------|--------------|
| AFF9 | Shade #9 Lens | 3 | \$6.50 |
| AFF10 | Shade #10 Lens | 3 | \$6.50 |
| AFF11 | Shade #11 Lens | 3 | \$6.50 |
| AFF12 | Shade #12 Lens | 3 | \$6.50 |
| AFF13 | Shade #13 Lens | 3 | \$6.50 |



Replacement Clear Lenses

| CODE: | DESCRIPTION: | PK QTY: | TRADE PRICE: |
|------------|----------------------------|---------|--------------|
| AFFCL | Clear Lens - 108 x 50mm | 3 | \$6.50 |
| DW2000CL | Clear Lens for DW2000 | 1 | \$5.00 |
| DW2000CL-R | Rear Clear Lens for DW2000 | 1 | \$5.00 |
| DW2500CL | Clear lens for DW2500 | 1 | \$5.00 |
| DW2500CL-R | Rear Clear lens for DW2500 | 1 | \$5.00 |
| DW3000CL | Clear lens for DW3000 | 1 | \$8.50 |
| DW3000CL-R | Rear Clear lens for DW3000 | 1 | \$8.50 |



Replacement Molded Clear Lenses

| CODE: | DESCRIPTION: | PK QTY: | TRADE PRICE: |
|------------|----------------------------|---------|--------------|
| DW4000CL | Clear lens for DW4000 | 1 | \$9.50 |
| DW4000CL-R | Rear Clear lens for DW4000 | 1 | \$9.50 |
| DW7000CL | Clear lens for DW7000 | 1 | \$12.50 |
| DW7000CL-R | Rear Clear lens for DW7000 | 1 | \$12.50 |



Ph: 0800 387 678 | | sales@euroquip.co.nz | | www.strata.co.nz

WELDING HELMETS & ACCESSORIES

(All pricing excludes GST)

Magnifying Lenses

- Magnifies the work area to assist the welder
- 1.5 diopter magnification up to 2.5 times

| CODE: | DESCRIPTION: | TRADE PRICE: |
|----------|------------------|--------------|
| MLENS150 | Magni Lens - 150 | \$16.50 |
| MLENS200 | Magni Lens - 200 | \$16.50 |
| MLENS250 | Magni Lens - 250 | \$16.50 |



Replacement Sweat Bands

• Comfort sweat band to suit automatic welding helmets

| CODE: | DESCRIPTION: | PK QTY: | TRADE PRICE: |
|----------|------------------|---------|--------------|
| DW2000SB | DW2000 Sweatband | 3 | \$19.50 |
| DW3000-4 | DW3000 Sweatband | 3 | \$19.50 |
| DW5000SB | DW5000 Sweatband | 3 | \$19.50 |



Gas Welding Goggles

• Fitted with Shade 5 replaceable lenses

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|-----------------------------|--------------|
| GG204 | Gas Welding Goggles - Plain | \$9.90 |







SAFETY GEAR

SAFETY CLOTHING

(All pricing excludes GST)

Leather Cap

• Welders cap with nape • Made from durable quality leather

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|-----------------------|--------------|
| SCN12 | Leather cap with nape | \$16.00 |



Black/Gold Welders Gloves

• Fully lined • One piece back • Special "comfort fit" design

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|--------------------------|--------------|
| AWG01 | Black/Gold Gloves - Pair | \$18.50 |



Red/Black Premium Welders Gloves

- Fully lined Premium quality leather Reinforced palm
- Special "comfort fit" design

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|-------------------------|--------------|
| AWG02 | Red/Black Gloves - Pair | \$21.50 |



Blue/Gold Super Premium Welders Gloves

- Fully lined #1 Grade quality leather Reinforced palm
- Kevlar stitching Special "comfort fit" design

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|-------------------------|--------------|
| AWG03 | Blue/Gold Gloves - Pair | \$21.50 |



TIG Welders Gloves

• Specially designed for TIG welding • Fine, hardwearing quality leather

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|---------------------------|--------------|
| TWG20 | TIG Welding Gloves - Pair | \$20.00 |



Riggers Gloves

• Leather riggers gloves • Very durable quality leather • Available in M, L & XL sizes

| CODE: | DESCRIPTION: | TRADE PRICE: |
|-------|---------------------------|--------------|
| RWG20 | TIG Riggers Gloves - Pair | \$9.50 |



SAFETY GEAR

SAFETY CLOTHING

(All pricing excludes GST)

Leather Welding Aprons

• High quality leather • Adjustable straps • Full or half length

| CODE: | DESCRIPTION: | TRADE PRICE: |
|--------|---|--------------|
| SWA100 | Full Length Leather Welding Apron | \$58.00 |
| SWA50 | Half Length Leather Welding Apron | \$38.00 |
| SPLA18 | Premium Full Length Leather Welding Apron | \$75.00 |





Half length leather welding apron

Leather Welding Jackets

- High quality leather Double row press studs (for size adjustment)
- M, L, XL, 2XL, 3XL sizes available

| CODE: | DESCRIPTION: | TRADE PRICE: |
|------------|--------------------------------|--------------|
| SPLJ17-M | Premium Welding Jacket - MED | \$139.00 |
| SPLJ17-L | Premium Welding Jacket - LARGE | \$139.00 |
| SPLJ17-XL | Premium Welding Jacket - XL | \$139.00 |
| SPLJ17-2XL | Premium Welding Jacket - XXL | \$139.00 |
| SPLJ17-3XL | Premium Welding Jacket - XXXL | \$139.00 |



Welding Screens

 \bullet Ready to assemble $\,\bullet\,$ Comes with frame $\,\bullet\,$ 1.8 x 1.8m

| CODE: | DESCRIPTION: | TRADE PRICE: |
|----------|-------------------------|--------------|
| NWWS18-G | Welding Screen - Green | \$199.00 |
| NWWS18-O | Welding Screen - Orange | \$199.00 |

