

Oct-Nov 2025

Generator Cover & Rugby Ball Key Chain #GTGC-L #40879

9000W/11.3kVA Electric Start Generator

GT10000ESQ

- 9000W (max.) 8000W (cont.)
- Electric start and recoil

- Digital LED Display
 Square Tomahawk Alternator for superior performance
 25L fuel tank for up to 8hrs run-time (@ 50% load), 72dB
 1 x 15A 230V outlet + 1 x monster 32A outlet with adaptor

(\$2,294,25 incl. gst)















Dual Function ATS Switch - 125A 4-Pole

GTATS125

- Voltage compatibility: 230-400V
 Available in 3 & 4 Pole configurations (single or 3-phase)

(\$401.35 incl. gst)





IP66 Cabinet for ATS Switch

GTATSCAB

- Provides protection against environmental elements
 Suits GTATS125 Dual Function ATS Switch
 350mm x 300mm x 180mm

(171,35 Incl. gst)



Air Inline Tyre Inflator

RA1433

- · Perfect for inflating cars & bike tires
- Pressure testing & over-pressure releasing
 Complete with 1/4" ARO style male fitting
- 100PSI Rated

Was \$31.00 gst

(\$28.75 incl. gst)





Wonder Gun Air Vacuum

ACR3717

- High suction for difficult applications Complete with washable bag & fittings
- Fits standard air fittings

Was \$100.40 gst

(\$44.85 incl. gst)



PVC Hose 3/8" 10mm x 10m

RA3400

- Complete with 1/4 inch 'ARO' style, quick connect fittings
- · Durable hose

Was **\$26.00**gst

(\$21.85 incl. gst)







300mm Air Blow Gun

RA1456

- 300mm Nozzle
- Ideal for cleaning hard to reach places
 Complete with 1/4" 'ARO' Style Male Fitting.

(\$9.20 incl. gst)







3300W/4.2kVA Silenced Inverter Generator

- 3300W peak, 3000W rated power output
- Enclosed casing for quiet running 55dB
 145cc Powerdyne 4-stroke OHV Engine
- 2x 15A 230V Power Outlets, twin USB outlets • 3.8L fuel tank with Fuel Shutoff Feature
- . ECO Mode adjusts engine RPM to load for fuel savings
- Low Oil Alert Function for improved longevity
 Digital display with fuel level and load %
- Super Portable at 22kg, 475x280x430mm















2500W/3.2kVA Silenced Inverter Generator

- 2500W (Max), 2300W (Cont) Power Output Smart throttle matches engine speed to power draw ensuring super quiet operation & fuel saving
- Powerdyne 4 stroke, OHV industrial engine
- 2x 15A, 230V outlets, 1 x 8.3A 12V DC outlet
- Up to 10 hours run time @ 50% load & whisper quiet at only 52dB!
- · Highly portable and compact 21.5kg!
- · Push button electric start with wireless remote

Was \$1,595.00 gst

(\$1,719,25 Incl. gst)















REMOTE + PUSH BUT START

4000W/5kVA Silenced Inverter Generator

- · Push button start with WIFI remote starting
- · Two-wire start perfect for solar integration
- · Reliable Powerdyne 4-stroke OHV engine
- · Silenced Casing for super quiet running - 59dB
- Weight 40kg / 758 x 495 x 550mm (LxWxH)

GT4000ESi - Petrol Only

• 4000W (max) 3500W (rated) Power Output

Was \$2,395.00 gst

(\$2,639.25 Incl. gst)

GT4000i-LPG - Duel Fuel LPG / Petrol

- Power output (Gas/LPG): 4000W / 3600W (max), 3500W / 3150W (Cont.)
- . LPG in front of regulator included

Was \$2,585.00gst

(\$2,869.25 Incl. gst)



























6000W/7.5kVA Electric Start WORK PLAY **Silenced Inverter Generator**

GT6000ESi

- . 6000W (max), 5500W (rated) power output
- DB Rating @64db, Weight 56.5kg
- · Electronic ignition system & push button electric start
- Two-Wire Start (perfect for solar integration)
 Reliable Powerdyne 4-stroke OHV engine
- Large 13.5L Fuel tank ensures continuous operation Internal frame & anti-vibration engine mounts
- · Large capacity muffler & high performance
- air cleaner system · Heavy duty wheel set & super portable

















8000W/10kVA Electric Start **Silenced Inverter Generator**

GT8000ESi

- 8000W (max.), 7000W (rated)
- Weight 105kg / 790 x 660 x 810mm
- · Effortless electric starting + remote start function
- 2 Wire start function 4-stroke OHV Powerdyne engine for ultimate performance & reliability
- Silenced casing for quiet operation 59dB
- 2x230V (15A+32A outlets), 1x12V DC & USB outlets

(\$5,744.25 Incl. gst)













FREE!



NEW

9000W/11.25kVA Silenced Inverter Generator

GT9000ESi

- . 9000W Max / 8200W Rated Output
- Smart Throttle Matches Engine Speed to Power Draw

(\$6,894,25 Incl. gst)
















 Large 27L Tank, 95kg / 655x634x752mm (LxWxH) · Perfect for home backup, job sites and off-grid systems













140A DC ARC/Lift TIG Inverter Welder

- Super lightweight (2.1kg) and compact design
- · Lift Tig function for smooth & stable welding output
- Switcheable VRD protection function (Voltage Reduction) for increased operator safety
- · Temperature, voltage and current sensors for increased reliability and safety
- Comes with 3m earth/arc lead set & carry strap
- Generator Friendly 7kVA

\$286,35 Incl. gst)



• Lightweight & Compact Design

- Production tested with 440V · Industrial IP23 casing with front panel protection
- · Lift TIG Welding Operation (Optional Tig Torch TWP17V-12-2D)
- IGBT Inverter Technology
- Microprocessor Control System

EZIARC160i - 160A

(\$373.75 Incl. gst)

#EZIARC200i - 200A

(\$488.75 Incl. gst)

· Digital Current Display Meter

- High Quality & Over-Specified Electronic Components
- Temp, voltage & current sensors for reliability
- Generator Friendly 8.5kVA (160A) / 12kVA (200A)
- · Comes with 4m Arc lead and 3m earth lead





Portable Spot Welder with 120mm Arms

- · Inverter tech for smooth & stable welding
- · Operates on a 10A, 230V, 50-60Hz AC Power Supply
- Easy setup display for material sizes from 0.6+0.6mm, up to 2.0+2.0mm Automatically regulates spot welding
- current & time according to the material
- · Lightweight & compact design
- Microprocessor control system
 Industrial IP20 casing
- · Accessories included 120mm Arm Set. Upper & Lower Electrodes, Side Handle and Owners Manual

(\$1489,25 Incl. gst)









160A/200A DC ARC/Lift TIG PFC Inverter Welder

160A/200A DC ARC/Lift TIG Inverter Welder

- Power Factor Correction
- VRD Protection Mode
- Multi Voltage Input
- · Microprocessor Control System
- · Lightweight & Compact Design
- · Production tested with 440V • Adjustable Arc Force & Hot Start
- Lift TIG Welding Operation (Optional tig torch TW26V-12-2D)
- Digital Current Display Meter
- Generator Friendly 6.5kVA (160A) / 8kVA (200A)
- · Comes with 4m Arc lead and 3m earth lead
- 160i comes with 10A plug, 200i comes with 15A

#ADVANCEARC160i - 160A

(\$603.75 Incl. gst)

(\$718.75 Incl. gst)

#ADVANCEARC200i - 200A





500A Three-Phase MIG/ARC/Lift TIG Inverter Welder w/ Trolley & Storage/Water Cooler Pack

- Intelligent Digital Wirefeeder with controls
- 10m interconnect cable 500A rated
- · Modular power source can be used individually for Arc, Arc air gouging and lift TIG welding (only 21kg!)
- · Integrated heavy duty industrial trolley with storage (AdvanceMig500 Pack), or water cooler (AdvanceMig500WC Pack) options
- Adjustable pre flow, post flow, burn back and soft start setting
- Synergic MIG Operation
- · Lift TIG operation with down slope/remote current control
- · MIG waveform control

Digital Microprocessor Control System

#ADVANCEMIG500WC PACK - Water Cooled #ADVANCEMIG500 PACK - Air Cooled

(\$8,044.25 Incl. gst)

FREE















400A Three-Phase Compact Synergic MIG/ARC/Lift TIG **Inverter Welder**



- trolley storage or trolley/wire feeder pack options
- Intelligent synergic system
- Arc air gouging capability
 IGBT Module Inverter Technology
- 4 Roll Geared Industrial Wire Feed Unit
- MIG Waveform (Inductance) Control Adjustable secondary settings such as pre flow, post flow, burn back and soft start
- 2T/4T/ Bi Level, Spot Weld Trigger Modes
- · Lift TIG operation with down slope and remote current control ability
- Spool Gun Ready
- IP23 Casing
- Production tested with 550V
 Intelligent Protection System
- Generator Friendly
- Phase Loss Protection
- Power Source Wind Tunnel **Cooling Construction**
- · Quick connect inlet gas fitting



#ADVANCEMIG400C

#ADVANCEMIG400C PACK - Trolley Pack

(\$5,399.25 Incl. gst)

#ADVANCEMIG400C SWF PACK - Trolley/Wire Feed Pack

(\$6,664.25 Incl. gst)













(\$5,169.25 Incl. gst)

New Air Command Cast Iron Range

3HP 90L Workshop Compressor

NEW

Compressor 400V

NEW

- Powerful 3.0HP Motor: 370 L/min (12.7 CFM) pump displacement for strong, consistent air delivery.

 • High Output: 210 L/min FAD at 145 PSI
- for reliable tool performance.
- Large 90L Tank: Longer run time, fewer refills.
 Heavy-Duty Build: Cast iron 2-cylinder
- Heavy-Duty Bullic: Cast Iron 2-cylinder pump for durability and long service life.
 Easy to Move: Robust wheels and rubber foot kit for portability and stability.
 Dimensions (LxWxH) 115 x 40 x 83cm
 Single phase 230V 15A power supply requirements.
- requirements









WS5.5CI

• High-Power 5.5HP Motor: 690 L/min (24 CFM) pump displacement for heavy-duty air demands
• Exceptional Output: 434 L/min FAD at 145 PSI

5.5HP 300L Three-Phase Workshop

- Massive 300L Tank: Maximum reserve for long, uninterrupted operation.

 Built to Last: Cast iron 2-cylinder pump for
- durability and reliability.

 Versatile Air Access: Built-in filter/regulator
- with quick-connectors & ½" outlet ball valve.
 3ph 400V 16A power supply requirements







(\$1,834.25 Incl. gst)

7.5HP 300L Three-Phase Workshop Compressor 400V

- Massive 7.5HP Motor: 900 L/min (34 CFM) pump displacement for maximum air power.
 • Exceptional Output: 550 L/min FAD at 145 PSI
- for running multiple tools at once. 300L Tank: Huge reserve for long, uninterrupted
- Slow-Revving 3-Cylinder Pump: Cooler running
- longer-lasting durability.

 Versatile Air Access: Built-in filter/regulator with quick-connectors & ½" outlet ball valve.

 3ph 400V 16A power supply requirements



COMMAND

NEW

10HP 300L Three-Phase Workshop Compressor 400V

NEW

- Massive 10HP Motor: 1187 L/min (42 CFM)
- pump displacement for top-tier performance
 Huge Output: 893 L/min FAD at 145 PSI for continuous, high-demand use.

 • 300L Tank: Extended run time with fewer refills
- Twin-Stage, Slow-Revving Pump Cooler running, more efficient, and long-lasting.
- Versatile Air Access: Built-in filter/regulator with quick-connectors & ½" outlet ball valve.
 3ph 400V 20A power supply requirements

(\$5,744.25 Incl. gst)



(\$4,594,25 Incl. gst)

Strata Red Welding Screen 1.8x1.8M Heavy-Duty

- · Durable black powder-coated galvanized frame
- 25mm square tube for extra strength
- · Snap-fit design for quick and easy assembly
- 14 mil red vinyl screen provides protection from sparks, uv rays, and radiation Brass gromets & double stitching for extra
- Sturdy 600mm platform legs
- Includes 1x 1.8x1.8m heavy duty 25mm square tube frame, 1x 1.8x1.8m red 14mm Vinyl curtain (#SWC18R), 1x pk nylon tiles





1740PSI 10L/min Water Blaster

KHD10/122TS

- Ceramic coated pump pistons for long lifeTotal Stop System for improved life and power consumption
- Dry run protection
- 4-pole electric motor for quiet operation
- Extremely portable at 22kg
- · Heavy duty stainless-steel frame with practical carry handle















All prices exclude GST and valid till end of Nov 2025, or while stocks last. Images may differ slightly from what is displayed depending on model.