

2022



MACHINE PRICE LIST



WELDING | COMPRESSORS | CLEANING | WORKSHOP

CONTACT US

Talk to someone who knows the gear

Talk to our awesome customer service team

0800 387 678



Upper North Island

Blair Rope

021 223 8775

blair@euroquip.co.nz

Lower North & Upper South Island

Frazer Clarke

021 88 2905

frazer@euroquip.co.nz

Lower South Island

Simon Smith

021 196 5806

simon@euroquip.co.nz

Email the right desk

Customer Service

Orders, stock and delivery

customerservice@euroquip.co.nz

Accounts & Admin

Invoices and account queries

accounts@euroquip.co.nz

Marketing

Point of sale and artwork

marketing@euroquip.co.nz

Distribution centers

Head Office & South Island DC

11 Venice Place, Stoke Nelson,
New Zealand

North Island DC

1 Aerovista Place Wiri, Auckland

Mailing Address

PO Box 2264, Stoke Nelson,
New Zealand

The complete machine range



Over 120 machines across welding, compressors, cleaning and workshop, all backed by Euroquip.



More to sell to every customer

A welder may also need a compressor, waterblaster, heater or cleaning gear. Four categories in one range means you supply more of what the job requires.



The right machine, first time

Tell us what your customer needs to run and we will specify it, from compressor pressure and flow to welder amperage and duty cycle. Better result for them, fewer returns for you.



Warranties you can sell with confidence

Up to 48 months on Strata welders, and 24 months commercial cover on Air Command and Kranzle. Less time with machines back on your bench.



Stock ready when the customer is

Stock held in Nelson and Auckland, so you close the sale while the customer is ready to buy. No six week wait to explain.



Technical support when you need it

One call to 0800 387 678 puts you or your customer onto our technical team. Our nationwide service network also takes the repairs you do not want in your workshop.

What else could you be selling?

Ask your Euroquip representative how the complete machine range can help you win more sales.


0800 387 678

sales@euroquip.co.nz • euroquip.co.nz

Check Stock and Order in Minutes

The new Euroquip portal puts your buy price, live stock and ordering in one place.

ONLINE
TRADE
PORTAL



Register or log in at

my.euroquip.co.nz



STRATA WELDING ACCESSORIES & CONSUMABLES 2026

Torches, tips, nozzles, regulators, wire and the consumables your welding customers come back for every month.




SCAN TO
DOWNLOAD



GT POWER GENERATORS & ACCESSORIES 2026

Portable, inverter and industrial generators, plus the accessories that go out the door with them.



SCAN TO
DOWNLOAD



What's Inside

Find your machine, section by section

More Welds, Less Downtime

Every process, from arc to laser.

Arc Welders	8
MIG Welders	10
TIG Welders	16
Plasma Cutters	19
Laser Welding	21
Weld Cleaning	22
Welding Helmets	23
Fume Extraction	29
Welding Trolleys	31
Water Coolers	32
Spool Gun	33

COMPRESSORS

Workshop Air, Wherever the Work Is

Portable to industrial air.

Single Phase Compressors	35
Three Phase Compressors	38
Motorised Compressors	41
Parts & Accessories	43

CLEANING

Blast It Clean, Inside and Out

Cold and hot, electric and motorised.

Electric Cold Water Blasters	50
Motorised Cold Water Blasters	53
Electric Hot Water Blasters	54
Parts & Accessories	56

WORKSHOP

Keep the Workshop Running

Heat and liquid engineering.

Heaters	60
Parts & Accessories	62
Liquid Engineering	63

WELDING

More Welds, Less Downtime



STRATA EZIARC140i

Strata 140A ARC/DC Lift TIG Inverter Welder

SKU: 40366



- Includes 3m earth lead set, 3m ARC lead set and carry strap
- Super Lightweight and compact design – Ideal for portable applications
- Weld up to 3.2mm electrodes
- Lift TIG Welding Operation – Smooth and stable welding output for precision and aesthetically important welding jobs (Optional TIG Torch available)
- Generator Friendly - Designed to work with generator power supply and protect from power surges (7kVA)

SCAN HERE



Processes	MMA Current Output	MMA Duty Cycle	Lift TIG Current Output	Input Power	Generator Capacity	Dimensions	Weight
DC MMA (ARC) / Lift TIG	10 - 140A	140A@15%, 70A@60%, 60A@100%	10 - 130A	230V AC 10A 50/60Hz (Max input 25A)	7kVA	240 x 90 x 135mm	2.1kg

STRATA EZIARC160i

160A DC ARC/DC Lift TIG Inverter Welder

SKU: 39547



- Includes 3m earth lead set, 4m ARC lead set
- DC Lift TIG Welding Operation - Precision and aesthetically important welding jobs (Optional TIG Torch available)
- Generator Friendly - Designed to work with generator power supply and protect from power surges (8.5Kva)
- Lightweight & Compact Design - Ideal for portable applications
- Production tested with 440V - Extreme stress testing in production for rugged reliability
- Industrial IP23 casing with front panel protection - Resistant to damage, moisture and corrosion

SCAN HERE



Processes	MMA Current Output	MMA Duty Cycle	Lift TIG Current Output	Input Power	Generator Capacity	Dimensions	Weight
DC MMA (ARC) / Lift TIG	10A - 160A	160A@15%, 105A@60%, 80A@100%	10 - 160A	230V AC 15A 50/60Hz (Max input 36A)	8.5KVA	290 x 135 x 220mm	2.8kg

STRATA EZIARC200i

200A DC ARC/DC Lift TIG Inverter Welder

SKU: 39548



- Includes 3m earth lead set, 4m ARC lead set
- DC Lift TIG Welding Operation - Precision and aesthetically important welding jobs (Optional TIG Torch available)
- Generator Friendly - Designed to work with generator power supply and protect from power surges (12Kva)
- Lightweight & Compact Design - Ideal for portable applications
- Production tested with 440V - Extreme stress testing in production for rugged reliability.
- Industrial IP23 casing with front panel protection - Resistant to damage, moisture and corrosion

SCAN HERE



Processes	MMA Current Output	MMA Duty Cycle	Lift TIG Current Output	Input Power	Generator Capacity	Dimensions	Weight
DC MMA (ARC) / Lift TIG	10A - 200A	200A@10%, 130A@60%, 100A@100%	10 - 200A	230V AC 15A 50/60Hz (Max input 46A)	12kVA	290 x 135 x 220mm	3.2kg



STRATA ADVANCEARC160i

160A DC ARC/DC Lift TIG PFC Inverter Welder

SKU: 39549

- Includes 3m earth lead set, 4m ARC lead set
- Adjustable Arc Force & Hot Start - Greater control and ease of use for MMA welding. DC Lift TIG Welding Operation - Precision and aesthetically important welding jobs (Optional Tig Torch available)
- Generator Friendly - Designed to work with generator power supply and protect from power surges (6.5Kva)
- Multi Voltage Input - Will operate with wide range of input voltage, including with long extension lead.
- Active PFC Technology - Increased duty cycle and energy efficiency. Can be safely used with long extension lead

SCAN HERE



Processes	MMA Current Output	MMA Duty Cycle	Lift TIG Current Output	Input Power	Generator Capacity	Dimensions	Weight
DC MMA (ARC) / Lift TIG - Active PFC	10A - 160A	160A@20%, 135A@60%, 105A@100%	10 - 160A	230V AC 10A 50/60Hz (Max input 22.9A)	6.5kVA	390 x 146 x 278mm	4.5kg



STRATA ADVANCEARC200i

200A DC ARC/DC Lift TIG PFC Inverter Welder

SKU: 39550

- Includes 3m earth lead set, 4m ARC lead set
- Adjustable Arc Force & Hot Start - Greater control and ease of use for MMA welding. DC Lift TIG Welding Operation - Precision and aesthetically important welding jobs (Optional Tig Torch available)
- Generator Friendly - Designed to work with generator power supply and protect from power surges (8Kva)
- Multi Voltage Input - Will operate with wide range of input voltage, including with long extension lead.
- Active PFC Technology - Increased duty cycle and energy efficiency. Can be safely used with long extension lead

SCAN HERE



Processes	MMA Current Output	MMA Duty Cycle	Lift TIG Current Output	Input Power	Generator Capacity	Dimensions	Weight
DC MMA (ARC) / Lift TIG - Active PFC	10A - 200A	200A@25%, 165A@60%, 130A@100%	10 - 200A	230V AC 15A 50/60Hz (Max input 31.1A)	8KVA	410 x 146 x 278mm	6.1kg

WELDTECH MST140i

140A DC Lift TIG/ARC + Gas/Gasless Inverter Welder

SKU: 40949



- Ready to weld package - Includes 2m Binzel MIG torch, 2m Earth lead, 2m Arc lead, hand-held welding mask, premium welding gloves, chipping hammer/brush, 1kg 0.9mm gasless mig wire and drive rollers
- Takes 1kg mini-spools
- Optional Tig Torch available
- Very easy-to-use synergic MIG controls
- Digital read-out displays
- Compact, robust and lightweight

SCAN HERE



10^A
PLUG

IGBT
INVERTER
TECHNOLOGY

weldtech

Processes	Output Current	Weld Capability	Duty Cycle	Input Power	Dimensions	Weight
MIG / TIG / ARC (gas & gasless)	Up to 140A	Up to 5mm mild steel	MIG 20% @ 140A; ARC 20% @ 120A	230V Single Phase, 10A plug	350 x 190 x 290mm	6.5kg

WELDTECH WT160MP

160A DC Lift TIG/ARC + Gas/Gasless Inverter Welder

SKU: 17137



- Includes 4m ARC & 3m Earth leads and 2m direct connect MB15 MIG torch
- Takes 5kg or Mini-spool mig wire
- Optional Lift TIG torch available
- Stepless voltage and wire speed control
- Lightweight and robust construction - only 9kg
- Overload protection for increased reliability

SCAN HERE



10^A
PLUG

IGBT
INVERTER
TECHNOLOGY

weldtech

Processes	Output Current	Weld Capability	Duty Cycle	Input Power	Dimensions	Weight
ARC (MMA) / MIG	Up to 160A	Up to 8mm	60% @ 130A	230V Single Phase, 10A plug	395 x 165 x 290mm	9kg

WELDTECH WT200MP

200A DC Lift TIG/ARC + Gas/Gasless Inverter Welder

SKU: 17138



- Comes with 3m ARC & 2m Earth leads, 3m Binzel-style Euro-connect MIG torch and Argon regulator w/CO2 Adaptor
- Takes 5kg or 15kg spools mig wire
- Optional spool gun available for aluminium and silicon bronze
- Compact design - only 13kg
- MIG, ARC & DC Tig (Optional Tig Torch available) welding processes
- Inductance adjustment for precise weld control

SCAN HERE



15^A
PLUG

IGBT
INVERTER
TECHNOLOGY

weldtech

Processes	Output Current	Weld Capability	Duty Cycle	Input Power	Wire Spool	Dimensions	Weight
MIG / Lift TIG / ARC (MMA)	Up to 200A	Up to 12mm steel	MIG 60% @ 160A; ARC 60% @ 130A	230V Single Phase, 15A plug	Up to 15kg	485 x 220 x 390mm	13kg



STRATA EZIMIG185C

180A Compact Synergic MIG/ARC/DC Lift TIG Inverter Welder

SKU: 33925

- Includes: Binzel Style 3m MB25 MIG Torch, 3m Earth & 4m ARC set, Argon Regulator & CO2 Adaptor, Gas Hose with Quick Connect Fittings, Drive Roller 'V' Groove (0.6-0.8mm & 0.9-1.0mm)
- Takes 5kg or Mini-spools of mig wire
- Synergic MIG operation with Parameter Save/ Recall Intuitive and simple setting of controls for consistent weld results
- MIG Inductance & Burnback Control for greater control for MIG welding operation
- Optional Spool Gun Connection w/ Remote Control for effective results welding with soft wires such as Aluminium and MIG brazing with bronze wires

SCAN HERE



Processes	MIG Current Output	MIG Duty Cycle	MMA Current Output	Input Power	Generator Capacity	Dimensions	Weight
Compact Synergic MIG / MMA (ARC) / Lift TIG	40 - 180A	180A@15%, 130A@60%, 100A@100%	10A - 180A	230V AC 10A 50/60Hz (Max input 26A)	7KVA	460 x 190 x 360mm	11kg



STRATA EZIMIG215C

200A Inverter MIG/ARC/DC Lift TIG Welder

SKU: 33625

- Includes: Binzel Style 4m MB25 MIG Torch, 3m Earth & 4m ARC set, Argon Regulator & CO2 Adaptor, Gas Hose with Quick Connect Fittings, Drive Roller 'V' Groove (0.6-0.8mm & 0.9-1.0mm)
- Takes 15kg, 5kg or Mini-spools of mig wire
- Synergic MIG operation with Parameter Save/ Recall Intuitive and simple setting of controls for consistent weld results
- MIG Inductance & Burnback Control for greater control for MIG welding operation
- Optional Spool Gun Connection w/ Remote Control for effective results welding with soft wires such as Aluminium and MIG brazing with bronze wires

SCAN HERE



Processes	MIG Current Output	MIG Duty Cycle	MMA Current Output	Input Power	Generator Capacity	Dimensions	Weight
Compact Synergic MIG / MMA (ARC) / Lift TIG	40 - 200A	200A@25%, 155A@60%, 120A@100%	10A - 160A	230V AC 15A 50/60Hz (Max input 42A)	10kVA	550 x 215 x 415mm	20.5kg



STRATA EZIMIG215C PACK

200A MIG/ARC/DC Lift TIG Inverter Welder w/ Trolley & Storage

SKU: 33722

- Includes: Binzel Style 4m MB25 MIG Torch, 3m Earth & 4m ARC set, Argon Regulator & CO2 Adaptor, Gas Hose with Quick Connect Fittings, Drive Roller 'V' Groove (0.6-0.8mm & 0.9-1.0mm)
- Takes 15kg, 5kg or Mini-spools of mig wire
- Synergic MIG operation with Parameter Save/ Recall Intuitive and simple setting of controls for consistent weld results
- MIG Inductance & Burnback Control for greater control for MIG welding operation
- Optional Spool Gun Connection w/ Remote Control for effective results welding with soft wires such as Aluminium and MIG brazing with bronze wires

SCAN HERE



Processes	MIG Current Output	MIG Duty Cycle	MMA Current Output	Input Power	Generator Capacity	Dimensions	Weight
Compact Synergic MIG / MMA (ARC) / Lift TIG	40 - 200A	200A@25%, 155A@60%, 120A@100%	10A - 160A	230V AC 15A 50/60Hz (Max input 42A)	10kVA	550 x 215 x 415mm	45.5kg

STRATA ADVANCEMIG255C

250A PFC MIG/ARC/DC Lift TIG Inverter Welder

SKU: 22111



- Accessories include 3m earth lead with heavy duty earth clamp, 4m Arc lead with heavy duty twist lock electrode holder, MB25 4m MIG torch, 2 stage flowmeter, argon gas regulator and CO2 adapter, 4m gas hose, gas inlet quick connector, hose clamps and MIG drive rollers.
- Multi voltage input - will operate with wide range of input voltage, can even be used with long extension leads
- Smart full colour LCD display for a clear and intuitive display of all welding and setting parameters
- Synergic MIG operation with parameter save/recall, an intuitive, simple setting of controls for consistent welding results

SCAN HERE



Processes	MIG Current Output	MIG Duty Cycle	MMA/TIG Duty Cycle	Input Power	Generator Capacity	Dimensions	Weight
Synergic MIG / MMA (ARC) / Lift TIG	25A - 250A	250A@16%, 195A@60%, 150A@100%	250A@13%, 180A@60%, 140A@100%	230V AC 15A 50/60Hz (Max input 41A)	10KVA	680 x 230 x 445mm	25kg

STRATA ADVANCEMIG255C PACK

250A PFC MIG/ARC/DC Lift TIG Inverter Welder w/ Trolley & Storage

SKU: 33721



- Accessories include 3m earth lead with heavy duty earth clamp, 4m Arc lead with heavy duty twist lock electrode holder, MB25 4m MIG torch, 2 stage flowmeter, argon gas regulator and CO2 adapter, 4m gas hose, gas inlet quick connector, hose clamps and MIG drive rollers.
- Multi voltage input - will operate with wide range of input voltage, can even be used with long extension leads
- Smart full colour LCD display for a clear and intuitive display of all welding and setting parameters
- Synergic MIG operation with parameter save/recall, an intuitive, simple setting of controls for consistent welding results

SCAN HERE



Processes	MIG Current Output	MIG Duty Cycle	MMA/TIG Duty Cycle	Input Power	Generator Capacity	Dimensions	Weight
Synergic MIG / MMA (ARC) / Lift TIG	25A - 250A	250A@16%, 195A@60%, 150A@100%	250A@13%, 180A@60%, 140A@100%	230V AC 15A 50/60Hz (Max input 41A)	10KVA	680 x 230 x 445mm	50kg

STRATA ADVANCEMIG315C

315A Three-Phase Compact MIG/ARC/DC Lift TIG Inverter Welder

SKU: 22112



- Accessories include 3m earth lead with heavy duty earth clamp, 4m Arc lead with heavy duty twist lock electrode holder, MB25 4m MIG torch, 2 stage flowmeter, argon gas regulator and CO2 adapter, 4m gas hose, gas inlet quick connector, hose clamps and MIG drive rollers.
- Multi voltage input - will operate with wide range of input voltage, can even be used with long extension leads
- Smart full colour LCD display for a clear and intuitive display of all welding and setting parameters
- Synergic MIG operation with parameter save/recall, an intuitive, simple setting of controls for consistent welding results

SCAN HERE



Processes	MIG Current Output	MIG Duty Cycle	MMA/TIG Duty Cycle	Input Power	Generator Capacity	Dimensions	Weight
Synergic MIG / MMA (ARC) / Lift TIG	15A - 315A	315A@40%, 200A@100%	315A@35%, 195A@100%	400V AC 32A 3 Phase 50/60Hz (Max input 20A)	17KVA	680 x 240 x 450mm	26kg



STRATA ADVANCEMIG315C PACK

315A Three-Phase Compact MIG/ARC/DC Lift TIG Inverter Welder

SKU: 33918

- Accessories include 3m earth lead with heavy duty earth clamp, 4m Arc lead with heavy duty twist lock electrode holder, MB25 4m MIG torch, 2 stage flowmeter, argon gas regulator and CO2 adapter, 4m gas hose, gas inlet quick connector, hose clamps and MIG drive rollers.
- Multi voltage input - will operate with wide range of input voltage, can even be used with long extension leads
- Smart full colour LCD display for a clear and intuitive display of all welding and setting parameters
- Synergic MIG operation with parameter save/recall, an intuitive, simple setting of controls for consistent welding results

SCAN HERE



3 PHASE

315A
Max Output (MIG)

32A400V
THREE-PHASE



Processes	MIG Current Output	MIG Duty Cycle	MMA/TIG Duty Cycle	Input Power	Generator Capacity	Dimensions	Weight
Synergic MIG / MMA (ARC) / Lift TIG	15A - 315A	315A@40%, 200A@100%	315A@35%, 195A@100%	400V AC 32A 3 Phase 50/60Hz (Max input 20A)	17KVA	680 x 240 x 450mm	51kg



STRATA ADVANCEMIG350 PACK

350A Three-Phase MIG/ARC/DC Lift TIG Inverter Welder w/ Trolley & Storage

SKU: 38138

- Includes: 10m Air Cool Interconnecting Cable, 3m Earth Lead with heavy duty earth clamp, 4m Arc lead with heavy duty twist lock electrode holder, Professional MB36 4m Mig Torch, Argon Gas Regulator/CO2 Cylinder Adaptor, Gas Hose Clamp x2, Wire Drive Roller 0.8/0.9mm 'v' groove x2, Wire Drive Roller 1.0/1.2mm 'v' groove x2 & Wire Drive Roller 1.0/1.2mm flux cored x2
- Smart full colour LCD display for a clear and intuitive display of all welding and setting parameters
- Synergic MIG operation with parameter save/recall, an intuitive, simple setting of controls for consistent welding results

SCAN HERE



3 PHASE

350A
Max Output (MIG)

32A400V
THREE-PHASE



Processes	MIG Current Output	MIG Duty Cycle	TIG Duty Cycle	Input Power	Generator Capacity	Dimensions	Weight
Synergic MIG/ARC/DC Lift TIG	40A - 350A	500A@60%, 400A@100% (per page)	350A@60%, 275A@100%	400V AC 3 Phase 32A 50/60Hz (Max input 22A)	15kVA	525 x 240 x 445mm (Power Source)	21kg (power source); 90kg complete package



STRATA ADVANCEMIG400C

400A Three-Phase Compact Synergic MIG/ARC/DC Lift TIG Inverter Welder

SKU: 39556

- Includes: 3m Earth Lead with heavy duty earth clamp, 4m Arc lead with heavy duty twist lock electrode holder, Professional MB36 4m Mig Torch, Argon Gas Regulator/CO2 Cylinder Adaptor, Gas Hose Clamp x2, Wire Drive Roller 0.8/0.9mm 'v' groove x2, Wire Drive Roller 1.0/1.2mm 'v' groove x2 & Wire Drive Roller 1.0/1.2mm flux cored x2
- Smart full colour LCD display for a clear and intuitive display of all welding and setting parameters
- Synergic MIG operation with parameter save/recall, an intuitive, simple setting of controls for consistent welding results

SCAN HERE



3 PHASE

400A
Max Output (MIG)

32A400V
THREE-PHASE



Processes	MIG Current Output	MIG Duty Cycle	TIG Current Output	Input Power	Generator Capacity	Dimensions	Weight
Compact Synergic MIG/ARC/DC Lift TIG	40 - 400A	400A@60%, 310A@100%	10 - 400A	400V AC 3 Phase 32A 50/60Hz (Max input 30A)	20kVA	670 x 250 x 445mm	23kg



STRATA ADVANCEMIG400C PACK

400A Three-Phase Compact Synergic MIG/ARC/DC Lift TIG Inverter Welder

SKU: 40940

- Includes: 3m Earth Lead with heavy duty earth clamp, 4m Arc lead with heavy duty twist lock electrode holder, Professional MB36 4m Mig Torch, Argon Gas Regulator/CO2 Cylinder Adaptor, Gas Hose Clamp x2, Wire Drive Roller 0.8/0.9mm 'v' groove x2, Wire Drive Roller 1.0/1.2mm 'v' groove x2 & Wire Drive Roller 1.0/1.2mm flux cored x2
- Smart full colour LCD display for a clear and intuitive display of all welding and setting parameters
- Synergic MIG operation with parameter save/recall, an intuitive, simple setting of controls for consistent welding results

SCAN HERE



3 PHASE

400A
Max Output (MIG)

32A400V
THREE-PHASE



Processes	MIG Current Output	MIG Duty Cycle	TIG Current Output	Input Power	Generator Capacity	Dimensions	Weight
Compact Synergic MIG/ARC/DC Lift TIG	40 - 400A	400A@60%, 310A@100%	10 - 400A	400V AC 3 Phase 32A 50/60Hz (Max input 30A)	20kVA	670 x 250 x 445mm	48kg



STRATA ADVANCEMIG400C SWF

400A Three-Phase Compact Synergic MIG/ARC/DC Lift TIG Inverter Welder

SKU: 40941

- Includes: 3m Earth Lead with heavy duty earth clamp, 4m Arc lead with heavy duty twist lock electrode holder, Professional MB36 4m Mig Torch, Argon Gas Regulator/CO2 Cylinder Adaptor, Gas Hose Clamp x2, Wire Drive Roller 0.8/0.9mm 'v' groove x2, Wire Drive Roller 1.0/1.2mm 'v' groove x2 & Wire Drive Roller 1.0/1.2mm flux cored x2
- Smart full colour LCD display for a clear and intuitive display of all welding and setting parameters
- Synergic MIG operation with parameter save/recall, an intuitive, simple setting of controls for consistent welding results

SCAN HERE



3 PHASE

400A
Max Output (MIG)

32A400V
THREE-PHASE



Processes	MIG Current Output	MIG Duty Cycle	TIG Current Output	Input Power	Generator Capacity	Dimensions	Weight
Compact Synergic MIG/ARC/DC Lift TIG	40 - 400A	400A@60%, 310A@100%	10 - 400A	400V AC 3 Phase 32A 50/60Hz (Max input 30A)	20kVA	670 x 250 x 445mm	23kg



STRATA ADVANCEMIG500 PACK

500A Three-Phase MIG/ARC/DC Lift TIG Inverter Welder w/ Trolley & Storage

SKU: 38139

- Includes: 10m Air Cool Interconnecting Cable, 3m Earth Lead with heavy duty earth clamp, 4m Arc lead with heavy duty twist lock electrode holder, Professional MB36 4m Mig Torch, Argon Gas Regulator/CO2 Cylinder Adaptor, Gas Hose Clamp x2, Wire Drive Roller 0.8/0.9mm 'v' groove x2, Wire Drive Roller 1.0/1.2mm 'v' groove x2 & Wire Drive Roller 1.0/1.2mm flux cored x2
- Smart full colour LCD display for a clear and intuitive display of all welding and setting parameters
- Synergic MIG operation with parameter save/recall, an intuitive, simple setting of controls for consistent welding results

SCAN HERE



3 PHASE

500A
Max Output (MIG)

32A400V
THREE-PHASE



Processes	MIG Current Output	MIG Duty Cycle	TIG Duty Cycle	Input Power	Generator Capacity	Dimensions	Weight
Synergic MIG / MMA (ARC) / Lift TIG	40A - 500A	500A@60%, 400A@100%	500A@60%, 400A@100%	400V AC 3 Phase 32A 50/60Hz (Max input 26A)	25kVA	605 x 240 x 455mm (Power Source)	30kg (power source); 110kg complete package



STRATA ADVANCEMIG500WC PACK

500A Three-Phase MIG/ARC/Lift TIG Inverter Welder
w/ Trolley & Storage/Water Cooler

SKU: 17821

- Includes: 10m watercooled interconnecting cable, 3m Earth Lead with heavy duty earth clamp, 4m Arc lead with heavy duty twist lock electrode holder, Professional MB501 4 metre watercooled mig torch, Argon Gas Regulator/CO2 Cylinder Adaptor, Gas Hose Clamp x2, Wire Drive Roller 0.8/0.9mm 'v' groove x2, Wire Drive Roller 1.0/1.2mm 'v' groove x2 & Wire Drive Roller 1.0/1.2mm flux cored x2
- Smart full colour LCD display for a clear and intuitive display of all welding and setting parameters
- Synergic MIG operation with parameter save/recall, an intuitive, simple setting of controls for consistent welding results

SCAN HERE



3 PHASE

500A
Max Output (MIG)

32A400V
THREE-PHASE



Processes	MIG Current Output	MIG Duty Cycle	TIG Duty Cycle	Input Power	Generator Capacity	Dimensions	Weight
Synergic MIG / MMA (ARC) / Lift TIG	40A - 500A	500A@60%, 400A@100%	500A@60%, 400A@100%	400V AC 3 Phase 32A 50/60Hz (Max input 26A)	25kVA	605 x 240 x 455mm (Power Source)	30kg (power source); 110kg complete package



STRATA STEADYMIG500 PACK

500A Industrial Three-Phase Transformer MIG Welder

SKU: 40572

- Includes: 10m wire feeder interconnecting cable, Argon regulator, MB36 Mig torch and cable hangers, H/D 5m Earth lead, fitted with a 32A three phase plug
- 4wd separate wire feeder with digital control provides stable wire feed and user friendly adjustments
- Super Duty Copper wound transformer and smoothing choke
- Digital volt and amp meter, Wire Inching button, Gas purge function, Burn back control
- All geared 4-roll metal cast feed system
- Digital Infinitely variable wire speed
- 2-step/4-step trigger capability

SCAN HERE



3 PHASE

500A
Max Output (MIG)

32A400V
THREE-PHASE



Processes	MIG Current Output	MIG Duty Cycle	Input Power	Generator Capacity	Dimensions	Weight
Transformer MIG	50A - 500A	500A@50%, 460A@60%, 350A@100%	400V AC 50Hz 3 Phase (Max input 44A)	29kVA	875 x 490 x 775mm	200kg



STRATA EZITIG200DCi

200A DC Pulse TIG/ARC Inverter Welder

SKU: 39551

- Includes: WP17 8m tig torch with flexi head, Argon flowmeter regulator, 4m Arc lead, 3 m earth lead, quick connect inlet gas fitting & consumable starter pack.
- Dual Lift TIG and HF Start Modes - Versatility for welding around sensitive electronic equipment
- Dual Mode Remote Control Option - Digital up/ down button or potentiometer thumb wheel torch remote control options through a single connection plug (optional add on)
- Wired & Wireless Foot Pedal Control Option (foot control optional extra)
- Electronic HF Tig Arc Ignition System - Contamination free and easy arc starting with low EMF interference

200A
Max Output (TIG/ARC)

15A
230V

48 MONTH
WARRANTY

SCAN HERE



Processes	TIG Current Output	TIG Duty Cycle	MMA Current Output	Input Power	Generator Capacity	Dimensions	Weight
DC Pulse TIG / MMA (ARC)	5 - 200A	200A@10%, 155A@60%, 120A@100%	5A - 200A	230V AC 15A 50/60Hz (Max input 43A)	10KVA	410 x 146 x 278mm	7kg



STRATA EZITIG200ACDCi

200A AC/DC Pulse TIG/ARC Inverter Welder

SKU: 39552

- Includes: WP26 4m tig torch, Argon flowmeter regulator, 4m Arc lead, 3 m earth lead, quick connect inlet gas fitting & consumable starter pack.
- Dual Lift TIG and HF Start Modes - Versatility for welding around sensitive electronic equipment
- Dual Mode Remote Control Option - Digital up/ down button or potentiometer thumb wheel torch remote control options through a single connection plug (optional add on)
- Wired & Wireless Foot Pedal Control Option (foot control optional extra)
- Electronic HF Tig Arc Ignition System - Contamination free and easy arc starting with low EMF interference

200A
Max Output (TIG/ARC)

15A
230V

48 MONTH
WARRANTY

SCAN HERE



Processes	TIG Current Output	DC/AC TIG Duty Cycle	MMA Current Output	Input Power	Generator Capacity	Dimensions	Weight
AC/DC Pulse TIG / MMA (ARC)	10 - 200A	200A@20%, 163A@60%, 100A@100%	10A - 200A	230V AC 15A 50/60Hz (Max input 44A)	10KVA	480 x 146x 278mm	10kg



STRATA ADVANCETIG250ACDC

250A Synergic AC/DC Pulse TIG/ARC PFC Inverter Welder

SKU: 39553

- Includes: WP26 8m tig torch, Argon flowmeter regulator, 4m Arc lead, 3 m earth lead, quick connect inlet gas fitting & consumable starter pack.
- Full Colour LCD Control Screen - Intuitive and clear visibility and setting of control parameters
- TIG Smart Set Synergic Mode - Easy setting of welding parameters according to material, thickness and joint type
- Active PFC Technology - Increased duty cycle and energy efficiency. Can be safely used with long extension lead

PFC

250A
Max Output (TIG/ARC)

15A
230V

48 MONTH
WARRANTY

SCAN HERE



Processes	AC/DC TIG Current Output	AC/DC TIG Duty Cycle	MMA Current Output	Input Power	Generator Capacity	Dimensions	Weight
Synergic AC/DC Pulse TIG / MMA (ARC) - Active PFC	5A - 250A	250A@25%, 210A@60%, 160A@100%	10A - 250A	230V AC 15A 50/60Hz (Max input 38A)	9KVA	580 x 189 x 350mm	15kg



STRATA ADVANCETIG250ACDC W/C PACK

250A Synergic AC/DC Pulse TIG/ARC PFC Inverter Welder

SKU: 40939

- Includes: WP18 water cooled 8m tig torch, Argon flowmeter regulator, 4m Arc lead, 3 m earth lead, quick connect inlet gas fitting & consumable starter pack.
- Full Colour LCD Control Screen - Intuitive and clear visibility and setting of control parameters
- TIG Smart Set Synergic Mode - Easy setting of welding parameters according to material, thickness and joint type
- Active PFC Technology - Increased duty cycle and energy efficiency. Can be safely used with long extension lead

SCAN HERE



Processes	AC/DC TIG Current Output	AC/DC TIG Duty Cycle	MMA Current Output	Input Power	Generator Capacity	Dimensions	Weight
Synergic AC/DC Pulse TIG / MMA (ARC) - Active PFC	5A - 250A	250A@25%, 210A@60%, 160A@100%	10A - 250A	230V AC 15A 50/60Hz (Max input 38A)	9kVA	580 x 189 x 350mm	33kg



STRATA ADVANCETIG250ACDC W/C TROLLEY PACK

250A Synergic AC/DC Pulse TIG/ARC PFC Inverter Welder

SKU: 42253

- Includes: WP18 water cooled 8m tig torch, Argon flowmeter regulator, 4m Arc lead, 3 m earth lead, quick connect inlet gas fitting & consumable starter pack.
- Full Colour LCD Control Screen - Intuitive and clear visibility and setting of control parameters
- TIG Smart Set Synergic Mode - Easy setting of welding parameters according to material, thickness and joint type
- Active PFC Technology - Increased duty cycle and energy efficiency. Can be safely used with long extension lead

SCAN HERE



Processes	AC/DC TIG Current Output	AC/DC TIG Duty Cycle	MMA Current Output	Input Power	Generator Capacity	Dimensions	Weight
Synergic AC/DC Pulse TIG / MMA (ARC) - Active PFC	5A - 250A	250A@25%, 210A@60%, 160A@100%	10A - 250A	230V AC 15A 50/60Hz (Max input 38A)	9kVA	580 x 189 x 350mm	33kg



STRATA ADVANCETIG400ACDC

400A Three-Phase Synergic AC/DC Pulse TIG/ARC Inverter Welder

SKU: 39555

- Full Colour LCD Control Screen - Intuitive and clear visibility and setting of control parameters
- TIG Smart Set Synergic Mode - Easy setting of welding parameters according to material, thickness and joint type
- Active PFC Technology - Increased duty cycle and energy efficiency. Can be safely used with long extension lead
- 20 Memory Settings - Ability to quickly save and recall control settings for specific jobs
- AC Sine, Square, Triangle & Mixed AC Wave Options - Ultimate control for every AC tig welding application

SCAN HERE



Processes	AC/DC TIG Current Output	AC/DC TIG Duty Cycle	MMA Current Output	Input Power	Generator Capacity	Dimensions	Weight
Synergic AC/DC Pulse TIG / MMA (ARC) - Active PFC, 3-Phase	10 - 400A	400A@60%, 310A@100%	10 - 400A	400V AC 3 Phase 32A 50/60Hz (Max input 36.5A)	25KVA	640 x 250 x 500mm	27kg



STRATA ADVANCETIG400ACDC PACK

400A Three-Phase Synergic AC/DC Pulse TIG/ARC Inverter Welder

SKU: 40479

- Full Colour LCD Control Screen - Intuitive and clear visibility and setting of control parameters
- TIG Smart Set Synergic Mode - Easy setting of welding parameters according to material, thickness and joint type
- Active PFC Technology - Increased duty cycle and energy efficiency. Can be safely used with long extension lead
- 20 Memory Settings - Ability to quickly save and recall control settings for specific jobs
- AC Sine, Square, Triangle & Mixed AC Wave Options - Ultimate control for every AC tig welding application

SCAN HERE



3 PHASE

400A
Max Output (TIG/ARC)

32A400V
THREE-PHASE



Processes	AC/DC TIG Current Output	AC/DC TIG Duty Cycle	MMA Current Output	Input Power	Generator Capacity	Dimensions	Weight
Synergic AC/DC Pulse TIG / MMA (ARC) - Active PFC, 3-Phase	10 - 400A	400A@60%, 310A@100%	10 - 400A	400V AC 3 Phase 32A 50/60Hz (Max input 36.5A)	25KVA	640 x 250 x 500mm	27kg





STRATA EZICUT40i

40A Inverter Plasma Cutter

SKU: 39559

- Includes: WP18 water cooled 8m tig torch, Argon flowmeter regulator, 4m Arc lead, 3 m earth lead, quick connect inlet gas fitting & consumable starter pack.
- Full Colour LCD Control Screen - Intuitive and clear visibility and setting of control parameters
- TIG Smart Set Synergic Mode - Easy setting of welding parameters according to material, thickness and joint type
- Active PFC Technology - Increased duty cycle and energy efficiency. Can be safely used with long extension lead
- 20 Memory Settings - Ability to quickly save and recall control settings for specific jobs
- AC Sine, Square, Triangle & Mixed AC Wave Options - Ultimate control for every AC tig welding application

SCAN HERE



Processes	Plasma Output Current	Duty Cycle	Production Cut Capacity	Input Power	Generator Capacity	Compressed Air	Dimensions	Weight
Inverter Plasma Cutter	20 - 40A	40A@20%, 30A@100%	Carbon Steel 20mm; Aluminium 16mm	230V AC 15A 50/60Hz (Max input 32A)	9kVA	110 L/min 5 bar	460 x 146 x 278mm	7.3kg



STRATA ADVANCECUT60

60A Single- Phase Inverter Plasma Cutter

SKU: 42298

- Industrial Duty Hypertherm Style TH-70 Plasma Torch 6 metres
- CNC Interface Connection
- Full Colour LCD Control Screen
- Internal Air Control Compartment With Quick Access
- Automatic Pilot Arc Control System with Perforated Cut Mode

SCAN HERE



Processes	Plasma Output Current	Duty Cycle	Production Cut Capacity	Input Power	Generator Capacity	Compressed Air	Dimensions	Weight
Single-Phase Inverter Plasma Cutter, CNC ready	20 - 60A	49A@60%, 38A@100%	Steel 20mm; Aluminium 15mm; Severance Steel 25mm	230V AC Phase 15A 50/60Hz (Max input 34.2A)	9.5KVA	185 l/min 6bar	610 x 220 x 420mm	14kg



STRATA ADVANCECUT80

80A Three-Phase CNC Inverter Plasma Cutter

SKU: 39560

- Industrial Duty Strata TH-125 Plasma Torch 6m - Superior cutting performance and consumable life
- Automatic Pilot Arc Control System - Increased cutting speed and capability, especially for discontinuous cutting
- CNC Interface Connection
- Non HF Arc Starting System - Increased reliability and low EMF pollution
- Intelligent Plasma Torch Protection System - Protects plasma torch from damage from incorrect air pressure, consumables not in place, excessive pilot arc use.

SCAN HERE



3 PHASE



Processes	Plasma Output Current	Duty Cycle	Production Cut Capacity	Input Power	Generator Capacity	Compressed Air	Dimensions	Weight
Three-Phase Inverter Plasma Cutter, CNC ready	20 - 80A	80A@60%, 62A@100%	Steel 30mm; Aluminium 20mm	400V AC 3 Phase 20A 50/60Hz (Max input 18.4A)	15KVA	295 L/min 6 Bar	640 x 240 x 445mm	23kg



STRATA ADVANCECUT125

120A Three-Phase CNC Inverter Plasma Cutter

SKU: 22120

- Industrial Duty Strata TH-125 Plasma Torch 6m - Superior cutting performance and consumable life
- Automatic Pilot Arc Control System - Increased cutting speed and capability, especially for discontinuous cutting
- CNC Interface Connection
- Dual HF/Non-HF Arc Starting System - Increased reliability and low EMF pollution
- Intelligent Machine Protection System - Temperature, voltage and current sensors for increased reliability & safety

SCAN HERE



3 PHASE

120A
Max Output (Plasma)

32A400V
THREE-PHASE



Processes	Plasma Output Current	Duty Cycle	Production Cut Capacity	Input Power	Generator Capacity	Compressed Air	Dimensions	Weight
CNC Inverter Plasma Cutter	20A - 120A	120A@60%, 100A@100%	Steel 50mm; Aluminium 45mm	400V AC 32A 50/60Hz (Max input 34A)	25KVA	295 L/min 6 Bar	660 x 240 x 445mm	33kg





STRATA SLR3000

3800W Handheld Laser Welder

SKU: 39571

- Laser speed and precision in a portable, easy to learn package
- Laser welding: purpose built for clean, reliable results in its process
- Wire feeder included: ready to run out of the box.

SCAN HERE



1500W
Laser Power

3800W
Max Input Power

Laser Power	Welding Speed	Max Input Power	Voltage	Welding Wire Diameter	Working Duration	Dimensions	Weight
1500W	20 - 160 cm/min	3800W	230V / 50Hz	0.8/1/1.2/1.4/1.6mm	100% Duty Cycle / 24 Hr continuous	670 x 430 x 310mm	43kg



STRATA SLR5000

5400W Handheld Laser Welder

SKU: 39572

- Laser speed and precision in a portable, easy to learn package
- Laser welding: purpose built for clean, reliable results in its process
- Wire feeder included: ready to run out of the box.

SCAN HERE



2500W
Laser Power

5400W
Max Input Power

Laser Power	Welding Speed	Max Input Power	Voltage	Welding Wire Diameter	Working Duration	Dimensions	Weight
2500W	20 - 160 cm/min	5400W	230V / 50Hz	0.8/1/1.2/1.4/1.6mm	100% Duty Cycle / 24 Hr continuous	670 x 456 x 310mm	45kg



STRATA SWC2000TT

Twin Tank AC/DC Weld Cleaning / Etching Machine

SKU: 42293

- 3x Faster Than Manual Cleaning
- Perfect Passivated Finishes Every Time
- Clean, Polish and Mark in One Machine
- Safe and Environmentally Responsible



Processes	Input Current	Max Input Current	Voltage	System	Protection	Dimensions	Weight
Weld Cleaning / Etching Machine	10A 230V	50A	1PH 220V 50/60Hz	Patented Dual 2L Tanks (4L Total) + Auto Fluid Feed	4-Level Safety System	455 x 335 x 346 mm	22.5kg



WELDTECH WT150

Wide View Flip-Front Welding Helmet

SKU: 35337

- Generous viewing area Larger than many in its class (110 x 90mm)
- Fixed shade DIN 10
- Certified to European standards CE EN175
- Lightweight and comfortable Only 390g!
- Perfect for MIG & Arc welding

weldtech

SCAN HERE



WELDTECH WT180

2 Sensor Auto Darkening Welding Helmet

SKU: 21667

- For MIG, & ARC welding
- Wide view 100 x 90mm clear lens
- Variable shade 9 - 13 + open shade 4
- Dual solar / battery back-up
- 1/1/1/2 Optical rating

weldtech

SCAN HERE



WELDTECH WT350

Wide View, 4 Sensor, True Colour
Auto Darkening Welding Helmet

SKU: 21385

- Ideal for MIG & Arc welding, also suits TIG welding down to 30 amps
- Fast & easy cover lens replacement
- "Full laminate" lens construction: Each layer in lens assembly is laminated for superior optical quality and reliability
- Wide view 100 x 67mm clear lens
- Available Shades: 4 = Grinding, 5-9 = Plasma/Gas Cutting, 9-13 = MIG, Arc & Tig Welding
- True colour lens give you better clarity of vision in both the light & dark state
- Accepts standard magnifying lens

weldtech



SCAN HERE





STRATA SV3000

Wide View, 4 Sensor, True Colour Auto Darkening Welding Helmet

SKU: 21389

- High strength impact resistant
- 4 Sensor design for super fast switching
- True colour
- Wide view (100 x 93)
- For Arc, TIG, MIG and grinding
- 2 Year Warranty



SCAN HERE



STRATA SV4000

Panoramic, 5 Sensor, True Colour Auto Darkening Welding Helmet

SKU: SV4000

- High strength impact resistant
- 5 sensor design for super fast switching
- True colour
- XXXL Panoramic viewing area - Full 180° visibility
- For MMA, TIG, MIG and grinding
- Optical Rating 1/1/1/1
- 2 Year Warranty



SCAN HERE



OPTREL NEO P550

Auto Darkening Welding Helmet

SKU: 19760

- Shade level 4/9-13, only 495g.
- Super-Sleep-Mode, the Neo P550 stays ready to use for approx 3000 hours without changing batteries
- Reaction time of only 0.1ms after striking a welding arc.



SCAN HERE





OPTREL VEGAVIEW

Vegaview 2.5 Auto Darkening
Welding Helmet

SKU: 19758

- Ultraviolet/Infrared protection
- Approx 3000 hours operating
- 3 sensors, variable detection angle with movable sensor slider
- Reflection-free front cover and lens and inside cover lens



SCAN HERE



OPTREL PANORAMAXX QUATTRO

Panoramaxx Quattro Auto Darkening
Welding Helmet with Isofit headgear

SKU: OT34652

- Multi-process with shade level 2.5, can also be used for grinding.
- Features a fully rechargeable Lithium Polymer battery - changing batteries no longer necessary!
- Unique 5 sensor array measures the brightness of the welding arc and automatically adjusts to the correct shade level



SCAN HERE



OPTREL PANORAMAXX CLT

Panoramaxx CLT Auto Darkening
Welding Helmet with Isofit headgear

SKU: OT38687

- Shade levels 2.0 / 4 to 12
- Large panoramic field of vision
- Crystal Lens Technology (the only one in the Panoramaxx Series) for a true color, high-contrast view of the weld pool



SCAN HERE





OPTREL CRYSTAL 2.0

Crystal 2.0 Black Auto Darkening
Helmet with Isofit headgear

SKU: OT41399

The crystal-clear view in bright state makes the crystal 2.0 the ideal combined helmet without compromises. The colour perception in light state is almost like looking through clear window glass and in dark mode you enjoy a detailed and high-contrast view of the welding pool with never-seen-before clearness.



SCAN HERE



OPTREL HELIX QUATTRO

Auto Darkening Welding Helmet
with Isofit headgear

SKU: OT38685

- slide-up helmet with internal auto-darkening
- Protection level ranging from 4 to 14
- the highest optical class of 1/1/1/1
- Panoramic field of vision
- Ideal for difficult welding tasks, even in extreme situations or viewing angles



SCAN HERE



OPTREL HELIX CLT

Auto Darkening Welding Helmet
with Isofit headgear

SKU: OT38686

- slide-up welding helmet 1.0 Clear View
- Shade levels 2.0 / 4 to 12
- Panoramic field of vision
- Crystal Lens Technology



SCAN HERE





OPTREL CLEARMAXX

Clearmaxx Helmet Black

SKU: OT20402

- Unlimited, clear view of your work space
- Adjustable air distribution allows for filtered and clear air flow
- Easy-to-change DIN5 front cover lens expands the system for efficient plasma cutting
- Lightweight helmet - 330g
- Common applications include grinding, metal industry, food industry, sand blasting, wood working, feather industry, painting, landfills and agriculture.



SCAN HERE



OPTREL CLEARMAXX

RTG e3000X

Clearmaxx Helmet E3000X PAPR System

SKU: OT23483

- Unlimited, clear view of your work space
- Adjustable air distribution allows for filtered and clear air flow
- Multi function system - can be combined with the Optrel E3000 PAPR System
- Easy-to-change DIN5 front cover lens expands the system for efficient plasma cutting
- Lightweight helmet - 330g (PAPR version: 495g)



SCAN HERE



OPTREL SWISS AIR

Swiss Air PAPR System

SKU: OT34109

- Flame-retardant ventilated half-mask
- Powerful TH3 filter unit protecting you from 99.8% of all harmful particles, aerosols, vapors, smoke and even viruses
- Positive pressure to support breathing and avoid fatigue
- Adjustable air flow system for more comfort and avoiding dry eyes
- Central control panel for filter and battery status, airflow regulation, automatic altitude, and temperature compensation



SCAN HERE





STRATA SLR1100

Laser Welding Helmet

SKU: 40395

- Designed for hand-held laser welding systems
- Large panoramic viewing area
- Extended protection for both eyes and face
- Shell entirely made in a special nylon compound, able to resist against reflected / diffused laser radiation
- Laser protective filter with wide absorption range and OD6+ protection



SCAN HERE



STRATA SLR1200MS

Multi-Shade Laser Welding Helmet

SKU: 42638

- Certified Laser Protection for Industrial Use
- Adjustable Variable Shade for Precision Work
- Large Viewing Area for Improved Control
- Durable Carbon Fibre Construction
- Comfort and Practicality for Daily Use



SCAN HERE





STRATA AIRFORCE M20 PACK

Twin-Motor Fume Extractor Including Torch & 5M Hose

SKU: 39329

- 2600W power
- 20L tank capacity
- 3.5m² surface area coverage
- The vacuum is generated by two By-Pass motors, each managed by an independent switch, allowing the operator to control the intake performance
- The motors are housed in a robust casing with an insulating sponge to ensure low noise levels

SCAN HERE



Power
2600W



Surface
35000 cm²



Capacity
20 Lt

Motor type	Max Suction / Air Flow	Max Vacuum	Voltage / Frequency	Filter	Tank Capacity	Noise Level	Dimensions	Weight
2 by-pass motors, 2.4kW	300 m ³ /hr (224 CFM)	250 mbar	230V / 50Hz	Class M cartridge (305mm dia); secondary spark trap; optional H14	20L	72 dBA	534 x 471 x 983mm	38kg

STRATA FE110

Strata Airforce FE110 Portable Fume Extractor

SKU: FE110

- M-certified filtration efficiency >99%
- Multi-Stage Filter System
- Versatile Process Compatibility
- Portable & Compact Design
- Simple, Reliable Operation



SCAN HERE



250m³/h
Fan Capacity



M >99%



230V
Single Phase



Fan Capacity	Extraction @ Hood	Filtration Efficiency	Motor Power	Dimensions	Weight
250 m ³ /h	100 m ³ /h	W3 >99% UNI EN ISO 21904-1/2:2020	1.1kW - 230V Single Phase	214 x 542x 261mm	19kg



STRATA FE210ARM

Strata Airforce FE210 Mobile Fume Extractor

SKU: 42382

- W3-certified filtration efficiency >99%
- Sintexx Plus high-efficiency filter media
- Easy-access filter cleaning
- Differential pressure switch with clogged filter alarm
- Anti-spark trap and dust collection drawer

SCAN HERE



2500m³/h
Fan Capacity



W3 >99%



230V
Single Phase



Fan Capacity	Extraction @ Hood	Filtration Efficiency	Motor Power	Filter	Noise Level	Dimensions	Weight
2500 m ³ /h	1100 m ³ /h	W3 >99% UNI EN ISO 21904-1/2:2020	1.1kW - 230V Single Phase	6.3m ² Cartridge; Sintexx Plus nanofiber media	75 dBA	561 x 765 x 740mm	59kg



STRATA FE210HOOD

Strata Airforce FE210 Mobile Fume Extractor

SKU: 42383

- W3-certified filtration efficiency >99%
- Sintexx Plus high-efficiency filter media
- Easy-access filter cleaning
- Differential pressure switch with clogged filter alarm
- Anti-spark trap and dust collection drawer

SCAN HERE



Fan Capacity	Extraction @ Hood	Filtration Efficiency	Motor Power	Filter	Noise Level	Dimensions	Weight
2500 m³/h	1100 m³/h	W3 >99% UNI EN ISO 21904-1/2:2020	1.1kW - 230V Single Phase	6.3m² Cartridge; Sintexx Plus nanofiber media	75 dBA	561 x 765 x 740mm	59kg



STRATA FE210TABLE

Strata Airforce FE210 Mobile Fume Extractor

SKU: 42384

- W3-certified filtration efficiency >99%
- Sintexx Plus high-efficiency filter media
- Easy-access filter cleaning
- Differential pressure switch with clogged filter alarm
- Anti-spark trap and dust collection drawer

SCAN HERE



Fan Capacity	Extraction @ Hood	Filtration Efficiency	Motor Power	Filter	Noise Level	Welding Table	Weight
2500 m³/h	1100 m³/h	W3 >99% UNI EN ISO 21904-1/2:2020	1.1kW - 230V Single Phase	6.3m² Cartridge; Sintexx Plus nanofiber media	75 dBA	Downdraft welding table 1200 x 800mm	59kg



STRATA FE320ARM

Strata Airforce FE320 HD Self-Cleaning Mobile Fume Extractor

SKU: 42385

- BIA "M"-certified filtration efficiency >99%
- Automatic compressed-air filter self-cleaning system
- Digital control panel, alarm log, and hour-meter
- Pre-chamber for heavy dust and spark separation
- Sintexx Plus high-efficiency filter media with nanofiber lining

SCAN HERE



Fan Capacity	Extraction @ Hood	Filtration Efficiency	Motor Power	Filter	Noise Level	Dimensions	Weight
2520 m³/h	1400 m³/h (single arm)	BIA "M" >99%	1.5kW - 230V Single Phase	12.6m² Cartridge; Sintexx Plus nanofiber media; auto compressed-air self-cleaning	75 dBA	740 x 1180 x 1110mm	182kg



STRATA WT115

Welding Trolley 3 Tray Type

SKU: 3960

- Sturdy Steel Construction
- Ideal for Welders and Gas Bottle
- Top Tray – 450(L) x 280(W)mm
- Middle Tray – 380(L) x 280(W)mm
- Bottom Tray – 695(L) x 290(W)mm



SCAN HERE



STRATA 32673

4-Wheel Welder Trolley with Integrated Storage

SKU: 32673

- Heavy duty trolley and storage unit combined
- Multiple enclosed compartments for safe storage of welding accessories
- Easily portable with heavy duty wheels
- Includes chain to hold up D size gas bottle
- Suits compact Mig models including: EziMig215C, AdvanceMig255C, AdvanceMig315C



SCAN HERE





STRATA Industrial Integrated Water Cooler 400V V2

SKU: 22109

- Professional water cooling source for serious industrial users wanting a reliable and versatile solution
- Suitable for MIG or TIG set-ups
- Tough, composite, steel case design
- Italian induction motor pump unit for ultimate reliability
- Intelligent Protection Interface for smart machine integration (warns machine of low/no water)



SCAN HERE



Coolant Capacity	Max Flow	Coolant Connection	Input Power	Dimensions	Weight
4L	9L/min	Quick Connect	400V 3PH	620 x 420 x 290mm	18kg



STRATA 39554

Compact Water Cooler with Interface Cable for AdvanceTig250ACDC

SKU: 39554

- Small and Lightweight Size - Ideal for using with portable single phase TIG machines
- Internal Pressure Switch Safety Sensor* - Prevents torch damage due to welding operation without coolant circuit active*
- Coolant Level External Sight - Easy monitoring of coolant level
- Colour-Coded Quick Connect Torch Connections - Easy identification and connection of welding torch cooling connections
- Integrated Single Cable Machine Connection* - Easy and reliable connection to machine

10L/min
Max Flow

4L
Coolant Volume

180W
230V



SCAN HERE



Coolant Capacity	Max Flow	Coolant Connection	Input Power	Dimensions	Weight
4L	10L/min	Rectus R21 Quick Connect	230V 1PH 50Hz	600 x 180 x 240mm	10kg



STRATA SP240P

8M Spool Gun Mig Torch

SKU: 34302

- 8M spool gun
- Suits all Strata EziMig and AdvanceMig models with 9 pin remote plug connection
- MB24 torch end (consumables)
- Speed control. This is also a handy adjustment, especially for aluminium welding
- Set up with 1.2mm tips



SCAN HERE



Weldtech 180A Spool Gun 4M

SKU: 13323

- 4M light duty spool gun
- TW1 and MB15 torch end (consumables)
- Recommend running 0.8mm wire as larger wires can overheat the swan neck
- Supplied with 0.8mm aluminium wire, 1x 0.9mm tip and 1x 1.0mm tip
- Suits WELDTECH WT200MP

weldtech

COMPRESSORS

Workshop Air, Wherever the Work Is





REMINGTON AIR RAS1500

1.5HP 6L Oil-Less Silent Direct Drive Air Compressor

SKU: RAS1500

- 1.5HP Induction Electric Motor
- 230V 50Hz
- 6L tank capacity
- Oil-less twin pump design
- Super silent, 70dBa @ 1.5m

SCAN HERE



10^A
PLUG

1 YEAR
GUARANTEE
On Machine

REMINGTON
AIR

Motor Power	Tank Capacity	Pump	Best displacement	Free air delivery	Power Supply	Dimensions	Weight
1.5 HP induction	6 L	Oil-less twin	190 L/min, 6.7cfm	100 L/min, 3.4cfm	230V 50Hz	390 x 380 x 390mm	16.4 kg



REMINGTON AIR RAS221

1.5HP, 21L Oil-Free Silent Air Compressor

SKU: RAS221

- 1.5HP induction electric motor
- 21L tank capacity
- Oil-less twin-pump design
- Super-silent
- Displacement 200L/min, 7CFM

SCAN HERE



10^A
PLUG

ULTRA QUIET
50%
Less Noise Than
Comparable Machines

UP TO
50%
More Runtime

1 YEAR
GUARANTEE
On Machine

REMINGTON
AIR

Motor Power	Tank Capacity	Pump	Best displacement	Free air delivery	Power Supply	Dimensions	Weight
1.5 HP induction	21 L	Oil-less twin	200 L/min, 7cfm	120L/min, 4.2cfm	230V Single Phase	520 x 235 x 560mm	19.5kg



REMINGTON AIR RAS254

2.5HP 40L Oil-Less Air Compressor

SKU: RAS254

- 2.5HP Induction Electric Motor
- 230V 50Hz
- 40L tank capacity
- Oil-less twin pump design
- Super silent, 64dBa @ 1.5m

SCAN HERE



10^A
PLUG

ULTRA QUIET
50%
Less Noise Than
Comparable Machines

UP TO
50%
More Runtime

1 YEAR
GUARANTEE
On Machine

REMINGTON
AIR

Motor Power	Tank Capacity	Pump	Best displacement	Free air delivery	Power Supply	Dimensions	Weight
2.5 HP induction	40 L	Oil-less twin	272 L/min, 9.6cfm	145 L/min, 5.1cfm	230V 50Hz	630 x 280 x 610mm	33 kg



REMINGTON AIR RA3000-50

3HP, 50LT V-Twin Pump Air Compressor

SKU: RA3000-50

- 3HP Induction Motor
- 50 Litre Tank Capacity
- Direct Drive Design
- Super Duty Cast Iron V Twin Pump
- 115psi (Max) Pressure

SCAN HERE



Motor Power	Tank Capacity	Drive	Pump	Free air delivery	Best displacement	Power Supply	Dimensions	Weight
3.0 HP induction	50 L	Direct drive	Cast iron V-twin	258L/min, 9.1cfm	360 L/min, 12.7cfm	230V Single Phase	760 x 380 x 740mm	30kg



REMINGTON AIR RA4000BD

2.75HP, 50LT Belt Drive Air Compressor

SKU: 19889

- Powerful 2.75HP TEFC Motor Designed for Aus / NZ conditions
- Cast Iron V-Twin Pump Low revving, high efficiency industrial design
- Large 50L Tank Capacity Provides volume for high air demand applications
- Cold Start Release Valve Lowers start-up power requirement
- Max Pressure 8 Bar (115psi) High pressure air delivery

SCAN HERE



Motor Power	Tank Capacity	Drive	Pump	Free air delivery	Best displacement	Power Supply	Dimensions	Weight
2.75 HP TEFC	50 L	Belt drive	Cast iron V-twin	269L/min, 9.5cfm	343L/min, 12.1cfm	230V Single Phase, 10A	850 x 720 x 380mm	60kg



AIR COMMAND AC12I

2HP 50L Belt Drive Compressor

SKU: AC12I

- A lightweight, very portable single phase compressor
- Heavy duty, oversized, slow revving, full shell bearing pump with a high air-flow flywheel and built-in after cooler for cooler, drier air supply and longer life
- Industrial Vemat electric motor with thermal overload protection
- Ideal for the tradesman and on-site work
- Comes complete with Filter and Regulator

SCAN HERE



Motor Power	Free Air Delivery	Best Displacement	Max Working Pressure	Tank Capacity	Pump Type / Drive	Dimensions	Weight
2hp	252L/min, 8.9cfm	315L/min, 11.1cfm	145psi	50 Litres	Belt Drive, 2 Cylinder, 1330rpm	750 x 305 x 750mm	42kg



WS3.0CI

3HP 230V Single Phase Workshop Air Compressor

SKU: 41796

- Pump Displacement 402L/ min 14 cfm
- High-Power Performance with Exceptional Output
- Massive 90L Air Tank

SCAN HERE



Motor Power	Free Air Delivery	Best Displacement	Max Working Pressure	Receiver Size	Pump Type	Power Supply	Dimensions	Weight
2.2kW / 3HP Single Phase 230V	370L/min, 12.7cfm	402L/min, 14cfm	10bar / 145PSI	90L	V 2 Cylinder Cast Iron Single Stage, 1180 RPM	230V Single Phase 15A	115 x 40 x 83cm	106kg



AIR COMMAND AC16I

50L 14.9Cfm Belt Drive Compressor

SKU: AC16I

- The largest output on single phase power - 30% larger in output than the AC12I
- Heavy duty, oversized, slow revving, full shell bearing pump with a high air-flow flywheel and built-in after cooler for cooler, drier air supply and longer life
- Industrial Vemat electric motor with thermal overload protection
- Capable of running two nail guns at once - the AC16I is packed with power
- 15 amp plug for ultimate performance

SCAN HERE



Motor Power	Free Air Delivery	Best Displacement	Max Working Pressure	Tank Capacity	Pump Type / Drive	Dimensions	Weight
3hp	337L/min, 11.9cfm	421L/min, 14.9cfm	145psi	50 Litres	Belt Drive, 2 Cylinder, 1100rpm	750 x 350 x 750mm	52kg



AIR COMMAND AC1600I

3HP 100L Heavy Duty Compressor

SKU: AC1600I

- Physically the largest single phase compressor, with a 100L air receiver
- Heavy duty, oversized, slow revving, full shell bearing pump with a high airflow flywheel and built-in after cooler for cooler, drier air supply and longer life
- Industrial Vemat electric motor with thermal overload protection. Large tank gives extra air storage and less stops/starts. Brilliant for the small factory where 3 phase power is not available
- 15 amp plug for ultimate performance
- Comes complete with Filter and Regulator

SCAN HERE



Motor Power	Free Air Delivery	Best Displacement	Max Working Pressure	Tank Capacity	Pump Type / Drive	Dimensions	Weight
3hp	337L/min, 11.9cfm	421L/min, 14.9cfm	145psi	100 Litres	Belt Drive, 2 Cylinder, 1100rpm	1050 x 390 x 920mm	60kg



AIR COMMAND IND5.5

Heavy Duty Three Phase Compressor

SKU: IND5.5

- Large enough to run a small workshop and tyre machine or dairy shed
- Heavy duty, slow revving, two stage pump, capable of 150psi
- Italian DOL starter (direct on line) and thermal amp overload
- Powdercoated receiver
- Intercooled and aftercooled for cool dry air

SCAN HERE



Motor Power	Free Air Delivery	Best Displacement	Max Working Pressure	Tank Capacity	Pump Type / Drive	Dimensions	Weight
5.5hp	529L/min, 18.7cfm	650L/min, 23cfm	150psi	200 Litres	Two stage, 2 Cylinder, 1350rpm (Three Phase)	152 x 50 x 105cm	121kg



AIR COMMAND IND7.5

Heavy Duty Three Phase Compressor

SKU: IND7.5

- Large enough to run a small workshop and tyre machine or dairy shed
- Heavy duty, slow revving, two stage pump, capable of 150psi
- Italian DOL starter (direct on line) and thermal amp overload
- Powdercoated receiver
- Intercooled and aftercooled for cool dry air

SCAN HERE



Motor Power	Free Air Delivery	Best Displacement	Max Working Pressure	Tank Capacity	Pump Type / Drive	Dimensions	Weight
7.5hp	622L/min, 22cfm	796L/min, 28.2cfm	150psi	270 Litres	Two stage, 2 Cylinder, 1400rpm (Three Phase)	160 x 58 x 121cm	139kg



AIR COMMAND IND10.0

Heavy Duty Three Phase Compressor

SKU: IND10.0

- Most popular model of the Industrial Series - with a big V4 pump. Ideal for automotive repair shops and larger factories
- Heavy duty, slow revving, two stage, four cylinder pump, capable of 150psi
- Italian DOL starter (direct on line) with built-in amp overload
- Powdercoated receiver
- Intercooled and aftercooled for cool dry air

SCAN HERE



Motor Power	Free Air Delivery	Best Displacement	Max Working Pressure	Tank Capacity	Pump Type / Drive	Dimensions	Weight
10hp	972L/min, 34.3cfm	1246L/min, 44cfm	150psi	270 Litres	Two stage, 4 Cylinder, 1320rpm (Three Phase)	160 x 58 x 121cm	176kg



AIR COMMAND WS3.0CI/3

3HP 400V Three Phase Workshop Air Compressor

SKU: 42334

- Built to Last - Heavy-duty cast iron, 2-cylinder single stage Low RPM pump ensures strength, durability, and long service life
- 402L/min 14 cfm pump displacement
- Maximum working pressure of 10 Bar (145 PSI)
- German-made Condor MDR3 pressure switch
- Overload protection
- CE-approved safety components

SCAN HERE



Motor Power	Free Air Delivery	Best Displacement	Max Working Pressure	Receiver Size	Pump Type	Power Supply	Dimensions	Weight
2.2kW / 3.0HP Three Phase 400V	402L/min, 14cfm	370L/min, 12.7cfm	10 Bar / 145 PSI	90L	V 2 Cylinder Cast Iron Single Stage, 1180 rpm	400V 3 Phase 16A	115 x 40 x 83cm	106kg



AIR COMMAND WS5.5CI

Industrial Three Phase Air Compressor

SKU: 41797

- Built to Last - Heavy-duty cast iron, 2-cylinder single stage Low RPM pump ensures strength, durability, and long service life
- A convenient size for small joinery and automotive workshops. Able to run a small air tool and spraygun simultaneously
- DOL Starter (direct on line) and thermal amp overload. Powdercoated receiver
- 24 Month Commercial Warranty
- Rubber shock mounts included

SCAN HERE



Motor Power	Free Air Delivery	Best Displacement	Max Working Pressure	Receiver Size	Pump Type	Power Supply	Dimensions	Weight
4kW / 5.5HP 3 Phase 400V IE2	690L/min, 24cfm	763L/min, 27cfm	10bar / 145PSI	300L	V 2 Cylinder Cast Iron Single Stage, 1150 RPM	400V 3 Phase 16A	160 x 50 x 106cm	209kg



AIR COMMAND WS7.5CI

Heavy Duty Three Phase Compressor

SKU: 41798

- Built to Last - Heavy-duty cast iron, 2-cylinder single stage Low RPM pump ensures strength, durability, and long service life
- For slightly larger workshops where two or more tools are being run simultaneously
- DOL Starter (direct on line) and thermal amp overload. Powdercoated receiver
- 24 Month Commercial Warranty
- Rubber shock mounts included

SCAN HERE



Motor Power	Free Air Delivery	Best Displacement	Max Working Pressure	Receiver Size	Pump Type	Power Supply	Dimensions	Weight
5.5kW / 7.5HP 3 Phase 400V IE2	900L/min, 34cfm	995L/min, 35cfm	10bar / 145PSI	300L	V 3 Cylinder Cast Iron Single Stage, 950 RPM	400V 3 Phase 16A	160 x 50 x 107cm	229kg



AIR COMMAND WS10.0CI

Industrial Three Phase Air Compressor

SKU: 41799

- Built to Last - Heavy-duty cast iron, 4 cylinder twin stage Low RPM pump ensures strength, durability, and long service life
- Ideal for automotive and engineering workshops and larger factories
- Able to run three air tools simultaneously
- DOL Starter (direct on line) and thermal amp overload
- Powder coated receiver
- Rubber shock mounts included

SCAN HERE



THREE
PHASE



Motor Power	Free Air Delivery	Best Displacement	Max Working Pressure	Receiver Size	Pump Type	Power Supply	Dimensions	Weight
7.5kW / 10HP 3 Phase 400V IE2	1187L/min, 42cfm	1305L/min, 46cfm	10bar / 145PSI	300L	V 4 Cylinder Cast Iron Twin Stage, 770 RPM	400V 3 Phase 20A	160 x 53 x 113cm	311kg



AIR COMMAND AC7.5CP

Compact Petrol Compressor 16L Twin Tank, Powerdyne PDX230 Engine

SKU: 42469

- Pump Displacement 487 l/min 17.2 cfm
- Compact, Vehicle-Mount Ready Design (Twin 8L Tanks)
- Powerdyne 223cc 8hp 4 Stroke Petrol Engine

SCAN HERE



Engine	Free Air Delivery	Best Displacement	Max Pressure	Receiver Size	Pump Type	Air Outlet	Dimensions	Weight
Powerdyne 8hp 4 Stroke Petrol	285L/min, 10 cfm	487L/min, 17.2 cfm	130 PSI / 9 Bar	2x 8L	Aluminium Inline 2 Cylinder, Cast Iron Barrel w/ aftercooler, 1150 rpm	2x 1/4" Aro Type Quick Connect	670 x 570 x 570mm	49kg



AIR COMMAND AC6.5CP-H

Compact Petrol Compressor 16L Twin Tank, Honda GX200 Engine

SKU: 42470

- Pump Displacement 487 l/min 17.2 cfm
- Compact, Vehicle-Mount Ready Design (Twin 8L Tanks)
- Honda GX200 6.5HP Commercial Engine

SCAN HERE



Engine	Free Air Delivery	Best Displacement	Max Pressure	Receiver Size	Pump Type	Air Outlet	Dimensions	Weight
Honda GX200 4 Stroke Petrol	285L/min, 10 cfm	487L/min, 17.2 cfm	130 PSI / 9 Bar	2x 8L	Aluminium Inline 2 Cylinder, Cast Iron Barrel w/ aftercooler, 1150 rpm	2x 1/4" Aro Type Quick Connect	670 x 570 x 570mm	49kg



AIR COMMAND AC7.5P

Mobile Petrol Compressor 70L Tank, Powerdyne PDX230 Engine

SKU: 42471

- Pump Displacement 552 l/min 19.5 cfm
- Powerdyne 223cc 8hp 4 Stroke Petrol
- Heavy Duty Cast Iron V-Twin Pump (3 Cylinder)

SCAN HERE



Engine	Free Air Delivery	Best Displacement	Max Pressure	Receiver Size	Pump Type	Air Outlet	Dimensions	Weight
Powerdyne 8HP	307L/min, 10.8 cfm	552L/min, 19.5 cfm	145psi / 10 bar	70L	Heavy Duty Cast Iron V 3 Cylinder Single Stage, 1050 rpm	2x 1/4" Aro Type Quick Connect	1100 x 450 x 820mm	95kg



AIR COMMAND AC6.5P-H

Mobile Petrol Compressor 70L Tank, Honda GX200 Engine

SKU: 42472

- Pump Displacement 552 l/min 19.5 cfm
- Honda GX200 4-Stroke Petrol Engine
- Heavy Duty Cast Iron V-Twin Pump (3 Cylinder)

SCAN HERE



HONDA
GX200
4 Stroke Petrol Engine

552 l/min
19.5 cfm

Heavy Duty
Cast Iron Pump



Engine	Free Air Delivery	Best Displacement	Max Pressure	Receiver Size	Pump Type	Air Outlet	Dimensions	Weight
Honda GX200 4 Stroke Petrol	307L/min, 10.8 cfm	552L/min, 19.5 cfm	145psi / 10 bar	70L	Heavy Duty Cast Iron V 3 Cylinder Single Stage, 1050 rpm	2x 1/4" Aro Type Quick Connect	1100 x 450 x 820mm	95kg



AIR COMMAND AC16P

Petrol Compressor 150L Tank, Powerdyne PDX460 E/S Engine

SKU: 42473

- Pump Displacement 1338 l/min 47.2 cfm
- Powerdyne 459cc 16hp 4 Stroke Petrol - Electric Start
- Heavy-Duty W-Type 3 Cylinder Slow Revving Cast Iron Pump

SCAN HERE



POWERDYNE
459cc 16hp
4 Stroke Petrol - Electric Start

1338l/min
47.2 cfm

Heavy Duty
Cast Iron Pump



Engine	Free Air Delivery	Best Displacement	Max Pressure	Receiver Size	Pump Type	Dimensions	Weight
Powerdyne 459cc 16hp 4 Stroke Petrol - Electric Start	30 cfm, 849L/ min	1338L/min, 47.2 cfm	145psi / 10 bar	150L	Heavy Duty Cast Iron 'V' 3 Cylinder Single Stage	1430 x 560 x 1240mm	285kg



AIR COMMAND AC13P-H

Stationary Petrol Compressor 150L Tank, Honda GX390 E/S Engine

SKU: 42474

- Pump Displacement 1338 l/min 47.2 cfm
- Honda GX390 - Electric Start
- Heavy-Duty W-Type 3 Cylinder Slow Revving Cast Iron Pump

SCAN HERE



HONDA
GX390
Electric Start

1338 l/min
47.2 cfm

Heavy Duty
Cast Iron Pump



Engine	Free Air Delivery	Best Displacement	Max Pressure	Receiver Size	Pump Type	Air Outlet	Dimensions	Weight
Honda GX390 - Electric Start	849L/min, 30 cfm	1338L/min, 47.2 cfm	145psi / 10 bar	150L	Cast Iron V 3 Cylinder Single Stage, 850 rpm	2x 1/2" Ball Valve	1430 x 560 x 1240mm	285kg



AIR COMMAND AC24T

Universal Mount Compressed Air Tank 24L

SKU: 42386

- Increased Air Capacity
- Universal Mount Design
- Multiple Outlet Connections
- Complete Fittings Package
- Durable & Stable Construction



SCAN HERE



AIR COMMAND ADT

Auto Drain Assembly

SKU: ADT assembly

- Includes the following components
- 230V timer with filter and muffler
- Air-Silencer to reduce the noise
- 1/2 Stainless steel BSP fittings
- Saves you time & money. Air Compressors work best when the tanks are drained frequently. This handy auto-drain takes care of this task for you! Saving you time & keeping your compressor operating at maximum efficiency.



AIR COMMAND ADT-380V

Three Phase Auto Drain Assembly

SKU: ADT-380V Assembly

- Includes the following components
- 380V timer with filter and muffler
- Air-Silencer to reduce the noise
- Comes with 1/2 and 3/8 adapters to fit 3/8 and 1/2 manual drained tanks
- Saves you time & money. Air Compressors work best when the tanks are drained frequently. This handy auto-drain takes care of this task for you! Saving you time & keeping your compressor operating at maximum efficiency.

THREE
PHASE





AIR COMMAND AC10HS

Viper-Flex Air Hose 10m

SKU: AC10HS

- Size: 3/8"
- 300PSI working pressure
- Bend restriction for reducing wear and tear
- Holds no memory of being coiled, lays out flat with no effort
- Extreme all-weather flexibility even at sub-zero temperatures



AIR COMMAND AC20HS

Viper-Flex Air Hose 20m

SKU: AC20HS

- Size: 3/8"
- 300PSI working pressure
- Bend restriction for reducing wear and tear
- Holds no memory of being coiled, lays out flat with no effort
- Extreme all-weather flexibility even at sub-zero temperatures



AIR COMMAND AC3820HR

Dual Arm Steel Retractable Air Hose Reel 20M

SKU: AC3820HR

- The hose reel now includes an updated side to side swivel bracket
- Unique spring assisted, multi-position locking system for seamless locking and releasing of hose at any length
- Dual arm for heavy duty use
- Solid stainless steel construction with HD powder coat for durability and corrosion resistance
- Connections male 1/4 x 1/4 male BSP





AIR COMMAND RAFR2000

1/4" Water Trap/Regulator

SKU: RAFR2000

- Flow rate 16CFM
- Protects tools and equipment by removing most solid and liquid contaminants
- Contaminants can include dust, dirt, pipe scale, rust, liquid, water and oil
- Prevents rust and corrosion
- Replacement elements available



AIR COMMAND ACFR3000

3/8" Water Trap/Regulator

SKU: ACFR3000

- Flow rate 70CFM
- Protects tools and equipment by removing most solid and liquid contaminants



AIR COMMAND ACFR4000

1/2" Water Trap/Regulator

SKU: ACFR4000

- Flow rate 141CFM
- Protects tools and equipment by removing most solid and liquid contaminants





AIR COMMAND RAF2000

1/4" Air Filter

SKU: RAF2000

- Port size: 1/4"
- Air Capacity: 16cfm
- Filtration: 0.1 Micron



AIR COMMAND ACF3000

3/8" Water Trap

SKU: ACF3000

- Flow rate 53CFM
- Protects tools and equipment by removing most solid and liquid contaminants



AIR COMMAND ACL2000

1/4" BSP Modular Air Line Lubricator

SKU: ACL2000

- Lubricator maintains a constant oil-to-air density over a wide range of flow
- Provides lubrication for multiple pneumatic tools/devices





AIR COMMAND ACF4000

1/2" Filter/Water Trap

SKU: ACF4000

- Flow rate 70CFM
- Protects tools and equipment by removing most solid and liquid contaminants



AIR COMMAND ACF5000

3/4" Filter/Water Trap

SKU: ACF5000

- Flow rate 141CFM
- Protects tools and equipment by removing most solid and liquid contaminants



AIR COMMAND AC2085

3/8" Desiccant Dryer, Coalescent Filter

SKU: AC2085

- 3/8" BSP ports
- Up to 25cfm flow
- 3/8F NPT Desiccant Dryer & Coalescent Filter
- Flow rate 25CFM 0.01 Micro removes 99% of the oil vapor.
- Provides extremely dry air for applications requiring complete removal of water (eg Painting)





AIR COMMAND AC2086

Dessicant Refill Pk

SKU: AC2086

- Dessicant Refill Pack (85gm)
- Refill for AC2085



CLEANING

Blast It Clean, Inside and Out





KRANZLE KHD7/122TS

7L/min, 1740psi High Pressure Cleaner

SKU: 20963

- Single phase
- Total-Stop Auto-shutdown feature which improves seal life-span and reduces power consumption
- Stainless steel lances including adjustable "Flat fan jet lance"
- 5m power lead
- Spray gun with safety cut-out

SCAN HERE



kranzle

Phase	Motor power (kW)	Operating/max. pressure (psi)	Flow rate (L/min)	Hose	Dimensions	Weight
Single Phase	1.6	1435/1740	7	10m	440 x 200 x 330mm	22 kg



KRANZLE KHD10/122TS

10L/min, 1740psi High Pressure Cleaner

SKU: 20726

- Single phase
- Total-Stop Auto-shutdown feature which improves seal life-span and reduces power consumption
- Stainless steel lances including adjustable "Flat fan jet lance"
- 5m power lead
- Spray gun with safety cut-out

SCAN HERE



kranzle

Phase	Motor power (kW)	Operating/max. pressure (psi)	Flow rate (L/min)	Hose	Dimensions	Weight
Single Phase	2.5	1740/1960	10	10m	440 x 200 x 330mm	23 kg



KRANZLE K1152TST-10A

10L/min, 1670psi High Pressure Cleaner

SKU: K1152TST-10A

- Single phase
- 10 Amp Plug
- Total stop system
- Stainless steel lances including "dirtkiller" turbo lance and adjustable flat fan jet lance
- Integrated hose drum with 15m hose

SCAN HERE



kranzle

Phase	Motor power (kW)	Operating/max. pressure (psi)	Flow rate (L/min)	Hose	Dimensions	Weight
Single Phase	2.3	1670/2175	10	15m Drum	300 x 300 x 800mm	27 kg



KRANZLE K2160TST

11L/min, 2030psi High Pressure Cleaner

SKU: K2160TST

- Single phase
- 15 Amp Plug
- Total stop system
- Integrated hose drum with steel fabric high pressure 15m hose
- Stainless steel lances including 'dirtkiller' turbo lance & flat jet lance

SCAN HERE



kranzle

Phase	Motor power (kW)	Operating/max. pressure (psi)	Flow rate (L/min)	Hose	Dimensions	Weight
Single Phase	3.3	2030/2320	11	15m Drum	335 x 375 x 980mm	41 kg



KRANZLE KQ599TST

10L/min, 2175psi High Pressure Cleaner

SKU: KQ599TST

- Single phase
- Total-stop function with delayed motor cut-out
- Stainless steel lances including 'dirtkiller' turbo lance and adjustable flat fan jet lance
- Steel fabric high pressure 20m hose
- 5m power lead

SCAN HERE



kranzle

Phase	Motor power (kW)	Operating/max. pressure (psi)	Flow rate (L/min)	Hose	Dimensions	Weight
Single Phase	3.2	2175/2390	10	20m Drum	780 x 395 x 870mm	60 kg



KRANZLE KQ799TST

13L/min, 2610psi High Pressure Cleaner

SKU: KQ799TST

- Three phase
- Total-stop function with delayed motor cut-out
- 20m hose drum
- 7.5m power lead
- Cable reel
- 20amp PDL plug

* Superseded to KQ1200TST

SCAN HERE



kranzle

Phase	Motor power (kW)	Operating/max. pressure (psi)	Flow rate (L/min)	Water Tank	Hose	Dimensions	Weight
Three Phase	3.5	2610/2900	13	Yes	20m Drum	780 x 395 x 870mm	60 kg



KRANZLE KQ1200TST

19L/min, 2610psi High Pressure Cleaner

SKU: KQ1200TST

- Three phase
- Total-stop function with delayed motor cut-out
- Built in water tank and on-board accessory storage
- Hose drum
- Steel fabric high pressure 20m hose
- 20amp PDL plug

SCAN HERE



Phase	Motor power (kW)	Operating/max. pressure (psi)	Flow rate (L/min)	Water Tank	Hose	Dimensions	Weight
Three Phase	4.9	2610/2900	19	Yes	20m Drum	770 x 570 x 990mm	89 kg



POWERSHOT PS3400

3400PSI 11.4L/min Petrol Waterblaster with AR Triplex Pump

SKU: 42003

- Powerful 3400PSI / 11.4L/min cleaning power delivers exceptional cleaning performance for driveways, vehicles, machinery and more
- Professional AR Triplex Pump with Brass Pump Head
- Industrial 8HP Powerdyne OHV (Recoil Start) High-Output Engine
- 10m Steel-braided Hose + Quick-Release Fittings
- 5 Quick-Connect Spray Nozzles (0°, 15°, 25°, 40°, Soap)

SCAN HERE



Max Pressure	Flow Rate	Engine	Pump	Hose	Max Water Temp	Dimensions	Weight
3400 psi	11.4 L/min	8HP Powerdyne OHV (recoil start)	AR Triplex, brass head	10 m steel braided	50 C	810 x 561 x 557mm	34 kg



POWERSHOT PS4400

4400PSI 15.1L/min Petrol Waterblaster with AR Triplex Pump

SKU: 42004

- Powerful 4400PSI / 15L/min cleaning power delivers exceptional results on the toughest jobs
- Professional AR Triplex Pump with Brass Pump Head
- Industrial 16HP Powerdyne OHV (Recoil Start) High-Output Engine
- 15m Steel-braided Hose + Quick-Release Fittings
- 5 Quick-Connect Spray Nozzles (0°, 15°, 25°, 40°, Soap)
- Pump will draw water at 1m head

SCAN HERE



Max Pressure	Flow Rate	Engine	Pump	Hose	Max Water Temp	Dimensions	Weight
4400 psi	15.1 L/min	16HP Powerdyne OHV (recoil start)	AR Triplex, brass head	15 m steel braided	50 C	898 x 788 x 930mm	80 kg



KRANZLE CA11/130

11L/min, 1885 psi High Pressure Steam Cleaner

SKU: CA11/130

- 11L/min at 1885psi (max 2100psi) hot output: strong heated cleaning that shifts stubborn industrial grime
- Continuously adjustable pressure and quantity control: dial in the right output for each surface
- Brass pump head with ceramic coated plungers: durable, long-life German engineering
- Dry-run safety and leakage return system: protects the pump for reliable, lasting performance
- Built-in water tank, 25L fuel tank with content monitoring and 10m steel-fabric hose: good reach and run time, ready to work.

SCAN HERE



kranzle

Phase	Motor power (kW)	Pump Speed	Flow rate (L/min)	Operating / Max Pressure	Water Tank	Hose	Detergent Injector	Dimensions	Weight
Single Phase	2.3 kW	1400 rpm	11	1885 / 2100 psi	Yes	10 m	High Pressure	800 x 600 x 980mm	171 kg



KTH635-1

10.6L/min, 2100psi High pressure steam cleaner

SKU: KTH635-1

- Single phase steam cleaner
- 230V, 50Hz with 15A Plug
- Water tank and stainless steel lance
- Total-stop function with delayed motor cut-out
- Digital thermostat for simple reading on operating hours
- 20m hose Drum Reel

SCAN HERE



kranzle

Phase	Type	Motor power (kW)	Operating / Max Pressure	Flow rate (L/min)	Hose	Dimensions	Weight
Single Phase	Hot water / steam	2.3	1885 / 2100 psi	10.6	20m Drum	1050 x 800 x 1000mm	220 kg



KRANZLE KTH895-1

14.9L/min, 2830psi High Pressure Steam Cleaner

SKU: KTH895-1

- Three phase
- 7.5m power lead
- Cable reel
- Steel fabric high pressure, 20m with hose drum
- Water tank
- 20amp PDL plug

SCAN HERE



kranzle

Phase	Type	Motor power (kW)	Operating/max. pressure (psi)	Flow rate (L/min)	Hose	Dimensions	Weight
Three Phase	Hot water / steam	5.5	2830/3120	14.9	20m Drum	1050 x 800 x 1000mm	220 kg



KRANZLE KTH1165-1

19.4L/min, 2390psi High Pressure Steam Cleaner

SKU: KTH1165-1

- Three phase
- 7.5m power lead
- Cable reel
- Steel fabric high pressure, 20m with hose drum
- Water tank
- 20amp PDL plug

SCAN HERE



KRANZLE

Phase	Type	Motor power (kW)	Operating/max. pressure (psi)	Flow rate (L/min)	Hose	Dimensions	Weight
Three Phase	Hot water / steam	5.5	2390/2610	19.4	20m Drum	1050 x 800 x 1000mm	220 kg



LAVOR NPX1310M

1885psi 10L/min Hot Water Blaster

SKU: NPX1310M

- Single phase with 15A plug
- Makes short work of grease, grime and dirt on tractors, trucks and utes
- Ceramic coated stainless steel pistons
- Diesel fired boiler
- 4x heavy-duty wheels for superior portability and control

SCAN HERE



LAVOR

Power Supply	Absorbed Power	Pressure (max)	Flow Rate (L/min)	Outlet Temp max	Diesel Tank	Detergent Tank	Dimensions	Weight
230 V	3200W	30 - 130 bar / 435 - 1740 (2175) psi	5.5 - 10	140 degrees C	18 L	5 L	940 x 640 x 900 mm	97 kg



LAVOR HYPER1211-INOX

1740psi 11L/min High Pressure Steam Cleaner

SKU: HYPER1211-INOX

- Powerful Single-Phase with Hot & Cold Options
- Stainless Steel Boiler Coil
- Variable Flow Handgun
- Can Reach 140°C
- 4-Pole Electric Motor, Low Speed Heavy Duty Pump

SCAN HERE



LAVOR

Power Supply	Absorbed Power	Pressure (max)	Flow Rate (L/min)	Outlet Temp max	Boiler	Diesel Tank	Detergent Tank	Dimensions	Weight
230 V	3000W	30 - 110 (150) bar / 435 - 1595 (1795) psi	5.5 - 11	140 degrees C	Food-grade stainless-steel vertical boiler	18 L	5 L	940 x 650 x 900 mm	109 kg



LAVOR WINDY265IF

Lavor Windy265IF Vacuum Cleaner

SKU: WINDY265IF

- 10 amp, single phase
- 2 high efficiency bypass motors, 130 L/s
- Filter cleaning system (reverse flow)
- 65L stainless steel tank
- Shock proof trolley with static electric shock inhibitor

SCAN HERE



LAVOR PRO

Motors & Power	Air Suction	Vacuum	Tank total / dust / liquid	Dimensions	Weight
2 x 1100W, 2200W max	130 L/s	22 kPa	65L / 30L / 40L	440 x 460 x 960 mm	14.5 kg



LAVOR WINDY365IR

Lavor Vacuum Cleaners Windy365IR

SKU: WINDY365IR

- 15 amp, single phase
- 3 high efficiency bypass motors, 195 L/s
- Fully removable tilting tank for easy draining of liquid
- Filter cleaning system (reverse flow)
- Shock proof trolley with static electric shock inhibitor

SCAN HERE



LAVOR PRO

Motors & Power	Air Suction	Vacuum	Tank total / dust / liquid	Dimensions	Weight
3 x 1000W, 3000W max	195 L/s	22 kPa	65L / 30L / 40L	620 x 510 x 1000 mm	20 kg



KRANZLE KC800

800mm Hand Powered Sweeper

SKU: 22413

- Adjustable push bar for comfortable and speedy sweeping action
- Avoids direct contact with dirt
- Easy emptying of impact-resistant waste bin
- Foldable, continuously height-adjustable side brushes
- Large wheels for ultimate portability

SCAN HERE



kranzle

Sweeping width	Container capacity	Type	Dimensions	Weight
800mm	40L	Hand powered sweeper	800mm width	19 kg



POWERSHOT PS18SSFC

450mm Round Floor Cleaner

SKU: PS18SSFC

- 450mm round floor cleaner
- Suitable for machines 3000PSI and 10L/min or greater
- Suits the PS3400 & PS4400 waterblasters
- 60° maximum
- Weight: 20kg



SCAN HERE



POWERSHOT PS21SSFC

Heavy Duty 530mm Round Floor Cleaner

SKU: PS21SSFC

- 530mm round floor cleaner
- Stainless steel body
- Max flow: 22L/min
- Min flow: 20.4L/min
- Max operating pressure: 4000PSI



SCAN HERE



KRANZLE 41880UFO

UFO Rotary Surface Cleaner

SKU: 41615

- Cleans driveways and patios quickly and efficiently
- Suits most single phase pressure washers
- 300mm wide
- Quick release fitting





KRANZLE 41850UFO

UFO Round Cleaner

SKU: 41850

- Industrial design and build
- 300mm base diameter
- M22 Inlet fitting
- Twin nozzle for smooth coverage
- 10-12LPM, 2600PSI

2 YEAR
COMMERCIAL
WARRANTY

Made
in
Germany

kranzle




KRANZLE 443921

Hose Reel with 20m Hose

SKU: 443921

- Max Pressure: 5800psi
- Max Temperature: 150°C
- Inlet: M22
- Length: 20m
- Steel braided insert 2 ply DN8

kranzle



POWERSHOT PS18TSW

5 Section Telescopic Wand 5m

SKU: PS18TSW

- Suitable for machines 3000PSI and 10L/min or greater
- 60° maximum
- Weight: 20kg



SCAN HERE



WORKSHOP

Keep the Workshop Running





REMINGTON POWER RPK75R

Diesel Fired Radiant Heater

SKU: 42544

- 22kW / 75,000 BTU radiant output for up to 250m²: powerful heat for workshops, sites and farms
- Silent Drive technology: consistent, quiet infrared heat
- Compact and light at 16.5kg with carry handle: an easy one man lift
- LED thermostatic control and Ezi-Read fuel gauge: simple to set and monitor
- Cold start optimisation and time delayed cooling: reliable starts and safe shut down

SCAN HERE



Heat Output	Heating Area	Fuel	Fuel Consumption	Fuel Tank	Run Time	Power Supply	Dimensions	Weight
22 kW (75,000 BTU)	250 m ²	Diesel / Kerosene	2.0 L/hr	13 L	6.5 hr	230V 50Hz 10A	576 x 330 x 575 mm	16.5 kg



REMINGTON POWER RPK130R

Diesel Fired Radiant Heater

SKU: 42546

- 38kW / 130,000 BTU radiant output for up to 300m²: strong directed heat for large spaces
- Silent Drive technology: consistent, effortless and quiet infrared heat
- Solid rubber wheels and carry handle: portable around the workshop or site
- Tip over and overheat protection with auto shut off: safe to run
- Cold start optimisation, 40L tank, 12hr run and Ezi-Read gauge: long, reliable run time

SCAN HERE



Heat Output	Heating Area	Fuel	Fuel Consumption	Fuel Tank	Run Time	Power Supply	Dimensions	Weight
38 kW (130,000 BTU)	300 m ²	Diesel / Kerosene	3.4 L/hr	40 L	12 hr	230V 50Hz	1155 x 696 x 930 mm	34.5 kg



REMINGTON POWER RPK1300F

Diesel Fired Forced Air Heater

SKU: 42545

- 38kW / 130,000 BTU forced air output for up to 400m²: rapid heat for big workshops and warehouses
- High airflow with far less noise than typical forced air heaters
- Strong roll cage frame and large pneumatic wheels: tough and easy to move around site
- Tip over and overheat sensors with auto shut off: safe operation in busy spaces
- Cold start optimisation, 40L tank and 11hr run time: dependable all shift heating

SCAN HERE



Heat Output	Heating Area	Fuel	Fuel Consumption	Fuel Tank	Run Time	Power Supply	Dimensions	Weight
38 kW (130,000 BTU)	400 m ²	Diesel / Kerosene	3.6 L/hr	40 L	11 hr	230V 50Hz 10A	980 x 545 x 670 mm	24.4 kg



REMINGTON POWER IRH14

Diesel Fired Infrared Silent No Fume Radiant Heater

SKU: 42548

- 14kW FAR infrared heat for up to 130m²: consistent radiant warmth right where you need it
- Patented triple combustion technology: virtually zero emissions, 99% CO₂ and water vapour.
- Silent operation, compact design on 4 industrial castors: quiet and easy to move
- Flame, overheat, over current and tip over protection: automatic safe shut off
- Automatic digital thermostat and timer, 23 to 25hr run on a 30L tank: set and forget all day heat

SCAN HERE



Heat Output	Heating Area	Fuel	Fuel Consumption	Fuel Tank	Run Time	Power Supply	Dimensions	Weight
14 kW	85-130 m ²	Diesel/Kerosene	1.2 L/hr	30 L	23-25 hr	230V 50Hz	920 x 320 x 1130 mm	49 kg



REMINGTON POWER IRH22

Diesel Fired Infrared Silent No Fume Radiant Heater

SKU: IRH22

- 22kW FAR infrared heat for up to 200m²: warms large workshops and venues fast
- Highly efficient silencer system: runs quietly enough for hospitality and event venues
- Patented combustion chamber with catalytic filtering: near zero emissions, removes harmful gases and odours
- 12 built in safety systems (flame, overheat, tip over, over current, indoor temp, motor): safe to run indoors
- Rugged stainless housing with 23.5hr run time on a 45L tank: durable and runs all day between fills

SCAN HERE



Heat Output	Heating Area	Fuel	Fuel Consumption	Fuel Tank	Run Time	Power Supply	Dimensions	Weight
22 kW	200 m ²	Diesel/Kerosene	1.9 L/hr	45 L	23.5 hr	240V 50-60Hz	1235 x 320 x 1290 mm	70 kg



REMINGTON POWER IRH-FLKT

Remington 8pc D75 Flue Kit to suit IRH Series Heaters

SKU: 42547

- Vents combustion gases outside: essential in low airflow spaces where fumes build up fast
- 8 piece kit, 75mm diameter, 3m length: a complete flue run out of the box
- Suits all IRH series heaters: a direct fit for the Remington infrared range
- Keeps your space warm and your people safe: heat indoors without the exhaust

SCAN HERE



Flue Diameter	Length	Pieces
75 mm	3 m	8 pc



LIQUID ENGINEERING B200FS

Fuel Set - 200ml



SKU: B200FS

- Complete Fuel System Protection
- Kills Diesel Bug Without Biocides
- Safe for All Fuels
- Powerful Water Control
- Reconditions Aged or Stale Fuel
- Treats 800 litres



LIQUID ENGINEERING B1LFS

Fuel Set 1L



SKU: B1LFS

- Complete Fuel System Protection
- Kills Diesel Bug Without Biocides
- Safe for All Fuels
- Powerful Water Control
- Reconditions Aged or Stale Fuel



LIQUID ENGINEERING B5LFS

Fuel Set - 5L



SKU: B5LFS

- Complete Fuel System Protection
- Kills Diesel Bug Without Biocides
- Safe for All Fuels
- Powerful Water Control
- Reconditions Aged or Stale Fuel



LIQUID ENGINEERING B20LFS

Fuel Set - 20L



SKU: B20LFS

- Complete Fuel System Protection
- Kills Diesel Bug Without Biocides
- Safe for All Fuels
- Powerful Water Control
- Reconditions Aged or Stale Fuel

ARC WELDERS

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
-------	--------------	-----	-------------	-------------

(All pricing excludes GST)

	EZIARC140i	40366	Strata 140A ARC/DC Lift TIG Inverter Welder	\$275.00
	EZIARC160i	39547	160A DC ARC/DC Lift TIG Inverter Welder	\$375.00
	EZIARC200i	39548	200A DC ARC/DC Lift TIG Inverter Welder	\$475.00
	ADVANCEARC160i	39549	160A DC ARC/DC Lift TIG PFC Inverter Welder	\$575.00
	ADVANCEARC200i	39550	200A DC ARC/DC Lift TIG PFC Inverter Welder	\$675.00

MIG WELDERS

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	MST140i	40949	140A DC Lift TIG/ARC + Gas/Gasless Inverter Welder	\$375.00
	WT160MP	17137	160A DC Lift TIG/ARC + Gas/Gasless Inverter Welder	\$515.00
	WT200MP	17138	200A DC Lift TIG/ARC + Gas/Gasless Inverter Welder	\$995.00
	EZIMIG185C	33925	180A Compact Synergic MIG/ARC/DC Lift TIG Inverter Welder	\$995.00
	EZIMIG215C	33625	200A Inverter MIG/ARC/DC Lift TIG Welder	\$1,895.00
	EZIMIG215C PACK	33722	200A MIG/ARC/DC Lift TIG Inverter Welder w/ Trolley & Storage	\$2,195.00
	ADVANCEMIG255C	22111	250A PFC MIG/ARC/DC Lift TIG Inverter Welder	\$2,695.00
	ADVANCEMIG255C PACK	33721	250A PFC MIG/ARC/DC Lift TIG Inverter Welder w/ Trolley & Storage	\$2,995.00
	ADVANCEMIG315C	22112	315A Three-Phase Compact MIG/ARC/DC Lift TIG Inverter Welder	\$3,095.00
	ADVANCEMIG315C PACK	33918	315A Three-Phase Compact MIG/ARC/DC Lift TIG Inverter Welder	\$3,395.00
	ADVANCEMIG350 PACK	38138	350A Three-Phase MIG/ARC/DC Lift TIG Inverter Welder w/ Trolley & Storage	\$5,395.00
	ADVANCEMIG400C	39556	400A Three-Phase Compact Synergic MIG/ARC/DC Lift TIG Inverter Welder	\$4,895.00

MIG WELDERS

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
-------	--------------	-----	-------------	-------------

(All pricing excludes GST)

	ADVANCEMIG400C PACK	40940	400A Three-Phase Compact Synergic MIG/ARC/DC Lift TIG Inverter Welder	\$5,095.00
	ADVANCEMIG400C SWF	40941	400A Three-Phase Compact Synergic MIG/ARC/DC Lift TIG Inverter Welder	\$6,195.00
	ADVANCEMIG500 PACK	38139	500A Three-Phase MIG/ARC/DC Lift TIG Inverter Welder w/ Trolley & Storage	\$6,395.00
	ADVANCEMIG500WC	17821	500A Three-Phase MIG/ARC/Lift TIG Inverter Welder w/ Trolley & Storage/Water Cooler	\$7,495.00
	STEADYMIG500 PACK	40572	500A Industrial Three-Phase Transformer MIG Welder	\$5,295.00

TIG WELDERS

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	EZITIG200DCi	39551	200A DC Pulse TIG/ARC Inverter Welder	\$1,295.00
	EZITIG200ACDCi	39552	200A AC/DC Pulse TIG/ARC Inverter Welder	\$1,695.00
	ADVANCETIG250ACDC	39553	250A Synergic AC/DC Pulse TIG/ARC PFC Inverter Welder	\$2,995.00
	ADVANCETIG250ACDC W/C PACK	40939	250A Synergic AC/DC Pulse TIG/ARC PFC Inverter Welder	\$3,895.00
	ADVANCETIG250ACDC W/C TROLLEY PACK	42253	250A Synergic AC/DC Pulse TIG/ARC PFC Inverter Welder	\$4,195.00
	ADVANCETIG400ACDC	39555	400A Three-Phase Synergic AC/DC Pulse TIG/ARC Inverter Welder	\$4,995.00
	ADVANCETIG400ACDC PACK	40479	400A Three-Phase Synergic AC/DC Pulse TIG/ARC Inverter Welder	\$6,795.00

PLASMA CUTTERS

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	EZICUT40i	39559	40A Inverter Plasma Cutter	\$1,495.00
	ADVANCECUT60	42298	60A Single- Phase Inverter Plasma Cutter	\$1,795.00
	ADVANCECUT80	39560	80A Three-Phase CNC Inverter Plasma Cutter	\$2,895.00
	ADVANCECUT125	22120	120A Three-Phase CNC Inverter Plasma Cutter	\$4,995.00

LASER WELDING

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	SLR3000	39571	3800W Handheld Laser Welder	\$16,995.00
	SLR5000	39572	5400W Handheld Laser Welder	\$26,995.00

WELD CLEANING

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	SWC2000TT	42293	Twin Tank AC/DC Weld Cleaning / Etching Machine	\$1,995.00

WELDING HELMETS

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	WT150	35337	Wide View Flip-Front Welding Helmet	\$29.00
	WT180	21667	2 Sensor Auto Darkening Welding Helmet	\$89.00
	WT350	21385	Wide View, 4 Sensor, True Colour Auto Darkening Welding Helmet	\$129.00
	SV3000	21389	Wide View, 4 Sensor, True Colour Auto Darkening Welding Helmet	\$249.00
	SV4000	SV4000	Panoramic, 5 Sensor, True Colour Auto Darkening Welding Helmet	\$499.00
	NEO P550	19760	Auto Darkening Welding Helmet	\$379.00
	VEGAVIEW	19758	Vegaview 2.5 Auto Darkening Welding Helmet	\$649.00
	PANORAMAXX QUATTRO	OT34652	Panoramaxx Quattro Auto Darkening Welding Helmet with Isofit headgear	\$799.00
	PANORAMAXX CLT	OT38687	Panoramaxx CLT Auto Darkening Welding Helmet with Isofit headgear	\$949.00
	CRYSTAL 2.0	OT41399	Crystal 2.0 Black Auto Darkening Helmet with Isofit headgear	\$895.00
	HELIX QUATTRO	OT38685	Auto Darkening Welding Helmet with Isofit headgear	\$999.00
	HELIX CLT	OT38686	Auto Darkening Welding Helmet with Isofit headgear	\$949.00

WELDING HELMETS

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	CLEARMAXX	OT20402	Clearmaxx Helmet Black	\$109.00
	CLEARMAXX RTG e3000X	OT23483	Clearmaxx Helmet E3000X PAPR System	\$1,999.00
	SWISS AIR	OT34109	Swiss Air PAPR	\$1,999.00

LASER WELDING HELMET

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	SLR1100	40395	Laser Welding Helmets	\$295.00
	SLR1200MS	42638	Laser Welding Helmets	\$849.00

WELDING FUME EXTRACTION

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	AIRFORCE M20 PACK	39329	Twin-Motor Fume Extractor Including Torch & 5M Hose	\$4,995.00
	FE110	FE110	Strata Airforce FE110 Portable Fume Extractor	\$1,495.00
	FE210ARM	42382	Strata Airforce FE210 Mobile Fume Extractor	\$4,995.00
	FE210HOOD	42383	Strata Airforce FE210 Mobile Fume Extractor	\$4,495.00
	42384	FE210TABLE	Strata Airforce FE210 Mobile Fume Extractor	\$6,495.00
	FE320ARM	42385	Strata Airforce FE320 HD Self-Cleaning Mobile Fume Extractor	\$11,995.00

WELDING TROLLEYS

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	WT115	3960	Welding Trolley 3 Tray Type	\$139.00
	32673	32673	4-Wheel Welder Trolley with Integrated Storage	\$395.00

WATER COOLERS

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	22109	22109	Industrial Integrated Water Cooler 400V V2	\$1,295.00
	39554	39554	Compact Water Cooler with Interface Cable for AdvanceTig250ACDC	\$995.00

SPOOL GUN

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	SP240P	34302	8M Spool Gun Mig Torch	\$625.00
	13323	13323	Weldtech 180A Spool Gun 4M	\$199.00

SINGLE PHASE COMPRESSORS

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	RAS1500	RAS1500	1.5HP 6L Oil-Less Silent Direct Drive Air Compressor	\$295.00
	RAS221	RAS221	1.5HP, 21L Oil-Free Silent Air Compressor	\$255.00
	RAS254	RAS254	2.5HP 40L Oil-Less Air Compressor	\$415.00
	RA3000-50	RA3000-50	3HP, 50LT V-Twin Pump Air Compressor	\$545.00
	RA4000BD	19889	2.75HP,50LT Belt Drive Air Compressor	\$875.00
	AC12I	AC12I	2HP 50L Belt Drive Compressor	\$1,995.00
	WS3.0CI	41796	3HP 230V Single Phase Workshop Air Compressor	\$1,895.00
	AC16I	AC16I	50L 14.9Cfm Belt Drive Compressor	\$2,295.00
	AC1600I	AC1600I	3HP 100L Heavy Duty Compressor	\$2,695.00

3-PHASE COMPRESSORS

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	IND5.5	IND5.5	Heavy Duty Three Phase Compressor	\$4,995.00
	IND7.5	IND7.5	Heavy Duty Three Phase Compressor	\$5,495.00
	IND10.0	IND10.0	Heavy Duty Three Phase Compressor	\$6,395.00
	WS3.0CI/3	42334	3HP 400V Three Phase Workshop Air Compressor	\$2,295.00
	WS5.5CI	41797	Industrial Three Phase Air Compressor	\$3,495.00
	WS7.5CI	41798	Heavy Duty Three Phase Compressor	\$3,995.00
	WS10.0CI	41799	Industrial Three Phase Air Compressor	\$4,995.00

MOTORISED COMPRESSORS

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
-------	--------------	-----	-------------	-------------

(All pricing excludes GST)

	AC7.5CP	42469	Compact Petrol Compressor 16L Twin Tank, Powerdyne PDX230 Engine	\$1,695.00
	AC6.5CP-H	42470	Compact Petrol Compressor 16L Twin Tank, Honda GX200 Engine	\$2,595.00
	AC7.5P	42471	Mobile Petrol Compressor 70L Tank, Powerdyne PDX230 Engine	\$1,995.00
	AC6.5P-H	42472	Mobile Petrol Compressor 70L Tank, Honda GX200 Engine	\$2,995.00
	AC16P	42473	Petrol Compressor 150L Tank, Powerdyne PDX460 E/S Engine	\$3,995.00
	AC13P-H	42474	Stationary Petrol Compressor 150L Tank, Honda GX390 E/S Engine	\$6,495.00

AIR COMPRESSORS PARTS & ACCESSORIES

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	AC24T	42386	Universal Mount Compressed Air Tank 24L	\$179.00
	ADT	ADT assembly	Auto Drain Assembly	\$195.00
	ADT-380V	ADT-380V Assembly	Three Phase Auto Drain Assembly	\$195.00
	AC10HS	AC10HS	Viper-Flex Air Hose 10m	\$49.00
	AC20HS	AC20HS	Viper-Flex Air Hose 20m	\$79.00
	AC3820HR	AC3820HR	Dual Arm Steel Retractable Air Hose Reel 20M	\$329.00
	RAFR2000	RAFR2000	1/4" Water Trap/Regulator	\$35.00
	ACFR3000	ACFR3000	3/8" Water Trap/Regulator	\$65.00
	ACFR4000	ACFR4000	1/2" Water Trap/Regulator	\$85.00
	RAF2000	RAF2000	1/4" Air Filter	\$18.70
	ACF3000	ACF3000	3/8" Water Trap/Regulator Filter	\$35.00
	ACL2000	ACL2000	1/4" BSP Modular Air Line Lubricator	\$25.00

AIR COMPRESSORS PARTS & ACCESSORIES

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	ACF4000	ACF4000	1/2" Filter/Water Trap	\$45.00
	ACF5000	ACF5000	3/4" Filter/Water Trap	\$65.00
	AC2085	AC2085	3/8" Desiccant Dryer, Coalescent Filter	\$249.00
	AC2086	AC2086	Dessicant Refill Pk	\$45.00

ELECTRIC COLD WATER BLASTERS

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	KHD7/122TS	20963	7L/min, 1740psi High Pressure Cleaner	\$1,695.00
	KHD10/122TS	20726	10L/min, 1740psi High Pressure Cleaner	\$1,695.00
	K1152TST-10A	K1152TST-10A	10L/min, 1670psi High Pressure Cleaner	\$2,295.00
	K2160TST	K2160TST	11L/min, 2030psi High Pressure Cleaner	\$2,895.00
	KQ599TST	KQ599TST	10L/min, 2175psi High Pressure Cleaner	\$3,795.00
	KQ799TST	KQ799TST	13L/min, 2610psi High Pressure Cleaner	\$4,995.00
	KQ1200TST	KQ1200TST	19L/min, 2610psi High Pressure Cleaner	\$5,995.00

MOTORISED COLD WATER BLASTERS

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	42003	PS3400	3400PSI 11.4L/min Petrol Waterblaster with AR Triplex Pump	\$1,295.00
	PS4400	42004	4400PSI 15.1L/min Petrol Waterblaster with AR Triplex Pump	\$2,195.00

ELECTRIC HOT WATER BLASTERS

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	CA11/130	CA11/130	11L/min, 1885 psi High Pressure Steam Cleaner	\$7,995.00
	KTH635-1	KTH635-1	10.6L/min, 2100psi High pressure steam cleaner	\$9,645.00
	KTH895-1	KTH895-1	14.9L/min, 2830psi High Pressure Steam Cleaner	\$10,995.00
	KTH1165-1	KTH1165-1	19.4L/min, 2390psi High Pressure Steam Cleaner	\$11,295.00
	NPX1310M	NPX1310M	1885psi 10L/min Hot Water Blaster	\$5,495.00
	HYPER1211-INOX	HYPER1211-INOX	1740psi 11L/min High Pressure Steam Cleaner	\$6,995.00

VACUUM CLEANER

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	WINDY265IF	WINDY265IF	Lavor Windy265IF Vacuum Cleaner	\$1,055.00
	WINDY365IR	WINDY365IR	Lavor Vacuum Cleaners Windy365IR	\$1275.00

CLEANING PARTS & ACCESSORIES

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	KC800	22413	800mm Hand Powered Sweeper	\$1,395.00
	PS18SSFC	PS18SSFC	450mm Round Floor Cleaner	\$899.00
	PS21SSFC	PS21SSFC	Heavy Duty 530mm Round Floor Cleaner	\$999.00
	41880UFO	41615	UFO Rotary Surface Cleaner	\$359.00
	41850UFO	41850	UFO Round Cleaner	\$359.00
	443921	443921	Hose Reel with 20m Hose	\$1,195.00
	PS18TSW	PS18TSW	5 Section Telescopic Wand 5m	\$325.00

RADIANT HEATERS

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	RPK75R	42544	Diesel Fired Radiant Heater	\$849.00
	RPK130R	42546	Diesel Fired Radiant Heater	\$1,999.00
	RPK1300F	42545	Diesel Fired Forced Air Heater	\$799.00

FIRED INFRARED HEATERS

IMAGE	DISPLAY NAME		DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	IRH14	42548	Diesel Fired Infrared Silent No Fume Radiant Heater	\$2,999.00
	IRH22	IRH22	Diesel Fired Infrared Silent No Fume Radiant Heater	\$3,399.00

WORKSHOP PARTS & ACCESSORIES

IMAGE	DISPLAY NAME	SKU	DESCRIPTION	TRADE PRICE
(All pricing excludes GST)				
	IRH-FLKT	42547	Remington 8pc D75 Flue Kit to suit IRH Series Heaters	\$299.00
	B200FS	B200FS	Fuel Set - 200ml	\$29.30
	B1LFS	B1LFS	Fuel Set 1L	\$85.20
	B5LFS	B5LFS	Fuel Set - 5L	\$315.30
	B20LFS	B20LFS	Fuel Set - 20L	\$845.40



☎ Ph: 0800 387 678
✉ customerservice@euroquip.co.nz
🌐 www.euroquip.co.nz